

2680 Commerce Rd Rapid City SD 57702 1-800-658-5457 1-605-342-7644 Fax 1-605-342-4036 www.warnechemical.com

2024 Equipment and Parts Catalog

Spraying Equipment UTV and ATV Application Equipment Fire Fighting Units Custom Built Sprayers Pumps – Tanks – Hose – Lots and Lots of Parts Liquid Fertilizer Application Equipment

Contents Backpack Sprayers & Accessories 32 Booms & Accessories 39 **Chemical Injectors 60 Chemical Mixing Unit 59** Clamps 10-12 Drainzit 58 Electric Computers, Controls 15-17 Electrical Wiring Components 16 **Engines 58** Fertilizer Banding Kit 3 Fire Fighting Units & Accessories 29, 57 Fittings 3-11 Flatbed Ladder 39 Fluid Film 62 Foam Markers & Accessories 39 Fogger 51

Forage Applicator 59 Gauges 12 Gopher Getter 59 GPS Guidance System 17 Handguns 31 Hose 30 Hose Reels & Accessories 29 Jet Rinse 62 Measuring Containers 62 Miracle Rust Away 62 Mist Sprayers 51 Nozzles and Tips 34-38 Nurse Tank Trailer 58 Personal Protection Equipment 61 Prairie Dog Baiter 59 Pumps & Accessories 20-29 Raven Parts 16

Root Feeders 62 Rust Away 62 Seed Treater 59 Seeders 60, 62 Soil Core Sampler 62 Sprayers 32, 44-59 Spreaders & Accessories 60 Strainers 33 Surge Buster 43 Switch Boxes 16 Swivels 28-29 Tanks & Accessories 40-43 **TeeJet Accessories 11-14** Tips & Nozzles 34-38 Totes 42 Valves 18-19 Weed Wiper 62 Wind Meter 62









POLICIES, TERMS AND CONDITIONS

Warne Chemical & Equipment Company Inc wants to express our appreciation for your business. We are committed to a combination of high-quality product lines, knowledgeable sales staff, and prompt service at competitive prices. We will continue to do our very best to provide the same high standards of product and service you have come to expect from us.

PRICES

Prices shown are FOB Rapid City SD unless otherwise specified and are current to the best of our knowledge. However, prices may change at any time without notice or obligation as some of our suppliers implement price changes throughout the year. The prices charged will be the current pricing at the time of shipment. If you have any questions, please contact us. Starred (*) items are net prices.

TERMS

All orders are sold on a cash, credit card or COD basis unless an open account has been established prior to order for those firms with established financial standings. All products are invoiced NET DUE UPON RECEIPT. Freight charges will be "freight collect". Interest on past due account balances will be 1.5% per month. All payments on accounts will be posted to interest first and principal last.

ORDERS

All orders must contain a billing name and address, shipping name and address (UPS, FedEx, and common carrier require physical address, no PO Box numbers); name of person placing order and telephone number; and a purchase order number if applicable.

SALES TAX

Sales tax is a continual problem. Therefore, we ask you to notify us with your tax number each year. If we do not have your tax number on file, or you fail to give us your tax number while ordering, sales tax will be charged.

CHECK MERCHANDISE IMMEDIATELY UPON RECEIPT

If a shipment is received damaged or there is a shortage, note on the carrier's receipt. Report any problems to Warne Chemical & Equipment Company Inc immediately.

MERCHANDISE RETURN FOR CREDIT

Merchandise may be returned for credit only upon authorization by Warne Chemical & Equipment Company Inc. Upon authorization, a return merchandise authorization (RMA) number will be issued, and merchandise must be returned freight prepaid within thirty (30) days of purchase. Returns made thirty (30) days after purchase date will be assessed a 20% restock charge. All returns must indicate invoice number and date of purchase. Credit will be issued for the net invoice cost less all allowances, freight charges, a handling charge and additional charges for any items not received in saleable condition. Special orders cannot be returned. The final credit issued, in any event, will be subject to Warne Chemical & Equipment Company Inc inspection to determine the condition.

QUOTES

We encourage our customers to call for specific quotes on materials. This insures you of the latest prices and we will honor all quotes for thirty (30) days.

WARNE CHEMICAL & EQUIPMENT COMPANY INC RESERVES THE RIGHT TO MAKE CHANGES IN PRICE AND/OR DESCRIPTIONS SHOULD AN ERROR BE FOUND ~ PRICES EFFECTIVE JANUARY 1, 2024

Warne Chemical & Equipment Company Inc

2680 Commerce Rd, Rapid City SD 57702 1-800-658-5457 605-342-7644 www.warnechemical.com



FERTILIZER BANDING PLANTER MANIFOLD KIT



Planter Kits for Banding Liquid Starter Fertilizer

8-row hose, fittings, orifices and check valves \$460.00*

12-row hose, fittings, orifices and check valves \$690.50*

Tube holder to be custom ordered to fit model of planter \$21.00* to \$45.00*

3.0 gpm 12-volt fertilizer pump unit with plumbing \$501.00*

5.3 gpm 12-volt fertilizer pump unit with plumbing \$574.00*

BLUMHARDT NYLON PARTS & FITTINGS

Acronym

FGHT	Female Garden Hose Thread	MGHT	Male Garden Hose Thread
FPT	Female Pipe Thread	MPT	Male Pipe Thread
FSPT	Female Straight Pipe Thread (Blumhardt)	MSPT	Male Straight Pipe Blumhardt Thread
FTL	Female Twist Lock	Mtg Sp	Mounting Space
HB	Hose Barb	MTL	Male Twist Lock

Diagram	Part #	Description	Price
	45947	Manifold block	3.13
AR D	45949	Manifold cap	.60
All Dr	55729	1" tube mounting block	3.42
CLL -	55730	1" tube mounting block cap	2.28
	44457	1" nut x 2-1/4" coupler	8.54
	44491	1" nut x 3-1/2" coupler	8.82
while a second	50165	Blumhardt II twist lock nozzle assembly with self-aligning	18.75
		cap (not for boomless nozzles)	
	56405	Nozzle assembly w/self-aligning cap with 50 mesh screen	23.90
Care and Car		without tip	
	46133	1" MSPT plug	2.51
	46134	1" FSPT cap	2.75
	51626	Universal twist lock cap	2.75
	51643	Blank FTL cap	2.75
	51644	FTL x self-aligning cap	2.75
	67577	FTL x TeeJet spray cap	2.51

BLUMHARDT NYLON PARTS & FITTINGS

		DI NYLON PARIS & FITTINGS	.
Diagram	Part #	Description	Price
	45965	1" MSPT x 1/2" MPT reducer	2.78
	45968	1" MSPT x 3/4" MPT reducer	2.90
	45970 45971	1" MSPT nipple 1-1/4" MPT x 1 MSPT reducer	2.85 3.18
Care Care Care Care Care Care Care Care	45971 45985	1" MSPT x 1" MPT adapter	2.94
	45990	1" MSPT x 1/4" MPT adapter	2.94
	46080	1" MSPT four-way cross	6.05
	46090	1" MSPT x $1-1/4$ " MPT x 1" MSPT tee	3.41
	46099	1" MSPT x 3/4" MPT x 1" MSPT tee	3.28
VO VO VO	46100	1" x 1" x 1" MSPT tee	3.05
	44553	1" MSPT x 1" nut x 1" MSPT tee	5.96
YO YO YO	44554	1" nut x $3/4$ " MPT x 1" MSPT tee	5.95
	44557	1" nut x 1" MSPT x 1" MSPT tee	5.88
	47872	1-1/4" MPT x 1" MSPT (3) four-way cross	7.56
	55293	1" nut x 1" MSPT x 1" nut tee	8.85
	44565	1" nut x 1" MSPT elbow	6.40
	44567	1" nut x 1/2" MPT elbow	5.96
	44568	1" nut x 3/4" MPT elbow	5.87
	46102	1" MSPT elbow	2.96
	46102	1" MSPT x 3/4" MPT elbow	3.10
	58276	1" MSPT x 1" MPT elbow	3.87
	46105	1" MSPT x 1/2" MPT elbow	3.05
	46111	1" MSPT x $1-1/4$ " MPT elbow	3.25
	46112	1" MSPT x $1-1/2$ " MPT elbow	3.25
	51638	Twist lock nozzle elbow	2.95
	44478	1" nut x mtg sp x 1/2" HB adapter	5.84
	44478	1" nut x mtg sp x 11/16" HB adapter	5.85
	44480	1" nut x mtg sp x 1" HB adapter	5.98
	47900	1" nut x mtg sp x 1/4" HB adapter	5.73
	44475	1" nut x mtg sp x 3/4" MPT adapter	5.96
	44475	1" nut x mtg sp x 1" MSPT adapter	5.84
	44476	1" nut x mtg sp x 1" MPT adapter	6.05
	44484	1" MSPT x 1" mtg sp x 1/2" HB adapter	2.97
	45922	1" MSPT x 1" mtg sp x $1/2$ HB adapter	3.05
	45925	1" MSPT x 1" mtg sp x 1" HB adapter	3.20
	45939	1" MSPT x 1" mtg sp x 1 /4" HB adapter	2.97
	45928	1" MSPT x mtg sp x 1/2" MPT adapter	3.20
	45928	1" MSPT x mtg sp x 1/2" MPT adapter	3.02
	45930	1" MSPT x mtg sp x 1" MPT adapter	3.12
a a	45931	1" MSPT x mtg sp x 1" MSPT adapter	3.20
	44493	1" nut x 3/8" HB adapter	5.23
	44495	1" nut x 1" HB adapter	5.25
	44495	1" nut x 1/2" HB adapter	4.95
	44490	1" nut x $11/16$ " HB adapter	5.24
	44497	1" nut x 1/4" HB adapter	4.86
	60303	1" nut x 3/4" HB adapter	3.30
	46009	1" MSPT x 3/8" HB adapter	2.51
	46010	1" MSPT x 1/2" HB adapter	2.51
	46010	1" MSPT x 1/2" HB adapter 1" MSPT x 11/16" HB adapter	2.05
	46012	1" MSPT x 1" HB adapter	2.97

BLUMHARDT NYLON PARTS & FITTINGS

Diagram	Part # 44494 44500 44506	Description 1" nut x 3/4" MPT adapter 1" nut x 7/16" MSPT adapter	Price 5.05
88884	44500		
88886		1" nut x 7/16" MSPT adapter	
55350	44506		5.10
		1" nut x 1/2" MPT adapter	5.40
	44507	1" nut x 1" MPT adapter	5.50
	44509	1" nut x 1" MSPT adapter	5.49
	44503	1" nut x 1/8" FPT adapter	5.30
	44512	1" nut x 1/4" FPT adapter	5.20
	45055	1" nut x 3/4" FPT adapter	5.30
	45901	Metering orifice - red	1.43
	45902	Metering orifice - white	1.43
	45907	Metering orifice - blue	1.31
	45919	Metering orifice - green	1.31
	45920	Metering orifice - yellow	1.31
	45925	Metering orifice - purple	1.31
	45938	Metering orifice - black	1.31
	45955	Metering orifice - pink	1.31
	45980	Metering orifice - brown	1.31
	45980	Metering orifice - orange	1.31
	46002		
	40014	Metering orifice - olive	1.31
	46336	.060" restrictor - yellow	.50
	46114	3/8" slip cap for tube holder - red	.88
	45042	4" Marshald hand ECDT with six 4 /4" UD availate	4.05
8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	45943	1" Manifold head FSPT with six 1/4" HB outlets	4.95
	46118	1/4" HB plug	.48
	46122	Orifice sleeve	.60
	46129	Swivel nut	2.48
OF OF CE OF ME	44571	Orifice sleeve with nut	4.31
-	44580	Screen body with check and 50 mesh screen	8.75
	46128	Screen body insert	.64
	46120	Tank webbing tie down nut	2.53
N KC	46121	Tank webbing tie down bracket	5.36
	46716	Tank webbing, 1-3/4" polyester	3.00 / ft
and the second se	03728	Tank webbing, 4" polyester	5.05 / ft
-	05748-95	4" anchor and bolt, metal	15.53
	05785-95	2" anchor and bolt	10.16
	222799	Retro fit spring and chain, one side	115.05 / side
/ %	45495	Extension bracket	12.96

DOLV FITTINGS

						TING	5				
Abbreviation	5			Adapter – N	1PT x HB	Continue	d			C	\geq
FGHT – Femal	e Garder	n Hose T	hread	Order No	MPT	HB	Price	Coupling –	Coupling – FPT		
FPT – Female	Pipe Thre	ead		TA10812PP	1/2	3/4	.67			4	
HB – Hose Bai	rb			TA10816PP	1/2	1	2.27	Order No	FPT		Price
MGHT – Male	Garden	Hose Th	read	TA10124PP	3/4	1/4	.79	CC88PP	1/2		4.68
MPT – Male P				TA10126PP	3/4	3/8	.79	CC1212PP	3/4		4.68
				TA10128PP	3/4	1/2	.79	CC1616PP	1		10.58
				TA101210PP	3/4	5/8	.79	CC2020PP	1-1	/4	11.08
		AT S	\sim	TA101212PP	3/4	3/4	.81	CC2424PP	1-1	/2	5.35
Adapter – FPT x HB		TA101216PP	3/4	1	1.19	CC3232PP	2	,	6.36		
		TA101612PP	1	3/4	1.50	CC4848PP	3		55.72		
Order No	FPT	HB	Price	TA101616PP	1	1	1.74				-
TAF1024PP	1/8	1/4	2.94	TA101620PP	1	1-1/4	2.05			A CAR	e,
TAF1044PP	1/4	1/4	2.67	TA102012PP	1-1/4		2.84	Cross – 4 V	Vay FPT	L	. (@)
TAF1046PP	1/4	3/8	2.75	TA102016PP	1-1/4		2.45				
TAF1084PP	1/2	1/4	2.78	TA102020PP	1-1/4		2.27	Order No	FPT		Price
TAF1088PP	1/2	1/2	2.19	TA102024PP	1-1/4		3.02	CR8PP	1/2		38.51
TAF10812PP	1/2	3/4	3.23	TA102420PP	1-1/2		2.85	CR12PP	3/4		38.51
TAF10128PP	3/4	1/2	3.23	TA102424PP	1-1/2		3.47	CR16PP	1		38.51
TAF101212PP	3/4	3/4	3.23	TA102424PP	1-1/2		11.07	CR20PP	1-1	//	57.34
TAF101210PP	3/4	5/8	3.23	TA102432PP	2	1-1/2	9.25	CR20PP CR24PP	1-1		57.34
TAF101616PP	1	1	4.96	TA103224PP TA103232PP	2	2	5.42	CR24PP CR32PP	2	/ 2	57.34
	-	-		TA103232FF	3	3	23.71	CR32PP	Z		20.21
Adapter – FPT x MGHT		Adapter – N				Elbow – 90	Street	P			
Order No	Thread		Price					Order Ne	MDT		Duine
GFA128PP	1/2		2.99	Order No	Т	hread	Price	Order No	MPT	FPT	Price
GFA123PP GFA1212PP	3/4		2.55	GPN8PP		/2	.88	SE44PP	1/4	1/4	2.73
UTAIZIZFF	5/4		2.50	GPN12PP		/4	.88	SE66PP	3/8	3/8	4.90
		(M)	\gg	0111211	5,	/ 4	.00	SE88PP	1/2	1/2	3.16
Adapter – MO	Adapter – MGHT x HB		Adapter – Ta	ank Out	ot Br		SE1212PP SE1616PP	3/4	3/4 1	4.31 8.35	
Order No	Size		Price					SE2020PP	1-1/4	1-1/4	11.48
GA104PP	1/4		.85	Order No MP	T FPT	MPT FPT	Price	SE2424PP	1-1/2	1-1/2	11.82
				T20CMPP 2	_	B/4 1-1/4		SE3232PP	2	2	13.68
GA106PP	3/8		.85		1/2	/ I I I/	+ 20.07	SE4848PP	3	3	98.44
GA1012PP Adapter – MF	3/4 PT x FGT	Q	.95	Bushing – Ex	ktender British	MPT	Price	Elbow – 45 Street		9	
			GFA	40014	1-1/4	1-1/2	3.71	Order No	MPT	FPT	Price
Order No	Size		Price					SEQ1212PP	3/4	3/4	7.80
FGP12PP	3/4		2.71	Order No	FPT	MPT	Price	SEQ1616PP	1	1	18.33
		(112>	~	40003	1-1/2	1-1/4	3.86	SEQ2020PP	1-1/4	1-1/4	22.74
Adapter Mr		(IIII)		40013	2	1-1/4	5.21	SEQ2424PP	1-1/2	1-1/2	24.23
Adapter – MP	л х нВ		(b)	40004	2	1-1/2	5.21	SEQ3232PP	2	2	26.18
		V	<u></u>	40008	1-1/4	1/1-4	5.21	SEQ4848PP	3	3	108.21
Order No	MPT	HB	Price	40010	2	2	5.21				
TA1024PP	1/8	1/4	.61	40017	1-1/4	1-1/2	5.21			(11	\sim
TA1026PP	1/8	3/8	.61					Elbow – FP	т	N	(\square)
TA1044PP	1/4	1/4	.61						•		Y .
TA1046PP	1/4	3/8	.61	Cap – FPT		L.		Ordor No	FPT	<u> </u>	Dricc
TA1048PP	1/4	1/2	.61			\sim		Order No			Price
TA1064PP	3/8	1/4	.61	Order No]	FPT	Price	EL88PP	1/2		5.48
TA1066PP	3/8	3/8	.61	HD4PP		1/4	.53	EL1212PP	3/4		5.19
TA1068PP	3/8	1/2	.61	НС6РР		3/8	.70	EL1616PP	1		8.10
TA1084PP	1/2	1/4	.61	HC8PP		1/2	.70	EL2020PP	1-1/4		12.06
TA1086PP	1/2	3/8	.61	HC12PP		3/4	.70	EL2424PP	1-1/2		18.91
TA1088PP	1/2	1/2	.61	Order No		FGHT	Price	EL3232PP	2		18.75
TA10810PP	1/2	5/8	.61	GHC12PP		3/4	2.27	EL4848PP	3		95.50
	1 1/2	J/0	1 .01			- 1 ·					

POLY FITTINGS Continued

R

Elbow – FPT x	OV O		
Order No	MPT	FPT	Price
TEF2088PP	1/2	1/2	2.32
TEF20128PP	3/4	1/2	3.35
TEF201212PP	3/4	3/4	3.09
TEF201210PP	3/4	5/8	3.45
Elbow – HB x H	F	 凹	
Order No		HB	Price
TEB2044PP		1/4	.92
TEB2066PP		3/8	.96
TEB2088PP		1/2	1.15
TEB201010PP		5/8	1.15
TEB201212PP		3/4	1.39
TEB201616PP		1	2.01
TEB202020PP		1-1/4	7.54
TEB202424PP		1-1/2	7.19
TEB203232PP		2	14.06
Elbow – MPT x	нв		Þ
Order No	MPT	HB	Price
TE2024PP	1/8	1/4	.94
TE2044PP	1/4	1/4	.99
TE2046PP	1/4	3/8	1.00
TE2048PP	1/4	1/2	1.01
TE2064PP	3/8	1/4	1.00
TE2066PP	3/8	3/8	1.06
TE2068PP	3/8	1/2	1.04
TE2084PP	1/2	1/4	1.13
TE2086PP	1/2	3/8	1.08
TE2088PP	1/2	1/2	1.08
TE20810PP	1/2	5/8	1.38
TE20812PP	1/2	3/4	1.42
TE20816PP	1/2	1	2.32
TE20124PP	3/4	1/4	1.24
TE20126PP	3/4	3/8	1.44
TE20128PP	3/4	1/2	1.44
TE201210PP	3/4	5/8	1.50
TE201212PP	3/4	3/4	1.50
TE201216PP	3/4	1	1.70
TE20168PP	1	1/2	2.13
TE204 C4 200		3/4	1.88
TE201612PP	1	4	
TE201616PP	1	1	1.88
TE201616PP TE202012PP	1 1-1/4	3/4	3.48
TE201616PP TE202012PP TE202016PP	1 1-1/4 1-1/4	3/4 1	3.48 3.58
TE201616PP TE202012PP TE202016PP TE202020PP	1 1-1/4 1-1/4 1-1/4	3/4 1 1-1/4	3.48 3.58 3.72
TE201616PP TE202012PP TE202016PP TE202020PP TE202024PP	1 1-1/4 1-1/4 1-1/4 1-1/4	3/4 1 1-1/4 1/1/2	3.48 3.58 3.72 3.80
TE201616PP TE202012PP TE202016PP TE202020PP TE202024PP TE202024PP	1 1-1/4 1-1/4 1-1/4 1-1/4 1-1/4 1-1/4	3/4 1 1-1/4 1/1/2 1-1/2	3.48 3.58 3.72 3.80 6.16
TE201616PP TE202012PP TE202016PP TE202020PP TE202024PP TE202424PP TE203224PP	1 1-1/4 1-1/4 1-1/4 1-1/4 1-1/2 2	3/4 1 1-1/4 1/1/2 1-1/2 1-1/2	3.48 3.58 3.72 3.80 6.16 17.80
TE201616PP TE202012PP TE202016PP TE202020PP TE202024PP TE202024PP	1 1-1/4 1-1/4 1-1/4 1-1/4 1-1/4 1-1/4	3/4 1 1-1/4 1/1/2 1-1/2	3.48 3.58 3.72 3.80 6.16

нех неаd Ріц	g – MPT	- O
Order No	MPT	Price
TP4002PP	1/8	.50
TP4004PP	1/4	.53
TP4006PP	3/8	.56
TP4008PP	1/2	.63
TP4012PP	3/4	.69
TP4016PP	1	.92
TP4020PP	1-1/4	2.53
TP4024PP	1-1/2	2.65
TP4032PP	2	3.48
TP4048PP	3	37.76
	Order No TP4002PP TP4006PP TP4008PP TP4012PP TP4016PP TP4020PP TP4020PP TP4024PP TP4032PP	TP4002PP 1/8 TP4004PP 1/4 TP4006PP 3/8 TP4008PP 1/2 TP4012PP 3/4 TP4016PP 1 TP4020PP 1-1/4 TP4024PP 1-1/2 TP4032PP 2

Hose Shank for Style "B" Swivel Nuts

Order No	Size	Price
GHA4PP	1/4	.70
GHA6PP	3/8	.70
GHA8PP	1/2	.70
GHA12PP	3/4	.70

Price
.22
2.20

Price


1.05

Swivel Nut with F	GHT	
Order No	Size	
GHN12PP	3/4	

Order No	Size	Size	Price
M1284	3/4	1/2	70.28

	Hose Shank for 80	027	
	Order No	Thread	Price
	T3614PP	1/4	.67
	T3638PP	3/8	.67
	T3612PP	1/2	.67
1			

Mender – HB x HB



1

Nipple – MPT x MPT



Order No	MPT	MPT	Price
TN5044PP	1/4	1/4	.58
TN5066PP	3/8	3/8	.60
TN5088PP	1/2	1/2	.65
TN51212PP	3/4	3/4	.89
TN51616PP	1	1	1.19
TN52020PP	1-1/4	1-1/4	2.50
TN52424PP	1-1/2	1-1/2	3.95
TN53232PP	2	2	6.24
TN504848PP	3	3	22.99

Nipple – Reducing MPT x MPT

	9
r Om	5

Order No	MPT	MPT	Price
TRN6064PP	3/8	1/4	.61
TRN6084PP	1/2	1/4	.61
TRN6086PP	1/2	3/8	.61
TRN60126PP	3/4	3/8	.76
TRN60128PP	3/4	1/2	.78
TRN601612PP	1	3/4	5.44
TRN602016PP	1-1/4	1	5.64
TRN602420PP	1-1/2	1-1/4	6.00
TRN603224PP	1-1/2	2	6.68
TRN604832PP	3	2	22.88

Nozzle Body Cross

~m	
TA	
000	

C C C

Order No	HB	Price
T01CRPP	3/8	2.56
T03CRPP	1/2	2.67
T04CRPP	3/4	2.67

Nozzle Body Elbow

	1	
Order No	HB	Price
T01ELPP	3/8	2.32
T03ELPP	1/2	2.32
T04ELPP	3/4	2.32

POLY FITTINGS Continued

Price 1.14 1.13

1.13 1.34

1.34 1.86 4.40

5.63 14.94 1.00 1.88 4.30 55.48

> Price 4.55 3.97 4.54

Nozzle Bo	dy Tee	6	Price	Nozzle Strai Hose Barb	ght		Ì	Tee HB x HB x HE	3	²() 6	SI	à
T01TEPP	3/8		3.23	Order No	Thread	1	Price			10 M	ĩ	
T03TEPP	1/2		3.23	T01STPP	3/8		1.19	Order No	HB 1	HB 2	HB 3	Pr
T04TEPP	3/4		3.23	TO3STPP	1/2		1.23	ТТ9444РР	1/4	1/4	1/4	1.
								ТТ9666РР	3/8	3/8	3/8	1.
		(III)						TT9888PP	1/2	1/2	1/2	1.
Reducer E	Sushing	. ()///		Тее		k		TT9101010PP	5/8	5/8	5/8	1.
MPT x FP	-	Á	I.	Female Pipe	Thread	a) /	9) - (Ø) - (TT9121212PP	3/4	3/4	3/4	1.
Order No	MPT	FPT	Price	Order No	FPT	-	Price	TT9161616PP	1	1	1	1.
RB62PP	3/8	1/8	2.34	TT4PP	1/4		4.42	TT9202020PP	1-1/4	1-1/4	1-1/4	4.
RB64PP	3/8	1/4	1.44	ТТ8РР	1/2		4.29	TT9202020PP	1-1/2	1-1/4	1-1/4	4. 5.
RB84PP	1/2	1/4	1.65	_			-		,	,		
RB86PP	1/2	3/8	1.48	TT12PP	3/4		6.19	TT9323232PP	2	2	2	14.
RB122PP	3/4	1/8	2.03	TT16PP	1		11.32	TT9688PP	3/8	1/2	1/2	1.
RB124PP	3/4	1/4	1.80	TT20PP	1-1/4		15.72	ТТ9866РР	1/2	3/8	3/8	1.
RB126PP	3/4	3/8	1.80	TT24PP	1-1/2		18.75	TT91288PP	3/4	1/2	1/2	4
RB128PP	3/4	1/2	1.80	TT32PP	2		23.36	TT9484848PP	3	3	3	55.
RB168PP	1	1/2	1.80	TT48PP	3		111.45		0	•	Ŭ	
RB1612PP	1	3/4	1.85		5		111.45					
RB2012PP	1-1/4	3/4	4.31					-				
RB2016PP	1-1/4	1	4.31					٦ [~		
RB2412PP	1-1/2	3/4	4.38							\leq	the second	
RB2416PP	1-1/2	1	4.38	Tee – Gauge	2	H_	MH.	Y Hose Barb		~	<u>Boll</u>	
RB2420PP	1-1/2	1-1/4	4.54			- (<u>'</u>			5	J.J.	
RB3212PP	2	3/4	12.58	Order No	FPT	Port	Price	Order No		1	НB	Pr
RB3216PP	2	1	6.16	TT84PP	1/2	1/4	5.19	TYY222PP (natu	iral polyp	rop) 1	L/8	4.
RB3220PP	2	1-1/4	5.25	TT124PP	3/4	1/4	6.22	ТҮҮ444РР	. ,,		L/4	3.
RB3224PP	2	1-1/2	4.64		1			ТҮҮ666			3/8	4.
RB4832PP	3	2	12.90	TT164PP		1/4	20.03				0/0	4.

Compression			Jet Agitator	rs [i i		Pipe Sea	lant	Promen RI-BI
Gauge Fitti	ngs 🔤 🔤		Order No	Thread	Price	Order No	Description	Price
			045 3371	1/2" FPT	\$10.50	036 4X543	Tape, 520"	\$1.75
Order No	Description	Price	045 371019	3/4" MPT	10.85	150R STB2	Tru Blu, 2 oz	12.50
1181	1/8 MPT x 1/8 Line	\$5.48	045 371028	3/4" MPT 5:1	64.35	150R STB	Tru Blu, 8 oz	27.50
JGME24	1/8 MPT 90 x 1/4 Line	5.05						
1182	1/8 Union FTG	7.60				Drum Fa	ucets	T
JGMC24	1/8 MPT x 1/4 Line	4.93		To and			લાસ્ટ્રિ	and C
084-333006	1/4 FPT x 1/4 Line	8.92	Mini Agitat	ors		Order No	Description	Price
084-333007	1/4 MPT x 1/4 Line	5.05				F6775	3/4"	\$5.75
084-333008	1/4 Line union	6.18	Order No	Description	Price	F6783	1″	8.40
JGME44	1/4 MPT 90 x 1/4 Line	5.75	WCMINI01	Nylon body	\$51.82	F6784	2″	25.30

	e Nipples	
Order No	NPT Size	Price
57-001	1/8	\$2.90
57-020	1/4	3.52
57-040	3/8	3.86
57-060	1/2 Close	2.73
57-061	1/2 x 1-1/2	2.90
57-070	1/2 / 6	6.50
57-080	3/4	3.71
57-100	1	5.42
57-120	1-1/4	7.14
57-140	1-1/2	8.60
57-160	2	11.35
Iron Cros	ses	
Order No	NPT Size	Price
65-390	1/8	\$27.75
65-391	1/0	19.68
65-392	1	
	3/8	19.68
65-393	1/2	19.68
65-394	3/4	22.49
65-395	1	24.96
65-396	1-1/4	39.52
65-397	1-1/2	50.22
65-398	2	83.13
Iron Cou	plings	
Order No	NPT Size	Price
65-410	1/8	\$6.64
65-411	1/4	6.28
	3/8	6.84
65-412		
65-413	1/2	6.84
65-414	3/4	5.57
65-415	1	8.49
65-416	1-1/4	10.85
65-417	1-1/2	14.56
65-418	2	19.81
Iron Red	ucing Bushing	s
Order No	NPT Size	Price
65-504	1/2 x 1/4	\$8.20
65-505	1/2 x 3/8	6.04
65-507	3/4 x 1/4	6.26
65-508	3/4 x 3/8	6.33
65-509	3/4 x 1/2	5.34
	1 x 1/4	7.44
65-510		-
65-511	1 x 3/8	7.63
65-512	1 x 1/2	5.23
65-513	1 x 3/4	6.54
65-516	1-1/4 x 1/2	8.24
65-517	1-1/4 x 3/4	7.35
65-518	1-1/4 x 1	7.35
65-521	1-1/2 x 1/2	9.04
65-522	1-1/2 x 3/4	9.04
65-523	1-1/2 x 1	8.64
65-524	1-1/2 x 1-1/4	8.64
65-529	2 x 1	11.96
65-530	2 x 1-1/4	11.96
65-531	2 x 1-1/2	11.96
65-535	2-1/2 x 2	20.28
L		

45 Iron Ell		
Order No	NPT Size	Price
65-180	1/8	\$7.12
65-181	1/0	7.20
65-181	3/8	6.56
65-183	1/2	5.67
65-184	3/4	6.97
65-185	1	8.88
65-186	1-1/4	15.50
65-187	1-1/2	19.21
65-188	2	27.96
90 Iron Ell	1	
Order No	NPT Size	Price
65-100	1/8	\$4.65
65-101	1/4	4.24
65-102	3/8	4.24
65-103	1/2	3.35
65-104	3/4	4.60
65-104	1	7.35
65-106	1-1/4	11.06
65-107	1-1/4	14.71
65-107	2	23.52
		1
	reet Elbows	1
Order No	NPT Size	Price
65-200	1/8	\$10.96
65-201	1/4	7.75
65-202	3/8	9.29
65-203	1/2	7.44
65-204	3/4	10.80
65-205	1	13.33
65-206	1-1/4	22.32
65-207	1-1/2	28.37
65-208	2	50.27
90 Iron St	reet Elbows	
Order No	NPT Size	Price
65-160	1/8	\$6.73
65-161	1/4	6.43
65-162	3/8	6.43
65-163	1/2	6.59
65-164	3/4	6.33
65-165	1	9.32
65-166	1-1/4	14.20
65-167	1-1/2	18.08
65-168	2	30.68
Side Outle	1	
Order No	NPT Size	Price
65-383	1/2	\$20.19
65-384	3/4	25.76
Straight T	ee Iron	
Order No	NPT Size	Price
65-250	1/8	\$7.18
65-251	1/4	6.40
65-252	3/8	6.40
65-253	1/2	4.08
65-254	3/4	6.04
65-255	1	10.40
	1-1/4	16.86
65-756	1 1 - 1 / 4	T0.00
65-256	-	20.00
65-256 65-257 65-258	1-1/2 2	20.96 35.65

BRASS FITTINGS

45° Street Elbow

Use on Jackr	abbit Pro		
Order No	Size	Price	
28-231	1/4 MPT x 1/4 FPT	\$4.55	



Garden Hose Nipples

Order No	Size	Price	
30-058	1/2 x GHT	\$4.96	
30-063	3/4 x GHT	5.80	diff Spunns

Hose Barbs

Order No	Size	Price	
32-013	3/8 HB x 3/8 MPT	\$2.35	
32-014	3/8 HB x 1/2 MPT	4.85	
32-016	1/2 HB x 3/8 MPT	4.85	1
32-017	1/2 HB x 1/2 MPT	4.85	
32-018	1/2 HB x 3/4 MPT	5.92	
32-023	3/4 HB x 3/4 MPT	6.57	

Hose Barb 90

Use on Jackrabbit Pro

Order No	Size	Price	
32-042	3/8 HB x 3/8 MPT	\$5.35	

Brass Needle Valve

Order No	Size	Price	<u> </u>
46-056	1/4	\$12.81	

Forged 90° Street Elbow

Order No	Size	Price	
28-166	1/4	\$4.55	
28-167	3/8	6.60	
28-168	1/2	8.98	

Swivel – FGH

Order No	Size	Price	
	3/8 HB x 3/4 FGH	6.55	
30-453	1/2 HB x 3/4 FGH	6.55	
30-454	5/8 HB x 3/4 FGH	6.88	
30-455	3/4 HB x 3/4 FGH	6.99	
30-035	1 HB x 3/4 FGH	18.68	

Swivel – FGH x Male NPT

Order No	Size	Price	
30-182	3/4 x 3/4	\$18.32	
30-183	3/4 x 1/2	9.11	
30-184	3/4 x 3/8	6.28	

Plated Steel King Nipples

_ L		0 11		
	Order No	ID	Price	
	43050560	3/4	7.80	
	43050565	1	9.22	
	43050570	1-1/4	12.25	-
Γ	43050475	1-1/2	14.74	
Γ	43050580	2	16.47	-

Reducer Bushing

Order No	ID	Price	attentest]
28-107	1/2 MPT x 3/8 FPT	\$2.95	
28-111	3/4 MPT x 1/2 FPT	5.67	dunua .

FLANGE FITTINGS AND CLAMPS

Hose Barbs					
CP48150-PP	1" Flange x 3/4" hose barb	\$2.86			
CP45504-PP	1" Flange x 1" hose barb	2.86			
CP45505-PP	1" Flange x 1-1/4" hose barb	2.86			
CP45506-PP	1" Flange x 1-1/2" hose barb	6.30			
CP46067-PP	2" Flange x 1-1/2" hose barb	7.58			
CP48160-PP	2" Flange x 1-1/4" hose barb	7.58			
CP48161-PP	2" Flange x 2" hose barb	7.58			
		7.50			
90° Hose Barb	s				
CP48151-PP	1" Flange x 3/4" 90° hose barb	\$3.51			
CP48152-PP	1" Flange x 1" 90° hose barb	3.51			
CP48162-PP	2" Flange x 1-1/4" 90° hose bar	b 12.83			
CP48163-PP	2" Flange x 1-1/2" 90° hose bar				
CP48164-PP	2" Flange x 2" 90° hose barb	12.83			
	6				
Male NPT CP48172-PP	1" Flange x 3/4" male NPT	\$3.30			
CP48155-PP	1" Flange x 1" male NPT	3.30			
M100125M	1" Flange x 1-1/4" male NPT	3.51			
CP48156-PP	1" Flange x 1-1/2" male NPT	3.56			
CP48165-PP	2" Flange x 1-1/4" male NPT	6.72			
CP48166-PP	2" Flange x 1-1/2" male NPT	6.72			
CP48167-PP	2" Flange x 2" male NPT	6.72			
Female NPT					
CP45508-1/4-PF		\$3.69			
CP45512-PP	1" Flange x 1-1/4" female NPT				
CP45539-3/8-PF		3.69			
CP48154-PP	1" Flange x 1" female NPT	3.30			
CP46066-PP	2" Flange x 1-1/2" female NPT	9.16			
CP46127-1/4-PF	<u> </u>	9.16			
CP46127-3/8-PF		9.16			
MF32PL-12	2" Flange x 3/4" FPT	3.25			
MF32PL-16	2" Flange x 1" FPT	3.65			
Blanks	\bigcirc				
CP45507-PP	1" Flange x blank	\$2.94			
CP46069-PP	2" Flange x blank	6.76			
Stainless Stee 1/4", locking hand	I Ball Valves dle, use for petcock on centrifugal pu	mps			
-	1/8" stainless steel nipple	\$4.85			
	1/4" stainless steel nipple	5.70			
	1/4"x 1/8" reducer	6.65			
2" Stainless St	eel Fittings 🛛 🔛				
	2" x 2" close nipple	\$20.70			
	3" x 3" close nipple	47.85			
204 65200		70.40			

2" street elbow

2" female elbow

304-SE200

304-LL200

Flange	Clamps
--------	--------

i lange en		
FC100 1" Series stainless steel clamp		\$11.25
FC200	2' Series stainless steel clamp	12.95
FC220	2" FP stainless steel clamp	14.30

Universal Flange Clamps & Gaskets

	Clam shell de		
	FC100G	1" Flange clamp and gasket	\$12.75
	FC200G	2" Flange clamp and gasket	14.50
	FC220G	2" FP flange clamp and gasket	18.75
L			

Gasket with wrap around feature for better sealing; fits BanjoFG1001" Flange gasket\$2.25FG2002" Flange gasket2.40FG2202" FP flange gasket2.45

All Stainless Steel Clamps

Stainless steel bolt and housing. Use with fertilizers and chemicals Band Clamp:



Range	Hose Size	Price
3/16" to 5/16"	1/4" & 3/8"	\$1.67
3/16" to 5/16"	3/8"	1.67
5/16" to 7/8"	1/2"	1.67
5/8" to 3/4"	3/4"	2.13
1-1/16" to 1-1/2"	1″	2.40
11/16" to 2"	1-1/4"	2.65
1-5/16" to 2-1/4"	1-1/2"	2.70
1-9/16" to 2-1/2"	2″	2.86
2-9/16" to 3"		3.58
ase:		
1-9/16" to 3-1/2"	2-1/2"	\$3.60
1" to 4"	3″	3.80
2" to 5"		4.10
4" to 8"		4.50
8" to 10"		6.00
	3/16" to 5/16" 3/16" to 5/16" 5/16" to 7/8" 5/8" to 3/4" 1-1/16" to 1-1/2" 11/16" to 2" 1-5/16" to 2-1/4" 1-9/16" to 2-1/2" 2-9/16" to 3" ase: 1-9/16" to 3-1/2" 1" to 4" 2" to 5" 4" to 8"	3/16" to 5/16" 1/4" & 3/8" 3/16" to 5/16" 3/8" 5/16" to 7/8" 1/2" 5/8" to 3/4" 3/4" 1-1/16" to 1-1/2" 1" 11/16" to 2" 1-1/4" 1-5/16" to 2-1/4" 1-1/2" 1-9/16" to 2-1/2" 2" 2-9/16" to 3" ase: 1-9/16" to 3-1/2" 2-1/2" 1" to 4" 3" 2" to 5" 4" to 8"

T-Bolt Hose Clamps

Band and arch are stainless steel							
TC206	1-1/2" T-Bolt	2.008 to 2.16	\$7.10	Dings.			
TC231	2" T-Bolt	2.48 to 2.67	8.20				
TC343	3" T-Bolt	3.58 to 3.81	9.35				

SmartSeal HD Clamps

5/8" band width. Stainless steel construction. 150 in/lbs ultimate torque. Spring compression of liner creates 360°

pressure on nose.					
PC238	1-1/2″	\$10.17			
PC275	2″	10.59			
PC400	3″	11.48			



78.40

58.20

	POLYPROPYLENE CAM LEVER COUPLINGS											
				POL	PROPE	LENE		EKC	OUPLINGS			
3/4		1"			-1/4"		1-1/2"		2″		3″	2″ 90°
075A	\$6.54	100A		125A	\$7.05	150A	\$7.8			300A	\$21.20	
075B 075C	\$14.97 \$14.97			125B 125C	\$18.43 \$18.43	-	\$20.13 \$20.13			300B 300C	\$41.32 \$41.32	 90200C \$32.95
075D	\$14.97			125C	\$18.43	150C	\$20.18	_		300D	\$41.32	90200D \$32.95
75E	\$7.07	100E		125E	\$8.35	150E	\$8.50	_		300E	\$27.30	90200E \$16.58
075F	\$7.07	100F		125F	\$8.35	150F	\$8.50			300F	\$27.30	90200F \$16.58
075PL	\$7.07	100PL		125PL	\$7.92	150PL	\$7.62		OPL \$10.28	300PL	\$21.55	
075CAP 24160Gasl	\$14.97	100CAP 24260 Gasket		125CAP	\$19.93 Gasket \$1.40	150CA	P \$20.18 Gasket \$1.6		0CAP \$24.58 560 Gasket \$2.20	300CA	P \$41.32 Gasket \$2.50	
24100083	-	Shims	· ·	Shims	\$1.30	Shims	\$1.5		ims \$2.10	Shims	\$2.40	
A male at female	Adapter Adapter Adapter Adapter Adapter Adapter Adapter Solo Solo Solo Solo Solo Solo Solo Solo											
6	075A-N	GARDEN HO			/ER COUP		0		11" Ring-to-Rir		ANYARDS	2183 \$5.75
	075A-N				Male GHT	\$0.1 \$13.			11" Ring-to-Ring			
		ON STEEL H		FCCII	RE HUCE	FITTIN	IGS		\sim			-0
				1230							SE BARBS	
E014	3/8 H	B x 1/2 MPT		\$ 7.10					3/8" and 1/2			S. 53
E022	1/2 H	B x 1/2 MPT		7.55	(A, 687)				1/2" fly nuts	in strai	ght and 90°	DOD
E028		B x 1/2 MPT		17.00					configuration	is. May	y be used as	a a
E034	3/4 H	B x 3/4 MPT		12.90) Stai	inless S	Steel Bandi	t	inlets for UD	OR spra	ay guns and	つつ
							mps		as outlets	for m	nost UDOR	l d
30032		B x GHT Swive		26.80	- 1202	3/8		.65	control units.			
30033		B x GHT Swive		27.60	1204	1/2		.20				· · · · · · · · · · · · · · · · · · ·
30034		B x GHT Swive	el	27.60	- 11 1205	5/8		.20	162.604.2	3/8	3" Straight	\$13.10
30040	1/2 H	B x GHT		15.35		·	I		162.604.4	1/2	" Straight	13.10
			hao oo*				c		163.604.4	3/8	3" Elbow	14.60
	зпор ва	naing ree:	\$39.80*	Includ	cludes clamps and hose fittings				163.604.6	1/2	2" Elbow	14.60
				<u>s</u>	PRAYIN	<u>G SYS</u>	TEMS AC	CESS	ORIES			
		. 6			lale Nozzle				op Nozzle Pipe	0		rass 🕬
	rd Nozzle	· ·			ody, Brass			2	L353-24 24" Ny	lon		onnector
CP8027 CP1325		Poly Brass	\$1.25 2.00	- 1				Sia	ivel Nozzle	۲	B	odies
CP1325		Aluminum	1.70			1/4TT	\$3.26		dies		PTC	90.900.52
CP4743		Gasket	2.00			3/8TT	3.26		7620 Single, Bi	rass	\$25.00	1/2" Single
		Gusket	2.00			1/8TT	3.26		3600A Single, N		12.26	\$16.90 90.900.53
		\bigcirc			CP1340	1/2TT	11.84		7450 Double, I		27.00	1/2" Double
Nozzle I			<u>ـ</u> ـــ	_					36002 Double, 1		14.50	\$16.90
CP3942		rass	\$.68		emale Noz	zle	~					1
CP3942	:-55 St	ainless Steel	1.00	B	ody, Brass			Va	ri-Space Clamp	S		
Nozzle	Strainer	5			CP1323	3/8T	\$5.60		A-111-1/2		2" Round	\$6.50
8079-PF		OM Polyprop	\$1.75	5 [CP1331	1/4T	3.26		A-111-3/4		4" Round Round	6.50
8079-PF		.00M Polyprop	_			1/8T	3.26		A-111-1 A-111-1-1/4		Round L/4" Round	6.50 11.13
5053-50		OM Brass	3.75	5 (CP1339	1/2T	11.84		4-111-1-1/4 A-111-SQ-1		Square	7.50
5053-10	00 1	.00M Brass	3.75	5]					A-111SQ-1-1/4		L/4" Square	11.30
					• -				A-111SQ-1-1/2		L/2" Square	13.40
Non-la	Charles		<u>ک</u> ۱۱	N	ozzle Body	Adap	ters 🔊		e Weight Clamp			
Nozzle (oly 5psi .8gpm	\$5.2				4		C-34R		4" Round	\$2.10
	PP 100M		\$5.2			1/8" Bra			C1000R		Round	2.10
4193A		rass 5psi .8gpm		21 4		1/4" Bra			C100		Square	2.10
4193A		Brass 5psi .8pgi			676-3/4"	3/4" Bra	ass 17.16		2114		L/4" Square	2.10
		-		1							-	•

GAUGES

Liquid Filled, Rear Mount Stainless Steel Gauges

2241GXB60	0 – 60 psi	\$26.80
2241GXB100	0 – 100 psi	26.80
2241GXB200	0 – 200 psi	26.80
2241GXB400	0 – 400 psi	26.80

4140GXB60

4140GXB100

4140GXB200

1	1	1	T	2	
	1	-	E.	ín.	\mathbb{N}
	(IE)	ŗ		J)
	N	2	6 ° E	2	
			-	-	

Liquid Filled Stainless Steel Gauges

2141GXB060	0 – 60 psi	\$26.80	
2141GXB100	0 – 100 psi	26.80	-
2141GXB200	0 – 200 psi	26.80	(And
2141GXB300	0 – 300 psi	26.80	E.
2141GXB400	0 – 400 psi	26.80	K
2141GXB600	0 – 600 psi	26.80	H
2141GXB1000	0 – 1000 psi	26.80	

4" Liquid Filled Gauges, 1/4" Bottom Stem

SG-4-60 psi

SG-4-100 psi

SG-4-200 psi

υ	
0	
0	Can Dalla
0	
0	
0	17
0	

\$48.10

48.10

48.10

Pressure Gauge Protector 2300 Gauge isolator kit \$119.45 for 1/4" and 1/8" line 1181 1/8" Tube fitting 5.20 1182 1/8" Tube union 7.60 Gauge dampener 8.95 045 2404047



UDOR Gauges

GG 1000	Bottom stem	\$ 39.90
	0 – 1000 psi	
GG 1000BM	Back mount	39.90
	0 – 1000 psi	
GG 350	Bottom stem	39.90
	0 – 350 psi	
GG 350BM	Back mount	39.90
	0 – 350 psi	
GG 350BM	Back mount	39.9



TeeJet^{*} Boom Components

Quick <i>TeeJet</i> Nozzle Systems for Dry Booms								
Multiple Nozzle Hose Shank	QJ363-*-1-NYB	-500,	-750, -1000 Nozzle body with single hose shank	\$25.20 each				
Diaphragm Check Valves	QJ363-*-2-NYB	-500,	-750, -1000 Nozzle body with double hose shank	25.20 each				
	QJ365-*-1-NYB	-500,	-750, -1000 Nozzle body with single hose shank	25.20 each				
	QJ365-*-2-NYB	-500,	-750, -1000 Nozzle body with double hose shank	25.20 each				
	24230-B-1-*	-406,	-540, -785 Triple nozzle body with single hose shank	27.80 each				
24230-2 24230-1	24230-A-2-*	-406,	-540, -785 Triple nozzle body with single hose shank	27.80 each				
Hose Shank Diaphragm Check Valves	19349-211-*-NYB		6, -540, -785 Single hose shank quick TeeJet nozzle body with phragm check valve	\$12.90 each				
	19350-212-*-NYB		6, -540, -785 Double hose shank quick TeeJet nozzle body with phragm check valve	12.90 each				
19349 19350 19351	19351-213-*-NYB		6, -540, -785 Triple hose shank quick TeeJet nozzle body with phragm check valve	12.90 each				
19349 19350 19351	22251-311-*-NYB		5, -550, -750 Single hose shank quick TeeJet nozzle body with phragm check valve	10.80 each				
22251 22252	22252-312-*-NYB		5, -550, -750 Double hose shank quick TeeJet nozzle body with phragm check valve	10.80 each				
	18635-111-406-NY	'B	3/8" Single hose shank quick TeeJet nozzle body	\$5.20 each				
Hose Shank Nozzle	18638-111-540-NY	'Β	1/2" Single hose shank quick TeeJet nozzle body	5.20 each				
Bodies	18719-111-785-NYB		3/4" Single hose shank quick TeeJet nozzle body	5.20 each				
	18636-112-406-NY	'Β	3/8" Double hose shank quick TeeJet nozzle body	5.20 each				
	18639-112-540-NY	̈́Β	1/2" Double hose shank quick TeeJet nozzle body	5.20 each				
	18720-112-785-NY	̈́Β	3/4" Double hose shank quick TeeJet nozzle body	5.20 each				
	18637-113-406-NY	'Β	3/8" Triple hose shank quick TeeJet nozzle body	5.20 each				
18635 18636 18637	18640-113-540-NY	'Β	1/2" Triple hose shank quick TeeJet nozzle body	5.20 each				
	18721-113-785-NY	̈́Β	3/4" Triple hose shank quick TeeJet nozzle body	5.20 each				
	QJ111-1/2, -3/4 or	-1	Vari-spacing quick TeeJet clamp sub-assembly	\$3.50 each				
Vari-Spacing Clamps	QJ111-1 1/4		Vari-spacing quick TeeJet clamp sub-assembly	3.50 each				
	QJ111SQ-3/4, or -1	L	Vari-spacing quick TeeJet clamp sub-assembly	3.50 each				
	QJ111SQ-1 1/4		Vari-spacing quick TeeJet clamp sub-assembly	3.50 each				
	QJ111SQ-1 1/2		Vari-spacing quick TeeJet clamp sub-assembly	3.50 each				
QJ111 QJ111SQ	QJ111SQ-304SS		Same sizes as QJ111SQ above but stainless steel	8.20 each				

Quic	k <i>TeeJet</i> ⁼No	zzle Systems for Wet Booms	
Multiple Nozzle Split- Eyelet Diaphragm Check		-20MM, -25MM, -1/2, -3/4, -1" Split-eyelet diaphragm check valve	\$20.20 each
Valves	QJ365-*-NYB	-20MM, -25MM, -1/2, -3/4, -1" Split eyelet diaphragm check valve	20.20 each
QJ363		TeeJet triple nozzle body	26.90 each
Split-Eyelet Diaphragm Check Valves	QJ17560-*-NYB QJ7421-*-NYB	-1/2", -3/4", -1" Split-eyelet diaphragm check valve Quick TeeJet -1/2", -3/4", -1" Split-eyelet Quick TeeJet nozzle body	\$6.90 each 5.20 each
Multiple Nozzle Diaphragm Check Valve	24231-NYB T	eeJet triple nozzle body with 1/4" inlet	\$28.45 each
Diaphragm Check Valves	QJ8360-NYB	Diaphragm check valve Quick TeeJet nozzle body, 1/4" M	\$7.10 each
QJ8360 0 QJ8355	QJ8355-*-NYB	-1/8", -1/4" Diaphragm check valve quick TeeJet nozzle body	13.05 each
()	12328-*-NYB	-1/2", -3/4" Diaphragm check valve used on boomless nozzle assembly	112.98 each
Nozzle Bodies			
	QJ1/4TT-NYB	Quick TeeJet nozzle body	\$3.55 each
QJ1/4TT 22674 QJ1/4T	QJ1/4T-NYB	Quick TeeJet nozzle boy	3.55 each
	22674-1/4-NYB	Quick TeeJet nozzle body	3.55 each
	QJ98590-3/8-NYE QJ98588-1/4-NYE		15.80 each 7.40 each
😞 Swivels 😪			
	QJ8600-1/4-NYB	Single swivel Quick TeeJet nozzle body	\$9.45 each
QJ8600 QJ8600-2	QJ8600-2-1/4-NYI		11.35 each

Quick <i>TeeJet</i> Adapters						
Adapters	QJT-NYB	Quick TeeJet adapter, fits TeeJet bodies using 1325 cap	\$6.65 each			
QJT QJT8360	QJT8360-NYB	Diaphragm check valve Quick TeeJet body, fits TeeJet bodies using 1325 cap	7.35 each			

Quick TeeJet Gaskets and Seals							
(\bigcirc)		CP19438-EPR	Quick TeeJet seat gasket, standard EPDM material (for use with all spray tips except disc-core type)	\$0.67 each			
	S.	CP18999-EPR	Quick TeeJet seal, EPDM, for disc-core type spray tips	1.48 each			
		CP21953-EPR	Diaphragm, EPDM rubber	0.62 each			

Quick TeeJet caps (For Pressures up to 300 PSI/20 bar)							
Quick TeeJet Cap and Seal Gasket Cap Quick TeeJet Cap Seal Gasket (EPDM Standard) CP19438-EPR (EPDM Standard) CP19438-VI (Viton Optional)		Duick TeeJet Cap Color BLACK 1 WHITE 2 RED 3 BLUE 4	Code Quick TeeJet Cap Color Code * Specify Co GREEN 5 (see chart otherwise YELLOW 6 a Yellow (dialaysis) a Yellow (dialaysis)). Unless specified, 5) Cap will			
	For use with spray tips (300 psi / 20 bar rating)	Part No	Description	Price			
D	TeeJet* Flat Spray Tips (Smaller Capacities) Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2" Image: Colspan="2">Standard Image: Colspan="2">Image: Colspan="2">Image: Colspan="2" Image: Colspan="2">Standard Image: Colspan="2">Image: Colspan="2" Standard Image: Colspan="2">Image: Colspan="2" Image: Colspan="2">Oto Colspan="2" Image: Colspan="2">Image: Colspan="2" Standard Image: Colspan="2" Image: Colspan="2" Image: Colspan="2">Oto Colspan="2" Image: Colspan="2">Image: Colspan="2" Image: Colspan="2">Image: Colspan="2" Image: Colspan="2">Image: Colspan="2" Image: Colspan="2">Image: Colspan="2" Image: Colspan="2" <t< td=""><td>CP114440A-*-CE</td><td>Cap only</td><td>\$0.97</td></t<>	CP114440A-*-CE	Cap only	\$0.97			
D	AIXR DG TeeJet [®] TeeJet [®] TeeJet [®]	114441A-*-CELR	Cap and seat gasket set	1.35			
a de la compañía de la	TeeJet® Flat Spray Tips (Larger Capacities)	CP25609-*-NY	Cap only	1.10			
	Standard -10 thru -20 Standard -10 thru -15	25610-*-NYR	Cap and seat gasket set	1.55			
a Ta	TJ TwinJet [®] Al Turbo DG TwinJet [®] SJ-3 StreamJet [®]	CP114442A-*-CE	Cap only	1.10			
20	Al TeeJet® & AlUB TeeJet® Turbo TeeJet® Induction	114443A-*-CELR	Cap and seat gasket set	1.55			
D	ر المراجع المراجع المراجع (المراجع) المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع الم TK FloodJet* FL FullJet* TX ConeJet*	CP114444A-*-CE	Cap only	1.10			
	O O	114445A-*-CELR	Cap and seat gasket set	1.55			
	Adapter Cap with EPDM Seat Gasket, Black	QJ4676-1/8-NYR	Quick TeeJet outlet adapter	3.25			
® (¼ only)		QJ(B)4676-1/4-NYR	Quick TeeJet outlet adapter	3.25			
JA A	Adapter Cap 1/4TTJ with EPDM Seat Gasket, Black	QJ4676-90-1/4-NYR	Quick TeeJet outlet adapter, 90°	5.80			
BECAL		QJ4676-45-1/4-NYR	Quick TeeJet outlet adapter, 45°	5.80			
	Shut-Off Cap with EPDM Seat Gasket, Black	114447A-*-CELR	Quick TeeJet shut-off cap and seat gasket set	4.98			

(B) Also available with BSPT connection.



www.warnechemical.com

SPRAY APPLICATION COMPUTERS AND ELECTRONIC CONTROLS

RATEKING™ PLUS

Automatic Rate Controller For Liquids



Flexible, powerful, automatic liquid rate control solution for

agriculture, turf, and highway maintenance. Customizable monitoring options and advanced features let you manage your liquid applications with absolute peace-of-mind.

- Flow or pressure-based control
- Expanded PWM control capabilities
- Unique multi-function outputs to control on/off valves for Master, Relief, Flow Trigger, or Flush functions

01883 Unit without GPS Speed Sensor - \$2,818.00* Select an Astro GPS Speed Sensor from below

FLOW-TRAK[™] II Sprayer Monitor

Economical way to improve spraying accuracy

Includes 3/4" flowmeter, Hall effect speed and flow sensors, mounting hardware and weatherproof connectors.



Flow-Trak provides the information

needed to keep your chemical application on track. Helps eliminate waste and achieve more consistent results.

- Large, easy-to-read liquid crystal display
- Lighted liquid crystal display, BriteKnob[™] and panel lighting for night use
- Application rate, flow rate, total flow, speed, distance, and area per hour functions, plus two separate area counters
- Out-of-range warning light
- Push-button run/hold

01170 Unit without Speed Sensor - \$1,438.00*

Micro-Trak FM750 GFN Flow Meter



2 to 40 gallons per minute 01501 Flow Meter kit \$520.00*

Micro-Trak Replacement Servo Valve

1" NPT threads, fits most Micro-Trak units 19093 \$429.00*

SPRAYMATE™ II

Automatic Rate Controller

Our lowest cost, fully automatic sprayer control. Includes 3/4" flowmeter, 1" servo valve, Hall effect flow sensor, mounting



hardware, weatherproof connectors, and three boom switches.

Automatically compensates for changing speed to maintain a pre-set application rate. Designed for use with electric boom switches.

- For liquid application
- On-the-go rate adjustment
- Application rate, flow rate, total flow, speed, distance and area per hour functions, plus two separate area counters
- Out-of-range warning light
- Lighted liquid crystal display, BriteKnob™ and panel lighting for night use

01171 Unit without GPS Speed Sensor - \$2,010.00* Select an Astro GPS Speed Sensor from below

ASTRO GPS BASED SPEED SENSORS

Improve productivity and efficiency

- The Astro GPS based speed sensors are a direct replacement for magnetic wheel speed sensors or radar guns and can interface to most brands of monitors and controllers.
- The magnetic mount bracket is standard and allows for quick installation and easy transfer from one vehicle to another. Optional mount kits also available.



Astro II Based on accurate

Based on accurate, yet economical 1 HXZ GPS receiver

#01410



Astro 5

Same great features as the Astro II but based on a 5 HZ GPS receiver for faster, dynamic response to speed changes



#01425 \$707.00*

SPRAY APPLICATION CONTROL BOXES AND ELECTRONIC COMPONENTS

Texas Remcor 3-Switch Control Box

Features

- 3-boom switches
- Master control switch
- 6' cab harness
- 8' sprayer harness
- Pressure regulator switch with gauge



Accessories						
Item #	Description	Price				
1181	1/8" Tube FTG x 1/8" MPT	\$ 5.26				
1182	1/8" Union/Coupler	7.60				
2388	1/8" Gauge tube, 25' roll	64.00				

Item #	Description	Price	TIR
Con.2460.WP.3	For electric ball valves	\$692.00	R STREE GREEK CO. CO.
Con.RC1B.WP	For solenoid valves	561.70	ALL STREET
Con.RC2.WP	For solenoid valves, without pressure control or gauge	371.90	


Г

Raven Repair Parts					
Item #	Description	Price			
063001	Butterfly valve, 3/4", CS203,103	\$194.50			
16130A	Butterfly flanged valve, 1-1/2", most Raven controllers	598.00			

Switch Boxes for Solenoids and 12-Volt Pumps

6' lead to battery, 4' lead off 15' lead with detachable solenoid hookup.

Single switch box - \$195.00* Double switch box - \$225.00* Triple switch box - \$285.00* Four switch box - \$310.00*



33-103237 120" wire, 2-pin connector, battery clips, on/off rocker switch - \$17.80*

Electrical Wiring Components						
ltem #	Description	Price				
31503	16-14 gauge ring terminal	\$.28 ea				
31712	16-14 gauge male terminal	.50 ea				
31713	16-14 gauge female terminal	.65 ea				
31760	16-14 gauge butt connector	.35 ea				
32760	12-10 gauge butt connector	.50 ea				
33005	8 gauge ring terminal	1.35 ea				
37120	Flat 2 connector, male, 14 ga	4.44 ea				
37120-12	Flat 2 connector, male 12 ga	4.95 ea				
37121	Flat 3 connector, male	4.85 ea				
37122	Flat 4 connector, male	4.95 ea				
37130	Flat 2 connector, female, 14 ga	4.44 ea				
37130-12	Flat 2 connector, female, 12 ga	4.95 ea				
37131	Flat 3 connector, female	4.85 ea				
37132	Flat 4 connector, female	4.95 ea				
37708	50-amp connector	7.85 ea				
44224	50-amp toggle switch	15.85 ea				
46330	30-amp breaker	7.65 ea				
46550	50-amp breaker	7.65 ea				
46877	30-amp surface mount marine rated circuit breaker	72.00 ea				
BBL	Large switch box (4-5)	21.50 ea				
MBL	Medium switch box (3-4)	17.20 ea				
SBL	Small switch box (1-2)	9.85 ea				
SJ12-3	12-3 jacketed cable	3.45 / ft				
SJ12-4	12-4 trailer cable	4.25 / ft				
SJ14-3	14-3 jacketed cable	2.73 / ft				
SJ14-4	14-4 jacketed cable	3.45 / ft				
WD12-2	12-2 jacketed cable	1.95 / ft				
WD14-2	14-2 jacketed cable	1.55 / ft				
WD8-2	8-2 jacketed cable	3.90 / ft				
WPCONN	Weather pack connector	8.50 ea				
WPADAP	Weather pack adapter for solenoids	7.20 ea				

GPS GUIDANCE SYSTEMS



8" screen

Durable metal case
Auto steering capable

Section control capable
Variable rate application capable
SBAS, Terra Star, and RTK GPS signals ready

90-10006-ENS, KIT M908 NAV-L1-GLO-ENUS - \$2,776.50*

- 8" accuracy No subscription fees
- Manual guidance, boom sense inlet
- Ready to accept subscription GPS signals for increased accuracy

90-10006-ENUS-NH + 45-10236 + 45-05381 - \$3,062.00*

- 8" accuracy No subscription fees Manual guidance
- Auto steering capable with Unipilot Pro Kit 91-05039 \$8,315.00*
- Auto section control with boom pilot, most kits (by brand) \$1,802.00*
- Ready to accept subscription GPS signals for increased accuracy.

90-10011-ENUS, KIT M908 ISO-L1-GLO-ENUS - \$3,694.00*

- Isobus display
- TeeJet CAN, ISOBUS CAN for advanced options
- Auto steering capable with Unipilot Pro Kit 91-05039 \$8,315.00*
- Auto section control with boom pilot, most kits (by brand) \$1,802.00*
- Rate control when tied to existing rate controller
- Ready to accept subscription GPS signals for increased accuracy
- Adapter cables available from MicroTrak

RAM Ball Mounts

B201U	3" arm	\$31.50*	N
B202U	2.5" round base	25.80*	
B231ZU	UTV bar mount	32.50*	Č U
B238U	Diamond base	24.50*	Ł
	Other options avail	able, please	e inquire

MATRIX[°] 430

Guidance simplified! The compact Matrix 430 is an easy to use, low cost, graphical guidance system ideal for firsttime users. The full-color, touch screen display allows the operator to efficiently navigate fields with minimal skips and overlaps in coverage.

- Minimal setup needed before operating
- Boundary function allows for easy and precise measurement of field area



- Area counter measures and displays applied area throughout application
- Guidance modes include Straight AB, Curved AB, Circle Pivot, and Last Pass
- Return-to-point feature allows operator to easily resume jobs
- Applied alert provides operator with audible alarm
- Optional RXA-30 antenna provides improved reception
- High contrast, full-color, 4.3" graphic touchscreen display provides superior visibility
- Quickly portable machine to machine

Kits

KILS						
GD430-GLO-P-L Kit \$1,						
Matrix 430,	GLONASS, patch antenna, US lighter connector					
GD430-GL	O-R30-L Kit	\$2,085*				
Matrix 430,	GLONASS, RXA-30 antenna, US lighter connector					
Compon	ents					
45-05775	Cable, power, direct to battery, 10'/3 m	\$134.30*				
45-05970	Cable power speed boom sense	249.60*				
60-10081	One set of 3 velcro strips	8.50*				
65-05179	Metal mounting plate (requires 3 velcro strips)	14.60*				
78-50190	Antenna, GPS patch L1 with GLONASS	298.00*				
90-02720	Kit, RXA-30 antenna with 20'/6m cable	795.00*				

GPS Antenna Base - \$39.00*

- Improved signal reception on fiberglass cabs
- Includes two-sided foam tape
- Powder coated finish

Inquire about GPS mapping and reporting options

017

TOPAZ FLOAT VALVE

Float operated valve for use in automatic filling of water storage tanks and troughs. Valve detaches with 1/4-turn for ease of cleaning.

ONE PIECE ALL BRASS VALVE

Chrome brass ball, stem, and body with Teflon seat and viton seals. Rated to 300 psi. Maximum temperature 212°F. Available with two female ports or one female and one male port. All ports are NPT.

46-9221	1/4" FXF	\$21.50
46-9031	1/4" MXF	20.95
46-9231	3/8" FXF	21.50
46-9041	3/8" MXF	20.95
46-9241	1/2" FXF	24.80
46-9051	1/2" MXF	23.30



\$28.43

\$39.64

VALVE MOUNTING PLATE

V2571 90° mounting bracket Fits valves 1-1/4" to 2"

V25270 Straight mounting bracket \$28.43 Fits valves 1-1/4" to 2"

VALVE CARRY HANDLE

V25272 Valve handle 316 SS fits most bolted valves 1-1/4" full port and larger



PRESSURE RELIEF VALVES

1/4" ports for gauge pressures to 150 psi 23120-3/4 3/4" outlet \$39.95 23120-1/2 1/2" outlet \$39.95



Up to 300 psi 8460 3/4" nylon with 1/4" gauge fitting \$73.25

8460 1/2" nylon with 1/4" gauge fitting \$73.25

HAMILTON BALL TYPE RELIEF VALVES

Pressure relief valve models for pressures to 400 psi. Choice of 1/2" or 3/4" pipe thread connections (male NPT inlet, female NPT outlet).

 3300-0002
 1/2" x 1/2" brass relive valve, 200 psi
 \$46.00

 3300-0001
 3/4" x 3/4" brass relief valve, 400 psi
 \$52.64

3-WAY BALL VALVE – FULL PORT

1/2 turn, true 3-way valve. Arrow indicates direction of flow.

SU050BL	1/2"	\$34.85	SU125BL	1-1/4"	\$56.35
SU075BL	3/4"	39.45	SU150BL	1-1/2"	66.10
SU100BL	1″	39.75	SU200BL	2″	82.40

CHECK VALVE (PVC)		CV12	1/2"	\$10.37
Use this valve in any industrial		CV34	3/4"	10.75
or agricultural application to	and the second second	CV100	1″	15.65
stop backflow and syphoning,		CV112	1-1/2"	21.75
including on potable water lines.		CV114	1-1/4"	19.70
		CV200	2″	27.00

THROTTLING VALVE

VALVES

Polypropylene construction for excellent chemical resistance. 1/2" and 3/4" NPT connections. Pressures to 150 psi. 10 psi pressure drop at 6 gpm flow rate for 1/2", 18 gpm for 3/4" size.



23520-1/2 PP \$35.00 235250-3/4 PP \$35.00

3/4" NYLON THROTTLING VALVE 12690-3/4 NYB \$107.60

.2090-5/4 1016 \$107.00



NPT connections. Pressures to 125 psi. Nylon. Maximum flow rate at 100 psi, 56 gpm for 1/2" and 82 gpm for 3/4" size.

SINGLE UNION POLY BALL VALVES

SU050E	1/2"	\$21.88
SUO75E	3/4"	21.88
SU100E	1″	26.48
SU125E	1-1/4"	45.45
SU150E	1-1/2″	46.65
SU200E	2″	59.25



BOLTED BALL VALVES

DOTIED DATE		
V050FPY	1/2"	\$42.80
V075FPY	3/4"	42.80
V100Y	1″	42.80
V100FPY	1", full port	47.20
V125Y	1-1/4"	47.20
V150FPY	1-1/2"	58.75
V200Y	2″	58.75

6-BOLT BALL VALVE WITH STAINLESS STEEL BOLTS

For fertilizer. Standard port valves.

BOLTED POLY NOZZLE VALVES

2″

V200FPY	2", full port	\$82.70
V300Y	3″	133.00
V300FPY	3", full port	184.75



Fic

\$97.00

TWO WAY FGHT VALVE

VA200FP

All ports feature 3/4" garden hose thread. Valves are suitable for unidirectional flow only and are not recommended for commercial use.



30-163	3/4" FGHT (inlet) x 3/4" MGHT (Straight)	\$7.25
30-626	FGHT x MGHT x MGHT (Y)	10.15

COMPACT POLYPROPYLENE BOLTED BALL VALVES

Male pipe thread x male camloc VF204FPY 2" \$80.50





VALVES

						<u> </u>			
	<u>LVES - 600 PSI</u>	STAIN			VES (316)		ECTRIC SOLENOID VALVE		
BBV-12 1/2"	\$34.00				i, heavy wall		inlet, 3/4" outlet, up to 175 psi va		
BBV-34 3/4"	34.00		88-25	1/4"	\$45.50	1999A	Spade	\$218.90	
BBV-100 1" BBV-114 1-1/4	66.00	18	88-38 88-12	3/8" 1/2"	56.75 63.00	1999A-WP	Weather pack	222.65	
BBV-114 1-1/4 BBV-112 1-1/2			88-12 88-34	3/4"	77.00	1988	Single mounting bracket	30.10	1.1
3BV-112 1-1/2 3BV-200 2"	159.00		88-100	1″	119.00	1988	Triple mounting bracket	49.30	-
554-200 2	155.00		88-114	1-1/4"	167.00	2515	Coil assembly (spade)	98.45	120
-			88-112	1-1/2"	225.00	2517	Repair kit	72.30	Stor.
(Star			88-200	2″	324.00	2520	Coil assembly (weather pack)	99.90	
			њ	•	·	WPADAP	Weather pack adapter for solenoids	9.20	
<u> </u>	DOR HIGH PRE			VES		25020 51			
	700 PSI 3/8" M	BSPT x 1/2	2" MBSPT		_	2502B EL	ECTRIC SOLENOID VALVE		
Premium Valve (Can be used for pres	ssure adiu	stment)	-	- Car	25021B-W	P Single solenoid (weather pac	k) \$158	00
	nt hand ball valve	1			READ	CL.2641.W	((/	
-	hand ball valve		.00			KT.2352	Repair kit	,	.75
					ALC: NOT	BK.2148	Single mounting bracket		.40
	STEMS ELECTRIC	BALLY				BK.2149	Bank of 2 mounting brackets		.75
L" inlet and 1" ou		DALL V	ALVES			BK.2151	Bank of 3 mounting brackets	1	.80
	uet				3. 182				
Single Valve	6200.00	• Renlac	ement ele	ctric niøta	ail 🐨	2100C AI	ND 2500 ELECTRIC SOLENO	ID REPAIR	PARTS
A-344BEC-24C	\$399.00		6EC.15	cinc pigta	\$28.14	CL.2831	2100C replacement coil (spad		\$108.10
AA-344BEC-2F-C 2 Valve Manifold	0			tor for va	lves at left.				
AA-442BEC-44T-			-22CP05		\$337.95	CL.2845	2100C replacement coil (weat	ther pack)	109.28
AA-452BEC-2F-C		 Repair 	kit			CL.2642	2500 replacement coil (spade		112.80
3 Valve Manifold	5	AB344			\$79.00	CL.2641	2500 replacement coil (weath	ner pack)	130.10
AA-443BEC-44TA			t and 2" ou	utlet single	e electric	KT.2352	2100 and 2500 repair kit		37.75
AA-453BEC-2F-C		ball va			6606 00				9.20
-		08406	3185 Banjo	J	\$696.00		Other parts available – inquire	e	
541EC-2 Single 543EC-2 Triple	\$1,046.90 each		FS	an	î. Ç.		e less amperage is required. Weat B.1WP.C Valve \$205 .WP.C E-chip coil 131		dard.
Spraying Systems	TEMS SOLENO 144 and 145 Series ric on-off control	s 12-volt [DC direct t				/2" MOTORIZED BALL VAL		
Internal parts are seat washer and psi. Coil has 1/4"	stainless steel with diaphragms. Opera male quick connect es normally closed, o	chemical ting press terminals	ly resistant sure range for electri	t rubber is 0-65 c power	ale	• 1/2" port open to clo	s • 12-volt DC • Response time: 1, se • Standard 3 wire configuration	/3 seconds	
AA144A-1	One valve	unit, 3/4"	x 1/2"		\$201.50		BRASS HIGH PRESSUR		
AA144A-3	Three valve	e unit, 3/4	" x 1/2"		615.00	1	/2" Inlet, 1/2" outlet. Excellent re		alve
AA144F-1-3	Three way	(foam ma	rker), 50 p	si	225.80		for root feeders.		
PK-AB144-1-Kit	Repair kit				41.50	305A-4-1	Valve 11	\$192	2.00
PK-AB144-1-3-k	it 3-way repa	air kit]	41.60	305A-4-Kits			7.00
MANUAL SOL	ENOID VALVE					305A-410-2 305A	L Lever Squeeze lever / bracket as		3.70 9.70
AA6B MANUAL V				3	CP CP	PRESSUR	E REGULATOR		_
A6B	Manual valve, 1/2		\$66.30			Pressure re	gulator electric bypass valve		
CP36301NY	Replacement hand	dle	7.50					180.30	
P36308-SS 3-WAY SELECTOR	Replacement pin VALVE		1.80					\$207.00 \$191.00	Fin
A17L	8-way selector val	ve	\$168.40						
K-AB17-Kit	Repair kit		61.80			3-WAY	SOLENOID VALVE		
	′ 45° NOZZLE FP			Ē		-	inlet and two each 1/4" NPT outle narker.	ts. Ideal valvo 22.50	e
	ç <u>,</u>						2204A \$1.	22.30	

019

HYPRO PUMPS

Roller Pum	os					
Model	Max	Max	Max			
Number	GPM	PSI	RPM	Description	· ·	Price
6500C	22.0	300	1200	Cast iron 6-roller pump, nylon rollers, viton seals, 3/4" NPT ports and 5/8" solid shaft		\$226.00
6500CR	22.0	300	1200	Reverse rotation for engine mount	0	239.00
6500XL	22.0	300	1200	Silver cast 6-roller pump, super rollers, viton seals, 3/4" NPT ports and 5/8" solid shaft	201	716.90
6500XLR	22.0	300	1200	Reverse rotation for engine mount		725.00
7560C	22.0	300	1200	Cast iron 8-roller pump, nylon rollers, viton seals, 3/4" NPT ports and 15/16" solid shaft		272.90
7560CR	22.0	300	1200	Reverse rotation for engine mount		305.00
7560XL	22.0	300	1200	Silver cast 8-roller pump, super rollers		867.00
7560XLR	22.0	300	1200	Reverse rotation for engine mount		897.00
3430-0380				Repair kit for 6500 pump – rollers, o-ring, viton seal		55.01
3430-0381				Repair kit for 7560 pump – rollers, o-ring, viton seal		78.74
3420-0023				Base kit for mounting to 6500 engines		45.92
3420-0003				Base kit for mounting to 7560 engines		71.90
1321-0012				PTO coupler multi speed 540/1000 by 5/8		68.60
1321-0013				PTO coupler multi speed 540/1000 by 15/16		68.60
33680				Torque bar and chain		38.10

Series 4001 and 4101 Roller Pumps

Jenes 4001	Lana	TOT	NUNCI	i anips	
Model		Max	Max		2
Number	GPM	PSI	RPM	Description	Price
4001C	9.1	150	1800	Cast iron 4-roller pump, polypropylene rollers, viton seals, 3/4" NPT ports, 5/8" solid shaft	\$255.36
4001XL	9.1	150	1800	Silver cast 4-roller pump, super rollers, viton seals, 3/4" NPT ports, 5/8" solid shaft	641.76
4101C	7.2	150	2600	Cast iron 4-roller pump, polypropylene rollers, viton seals, 3/4" NPT ports, 5/8" solid shaft	241.00
4101XL	7.2	150	2600	Silver cast 4-roller pump, super rollers, viton seals, 3/4" NPT ports and 5/8" solid shaft	649.00
4101XL-EH	7.5	50	1900	12V DC motor driven Ni-resist 4-roller pump, polypropylene rollers, viton seals, 3/4" ports, 1/2"	1,131.20
				hollow shaft	
1320-0015				Shaft coupler 3/4" x 5/8"	51.52
1320-0016				Shaft coupler 5/8" x 5/8"	51.52
3430-0390				Repair kit for 4000 series poly rollers, o-ring, viton seal	46.70
2840-0084				Pump support/coupler shield	62.00
				Chain coupler, must specify both shaft sizes	145.00

Series 9200 Pedestal Pumps

Sches 5200 reacstair amps								
Model	Max	Max	Max	10				
Number	GPM	PSI	RPM	Description	Price			
9202C	105	180	6000	Pedestal mount cast iron, 5/8" solid shaft, viton shaft seal, 1-1/4" inlet, 1" outlet NPT ports	\$600.32			
9203C	136	180	6000	Pedestal mount cast iron, 5/8" solid shaft, viton shaft seal, 1-1/2" inlet, 1-1/4" outlet NPT ports	608.16			
1720-0083				O-ring	4.77			
3430-0332				Viton seal kit for 9200, 9300, 9500	71.57			
3430-0589				Life guard silicon carbide seal for 9200, 9300, 9500	277.76			

623

Series 9300 Hydraulic Motor Driven Pumps

Series 5500 Hydraulie Motor Driven rumps								
Model	Max	Max						
Number	GPM	PSI	Description	Price				
9303C-HM1C	114	130	(10 gpm) Hydraulic motor/cast iron pump for open center systems, NPT ports: 1-1/2" inlet, 1-1/4" outlet	\$1,102.00				
9303C-HM2C	82	95	(5 gpm) Hydraulic motor/cast iron pump for closed center systems, NPT ports: 1-1/2" inlet, 1-1/4" outlet	1,102.00				
9303C-HM3C	106	85	(20 gpm) Hydraulic motor/cast iron pump for large open center systems, NPT ports: 1-1/2" inlet, 1-1/4" outlet	1,172.00				
9303C-HM4C	95	93	(7 gpm) Hydraulic motor/cast iron pump for closed/open center systems, NPT ports: 1-1/2" inlet, 1-1/4"	1,102.00				
			outlet					
9303C-HM5C	147	145	(15 gpm) Hydraulic motor for Closed/open center system, NPT ports: 1-1/2" inlet, 1-1/4" outlet	1,102.00				
9306C-HM1	207	130	(13 gpm) Hydraulic motor/cast iron pump for closed center systems, NPT port: 2" inlet, 1-1/2" outlet	1,278.50				
9306C-HM5C	212	140	(17 gpm) Hydraulic motor/cast iron pump for closed/open center systems, NPT port: 2" inlet, 1-1/2" outlet	1,260.00				
3430-0748			Hydraulic motor seal kit	64.70				

Flange fitting housings available for retro fitting on pumps at no additional charge. Please request. We also stock pump parts – please inquire

HYPRO / AR PUMPS

Series 9400 Belt Drive Centrifugal

Model	Max	Max	Max			
Number	GPM	PSI	RPM	Description	Price	
9402C-1000	76	96	1000	Cast iron pump with positive timing belt drive and 1-3/8" PTO shaft NPT ports: 1-1/4" inlet, 1" outlet	\$1,477.30	
9402C-540Q	76	95	600	Cast iron pump with positive timing belt drive and 1-3/8" NPT ports: 1-1/4" inlet, 1" outlet	1,477.30	

Medium Pressure Diaphragm

Medium Pressure Diaphragm									
Model	Max	Max	Max						
Number	GPM	PSI	RPM	Description	Price				
AR30-SP (9910-D30)	9.5	580	550	2-Diaphragm pump – 1" HB inlet, 1/2" HB outlet	\$588.00				
AR30-GR3/4-GCI (9910-D30GRGI)	9.5	580	550	2-Diaphragm pump – GS40GI control unit and gear reduction fits 5-6 hp gas engine	1,090.00				
AR403-SP (9910-D403)	10.6	580	550	3-Diaphragm pump – 1" HB inlet, 1/2" HB outlet	772.00				
AR403-GR3/4GCI (9910-D403GRGI)	10.6	580	550	3-Diaphragm pump – GR40 control unit and gear reduction that fits 5-6 hp gas	1,100.00				
				engines					
AR50-SP (9910-D50)	14.0	580	550	2-Diaphragm pump – 1-1/4" HB inlet, 1/2" HB outlet	1,028.00				
AR503-SP (9910-503)	15.0	580	550	3-Diaphragm pump – 1/14" HB inlet, 3/4" NPT outlet; Select shaft kit or gear box	995.00				
AR503-GR1-GCI (9910-D503GRGI)	15.0	580	550	3-Diaphragm pump, assembled with gear box 9910-KIT1642 and control 9910-	1,441.00				
				RM40 for mounting on 8 hp gas engines					
AR70BP-SP	19.6	290	550	2-Diaphragm pump – 1-1/4" HB inlet, 1" outlet	780.00				
AR70BP-GR3/4	19.6	290	550	2-Diaphragm pump – 1-1/4" HB inlet, 1" outlet with gear box AR1671 for gas	1,310.00				
				engine with 3/4" shaft; requires remote mount control unit (not included)					

For high volume, high pressure pumps . . . call for a quote

Diaphragm Kits

Model Number	Description	Price
AR43243	Diaphragm Kit AR-70	\$99.36
AR43281 (9910 Kit 1723)	Diaphragm Kit D-252	66.25
AR43285 (9910 Kit 1724)	Diaphragm Kit D-30	81.00
AR43289 (9910 Kit 2423)	Diaphragm Kit D-303, D-403	73.50
AR43293 (9910 Kit 1725)	Diaphragm Kit D-50	85.00
AR43297 (9910 Kit 1986)	Diaphragm Kit D-503	121.00
650671 (9910-650670)	Damper D-30, D-50	20.44
9910 Kit 1721	Diaphragm Kit D-100	184.21

GS/GI Control Units and Repair Kits

as/ar control onits a						
Model Number	Description	Price				
AR1925 (9910 Kit 1757)	Repair kit for 9910 GS GI	\$88.50				
AR1990 (9910 Kit 1990)	D-252 control unit	138.95				
AR2488 (9910 Kit 2488)	Repair kit for GR-40 control unit	47.00				
AR43969 (9910 Kit 1897)	Repair kit for RM-40 control unit	74.27				
AR893S (9910 Kit 893)	Remote mount kit for GR-40 control unit	102.00				
GI40 (9910-G540GI)	D-30, D-50 control unit	278.00				
GR40 (9910-GR40)	D-303 and D-403 control unit	208.00				
RM40S (9910-RM40)	D-503 control unit	225.05				

Valve Kits

Model Number	Description	Price
AR1917 (9910 Kit 1917)	D-30 valve kit	\$156.00
AR1920 (9910 Kit 1920)	D-50 valve kit	161.00
AR1987 (9910 Kit 1987)	D-503 valve kit	213.00
AR2364	AR-70 BP valve kit	163.00
AR2388 (9910 Kit 2388)	D-303 and D-403 valve kit	160.00

Gear Reduction Units

Model Number	Description	Price
AR1636 (9910 Kit 1640)	D-30, D-303, D-403 gear reduction box	\$582.00
AR1639 (9910 Kit 1642)	D-50, D-503, D-813 gear reduction box	640.00

Miscellaneous Hypro Pump Parts

Part Number	Description	Price
110121	Relief valve seat (std)	\$9.00
390060	O-ring for suction manifold	2.06
450145	Discharge flange housing	46.32
620950	Gear box gasket	3.91
620101	D-30 RH head	156.00
620102	D-30 LH head	161.00
620150	D-30 suction manifold	122.00
629209	D-30 lower air chamber	259.00
629211	Upper air chamber	112.00
650101	D-50 RH head	185.00
650102	D-50 LH head	185.00
650150	D-50 suction manifold	141.00
651670	D-30 and D-50 dampener clamp	24.13
659204	D-50 complete lower air chamber	367.00
Kit1916	D-30 complete o-ring kit	62.89

Miscellaneous Hypro Pump Parts

Part Number	Description	Price
AR1919 (9910-Kit 1919)	D-50 complete o-ring kit	\$54.00
1040310	D-403 and D-503 oil sight glass	108.00
1040326	D-403 and D-503 oil tank cap	39.50
550030	D-30 oil sight glass	20.60
550040	D-30 and D-50 sight glass cap o-ring	2.28
550050	D-30 and D-50 sight glass cap	13.01
650030	D-50 oil sight glass	46.05
650230	D-50 upper air chamber	141.00
650920	D-403 and D-503 oil cap o-ring	3.36
801940	D-252 head	61.05
0152-9075C	Hypro 1551SP pump casing	1,628.00
0153-9200C	Hypro 1551 pump casing	500.00
0404-9200P	Hypro 1551 impeller	369.00
0707-9200C	Hypro 1551 flange bracket	407.00
1410-0091	Hypro 1551 slinger ring	5.40
1720-0180	Hypro 1551 case o-ring	5.25

UDOR KAPPA / DELTA Series Diaphragm Pumps UDOR KAPPA-series internally manifolded pumps are of anodized aluminum construction

Model	Max GPM	Max PSI		Description	HB Port In	HB Port Out	By- pass	Wgt	Price
KAPPA-25-WOC			Two-diaphragm pu	mp with pulsation dampener, control unit,	0	0	0	16	\$685
KAPPA-25	7	350	, ,	e regulator, manual dump valve, dual ball valve auge, 25mm keyed shaft, mounting rails.	1″	(2)	3/4" 1/2"	18	898
KAPPA-25/GR	7	350	KAPPA-25 with gea	rbox for 3-5.5 hp gasoline engines, 3/4" shafts.	1″	(2)	3/4"	18	1,034
		•	6062.C1 8700.65CK	Diaphragm kit Diaphragm kit with bolt, washer, valves, and o-r	ings				90.41 291.88
Model	Max GPM	Max PSI		Description	HB Port In	HB Port Out	By- pass	Wgt	Price
DELTA- 40-WOC				mp with universal drive face, pulsation dampener,	0	0	0	27	\$836
DELTA-40	10.5	560	control unit, adjust ball valve outlets a	able pressure regulator, manual dump valve, dual nd pressure gauge.	1″	1/2"	3/4"	29	1042
DELTA-40/GR	10.5	560	KAPPA-40 with gea	r reduction for 5 hp engines.	1″	1/2"	3/4"	39	1,516
			8700.85 8700.85CK	Diaphragm kit Diaphragm kit with bolt, washer, valves, and o-r	ings				97.50 292.00
Model	Max GPM	Max PSI		Description	HB Port In	HB Port Out	By- pass	Wgt	Price
KAPPA- 43-WOC			Three-diaphragm p	ump with control unit, adjustable pressure reg-	0	0	0	27	\$836
КАРРА-43	10.5	560	-	np lever, dual ball valve outlets, pressure gauge.	1″	2-1/2"	3/4"	29	1,043
KAPPA-43/GR	10.5	560	DELTA-43 with gear	r box for 4-6.5 hp gasoline engines, 3/4" shafts.	1″	2-1/2"	3/4"	39	1,516
			8700.45 8700.45CK	Diaphragm kit Diaphragm kit with bolt, washer, valves, and o-r	ings				103.70 380.20
Model	Max	Max		Description	HB	HB Port	By-	Wgt	Price
	GPM	PSI			Port In	Out	pass		
KAPPA-55-WOC				oump with universal drive face, pulsation	0	0	0	35	\$1,169
KAPPA-55	15	560		unit, adjustable pressure regulator, manual dump ve outlets, pressure gauge.	1-1/4"	1/2"	3/4"	37	1,376
KAPPA-55/GR-5	15	350	-	ear reduction for 5-6.5 hp gasoline engines	1-1/4"	2-1/2"	3/4"	43	1,856
KAPPA-55/GR-8	15	560	-	ear reduction for 8-9 hp gasoline engines	1-1/4"	2-1/2"	3/4"	49	1,970
			8700.26 8700.26CK	Diaphragm kit Diaphragm kit with bolt, washer, valves, and o-ri	ings				108.00 409.55
Model	Max	Max		Description	HB	HB Port	By-	Wgt	Price
	GPM	PSI			Port In	Out	pass		
DELTA-75-WOC DELTA-75	19.5	560	dampener, control	ump with universal drive face, pulsation unit, adjustable pressure regulator, manual dump ve outlets, pressure gauge.	0 1-1/4"	0 1/2"	0 3/4"	44 46	\$1,497 1,772
	10 5	560			1 1 / 1/	2-1/2"	2/4"	F 0	2 207
DELTA-75/GR	19.5	560	6062.E4	ear reduction for 11-13 hp gasoline engines Diaphragm kit	1-1/4"	2-1/2	3/4"	58	2,307 159.85
			8700.75CK	Diaphragm kit with bolt, washer, valves, and o-r	ings				404.68
Model	Max GPM	Max PSI		Description	HB Port In	HB Port Out	By- pass	Wgt	Price
DELTA-100-WOC	26	560		mp with universal drive face, pulsation dampener, able pressure regulator, manual dump valve, dual pressure gauge.	1-1/4"	2-1/2"	3/4"	49	\$1,856
DELTA-100/GR	26	560	DELTA-100 with a g	gear reduction for 16-18 hp gasoline engines	1-1/4"	2-1/2"	3/4"	58	2,843
			8700.80 8700.80CK	Diaphragm kit Diaphragm kit with bolt, washer, valves, and o-r				1	197.60 539.00
Model	Max	Max		Description	HB	HB Port	Ву-	Wgt	Price
DELTA-140/TS2C	GPM 36	PSI 725	Four-dianhragm pu	Imp, pulsation dampener, control unit, adjustable	Port In 1-1/2"	Out (1)3/4"	pass 1"	105	\$3,052
	30	725	pressure regulator,	manual dump valve, dual ball valve outlets, iversal drive face on the back and 1-3/8" 6-spline	1-1/2	Male NPT	1	105	Υ 3,032
DELTA-140/GR	36	725	DELTA-140 with ge with 1" shaft	ar reduction for use on 24 hp gasoline engines	1-1/2"	(1)3/4" Male NPT	1"	105	3,929
			6062.H5	Diaphragm kit					248.30
			8700.83CK	Diaphragm kit with bolt, washer, valves, and o-r					704.60

UDOR KAPPA Gear Kit	#6063.U1	For K-40 to K-43 Conversion	\$155.00
---------------------	----------	-----------------------------	----------

Model	Max	Max	D	escription	HB	HB Port	Bypass	Wgt	Price
	GPM	PSI			Port In	Out		Ũ	
IOTA-20	5	275	Two-diaphragm pump, pulsat adjustable pressure regulator Also a replacement for any IC	r, manual dump lever, pressure gauge.	3/4"	3/8"	5/8"	14	\$696.00
IOTA-20/GR	5	275	OTA-20 pump with gear reduction for 3-5 hp gasoline engines with 3/4" shafts		3/4"	3/8"	5/8"	17	918.00
			8700.01	Diaphragm kit					73.20
	8700.01CK Diaphragm kit with bolt, washer, valves, and o-rings					218.40			
			UDOR ZETA	SERIES DIAPHRAGM PUM	IPS				
Model	Max	Max	D	Description	HB	HB Port	Bypass	Wgt	Price
	GPM	PSI			Port In	Out		_	
ZETA-85	22	300		Three-diaphragm pump, control unit, adjustable pressure regulator, manual dump lever, dual ball valve outlets and pressure gauge.		2-1/2"	3/4"	36	\$1,43
ZETA-85/GR-5	22	300	Fitted with gear box for 4-6.5	hp gasoline engines with 3/4" shafts.	1-1/2"	(2) 1/2"	3/4"	48	1,889
			6062.97	Diaphragm kit					149.88
			8700.60CK	Diaphragm kit with bolt, washer, valves,	and o-ring	ſS			484.90
Model	Max	Max	C	Description	HB	HB Port	Bypass	Wgt	Price
	GPM	PSI			Port In	Out		Ŭ	
ZETA-120	31	200	1 8 1 1	pulsation dampener, aluminum head on manifold. Does NOT include	1-1/2"	3/4"	N/A	45	\$1,630
ZETA-120/GR-5	31	200	pressure regulator.		1-1/2"	3/4"	N/A	55	2,165
	1		6062.H2	Diaphragm kit		1	1	·	193.60
			8700.04CK	Diaphragm kit with bolt, washer, valves,	, and o-ring	gs			510.00
			Pump or remote mounted co	ntrol unit includes an adjustable regula	tor with ma	anual dump	level		260.00
6005.31/LPN		5							

			UDOR PUMP MOUNTED CONTROL UNITS	
			(Specifically designed for use on UDOR diaphragm pumps)	
Model	Max GPM	Max PSI	Description	Price
6010.93	20	560	Pump or remote mounted control with right angle entry from main body to adjustable pressure regulator for smoother operation and longer life. Includes manual dump lever, two 1/2" ball valve discharge ports and pressure gauge. Standard on KAPPA-33, KAPPA-43 and KAPPA-53. Replacement for GS40GI, Hypro D-30, D-50. Repair kit 6062.A9	\$247.90 70.13
6010.95	20	350	Same as 6010.93 except regulator is fitted with a lighter spring and gauge for lower pressure applications. Standard on KAPPA-25, ZETA-40, ZETA-85/GR-5 Repair kit 6062.A9	247.90 70.13
6010.24	20	560	Pump or remote mounted control with adjustable pressure regulator with manual dump lever. Includes two 1/2" ball valve discharge ports and pressure gauge. Standard on Delta/Kappa 40, Kappa 55. Repair kit 6062.55 (expanded kit)	247.90
6047.06	26	560	Pump or remote mounted control with right angle entry from main body to adjustable pressure regulator for smoother operation and longer life. Includes manual dump lever, two 1/2" ball valve discharge ports and pressure gauge. Standard on DELTA-75 & KAPPA-100. Repair kit 8701.02 (steel poppet and seat)	322.86
0604.27			RV elbow, nut, o-ring	82.00 24.90
0604.30			Control unit discharge nut, assembly	16.90

UDOR KAPPA / DELTA SERIES DIAPHRAGM PUMP KITS

Kappa 40	8700.02	Diaphragm kit	\$98.80	Kappa 100	8700.24	Diaphragm kit	\$150.20
	8700.02CK	Diaphragm kit with bolt,	292.00		8700.24CK	Diaphragm kit with bolt, washer,	541.00
		washer, valves, and o-rings				valves, and o-rings	
Kappa 75	8700.10	Diaphragm kit	\$137.00	Kappa 121	8700.21	Diaphragm kit	\$208.00
	8700.10CK	Diaphragm kit with bolt,	410.00		8700.22CK	Diaphragm kit with bolt, washer,	636.00
		washer, valves, and o-rings				valves, and o-rings	

	UDOR FITTINGS, ADAPTERS, AND ACCESSORIES				
Item Number	Description				
207P-12	Brass coupler with 3/4" female metric thread by 3/4" male metric port of 6010.24, 6010.93, 6010.95 & 6047.06 pump mounted control units to provide a 3/4" female NPT discharge port. Can also be used as a 3/4" female NPT inlet port for KAPPA-15/18 & IOTA-17 pumps.	\$19.10			
207P-12/90	Same as above with 90° nozzle elbow	29.68			
207P-14	Brass coupler with 1-1/4" female metric thread by 1-1/4" female NPT. Installs on 1-1/4" male metric inlet port of KAPPA 30/33/43/53/55/75 pumps to provide 1-1/4" female NPT inlet.	68.21			
207P-16	Brass coupler with $1-1/2''$ female metric thread by $1-1/2''$ female NPT. Installs on pump with $1-1/2''$ male thread.	80.00			
15.5823	UDOR Lube – specially formulated and molly enhanced for diaphragm pumps. UDOR warranties are only honored with the use of this lube. Quart bottles	14.95			
15.5823/S	UDOR Lube – specially formulated for cold weather use in diaphragm pumps when temperatures are consistently below 30°. Quart bottles	33.68			

Heavy Gauge Steel Base Plates

For pump and engines

9700.00	14" x 26"	\$142.50
9700.10	14" x 29"	150.60
9700.15	14" x 36"	172.60

12-VOLT PUMPS

12-volt and 115-volt diaphragm pumps are compact, dependable, lightweight, quiet, and versatile. These are positive displacement pumps, available with internal bypass or demand switch motors. 12-volt pumps have viton valves and continuous duty motors. 115-volt pumps have EPDM valves. All have santoprene diaphragms. 115-volt pumps have power cord. Warranty issues on 12-volt pumps are handled as a repair, not exchange.



Order No	GPM @ PSI	Style	Application	Price
8020-513-236	1.4 @ 60	Switch	115-volt motor	\$260.00
SLV10-AA40	1.0 @ 40	Switch	Spot sprayer	102.00
8000-543-236	1.4 @ 60	Switch	Spot sprayer	171.00
8007-543-836	1.8 @ 60	Switch	Fuse/switch	179.00
8006-543-250	1.4 @ 45	Bypass	Foam marker	185.00
2088-394-144	3.0 @ 45	Switch	115-volt motor	312.00
2088-343-135	3.0 @ 45	Switch	Sprayer	205.00
2087-593-135	3.0 @ 45	Switch	Fuse/switch	214.00
2088-514-144	4.0 @ 45	Switch	Sprayer	297.00
4211-035	6.25 @ 45	Switch	Sprayer	489.00
34-007			Heat sink	34.00

Swivel Fittings der No Description Price 4-2916 \$2.31 Swivel, 3/8" straight 4-2926 Swivel, 1/2" straight 2.31 4-2936 Swivel, 5/8" straight 2.96 4-2946 Swivel, 3/4" straight 2.31 4-3916 Swivel, 3/8" elbow 2.31 4-3926 Swivel, 1/2" elbow 2.31 4-3936 Swivel, 5/8" elbow 3.32 4-3946 Swivel, 3/4" elbow 2.31 Swivel, 1/2" NPT elbow 4-3366 4.50

12-Volt and 115-Volt Diaphragm Repair Kits

Series	Diaphragm Kit	Valve Kit	Check Valve Kit	Housing Kit	Housing and Switch	Switch Kit
2088	94-238-03	94-232-05	94-237-05	94-231-30	94-231-05	94-230-36 Viton
	\$52.10	\$75.80	\$28.00	\$22.30	\$83.10	\$39.60
4000	94-238-03	94-232-05	94-237-05	94-231-30	94-230-55	94-230-36 Viton
	\$52.10	\$75.80	\$28.00	\$22.30	\$47.15	\$39.60
4000	94-389-00 Manifold					
	\$43.70					
8000	94-395-05 Viton	94-390-05 Viton	94-374-05	94-379-00		94-375-05 Viton
	\$79.70	\$57.90	\$17.50	\$29.60		\$48.70
SLV10	No parts available					

Viton valves available for use with petroleum-based products, lower quality surfactants, metholated seed oil, and dyes containing alcohol.

12-Volt Pump Wiring and Operational Instructions

• Wire pump directly to battery terminals using round eyelet connectors, <u>not alligator clips</u> • Use 10 to 12-gauge wire from battery to pigtail of pump • Install a 25-amp fuse or circuit breaker between battery and pump • For proper pump operation, use a battery tender or charger to keep battery fully charged at all times • Install a large enough nozzle on handgun to ensure the pump does not cycle on/off during operation • Install a strainer assembly on suction side of pump, to prevent foreign particles from damaging valves • Do not use well water that contains minute sand particles for filling sprayer (as it will damage valves) • If pump heats up during normal operation, check all electrical connections and make sure battery is fully charged to supply 14 amps • The use of surfactants with alcohol, MSO's, certain brands of colorants, or diesel fuel will lessen the life of the valve assembly



DURA-PUMP[™] CHEMICAL PUMPS AND METERS

Dura-Pump[™] Easy Caddy Systems and Pumps

· Calf materia a suite la tarte



	• Flow to 18 gpm • 1" ports • Self-priming with internal bypass	
DP-6018E-12	12-volt pump only, EPDM	\$640.00
DPB-6018E-12	12-volt pump with 2" coupler for bottom unload and 12' discharge hose	688.00
DPB-6018E-110	110-volt pump with 2" coupler for bottom unload and 12' discharge hose	755.00
DPE-6018E-12	Easy Caddy, 12-volt, mounts on tote with suction and discharge kit, EPDM	688.00
DPE-6018E-110	Easy Caddy, 110-volt, mounts on tote with suction discharge kit, EPDM w/o meter	831.00
DPEM-6318E-12	Easy Caddy with meter, mounts on tote with suction and discharge kit, EPDM	1,055.00

Dura[™] Auto Batch Systems

Offering an automated dispensing
Simply select volume desired and press start, auto shut off
Flow to 18 gpm
Includes 5' suction, 12-volt discharge hose and 1" ports


DP-ABS-6318E-12	Easy caddy, auto batch, 12-volt, EPDM	\$1,465.00
DP-ABS-6318V-12	Easy caddy, auto batch, 12-volt, Viton	1,535.00
DP-ABS-6318V-110	Easy caddy, auto batch, 115-volt, Viton	1,611.00

Dura-Meter

- 100% moisture sealed
- Tough and impact resistant
- AAA batteries
- Flow rate 2-22 gpm 1" ports

DP-3000E 1" Dura Meter, EPDM \$310.00

DP-HFM3E 3" High Flow Flanged Meter \$1,458.00





- Bronze centrifugal transfer pump close coupled to a 12-volt electric motor
- Maximum current draw is 5.5 amps
- 3/4" NPT inlet and 3/4" NPT outlet
- Max 19.0 gpm and 7 psi

	FLOJET DIAPHRAGM PUMPS	
4300-504	4.5 gpm, 12-volt, 14-amp max, pressure switch, 45	\$199.00
	psi, Santo/Viton	
4300-504R	Reversed for Jackrabbit ATV	205.00
4420-753	4.5 gpm, sensor controlled, 12-amp max, pressure switch, 45 psi, Santo/Viton	314.00
4420-753R	Reversed for Jackrabbit ATV	321.00

Plug-in Quad Po	rts	
20381-002	1/2" Straight HB	\$1.98
20381-006	3/4" Straight HB	1.98
20381-008	1/2" Elbow with 1/2" MPT	1.98
20381-009	1/2" Elbow HB	1.98

Repair Kits			
02090-103	Pressu	re switch	\$47.50
20403-040	Diaphr	agm kit	20.86
20407-020	Check	valve kit, viton	43.60
20407-030	Check	Check valve kit, EPDM	
Upper Housir	ng Kit with	Pressure Switch	
20404-017		For 4300-504	\$85.70
20404-028		For 4420-753	83.83

SHURFLO 5000 SERIES 12-VOLT PUMP

5.3 gpm • Viton valves • 1/2" male port • Automatic demand version to 60 psi
Bypass version to 90 psi • Requires up to 18 amp



5059-3611 bypass, 90 psi - \$278.00 5059-1311 with pressure switch, 60 psi - \$278.00

Model No	Switch Only	Upper Housing	Valve Assembly	Drive Assembly	Check Valve
5059-3611	N/A	94-910-14 \$56.15	94-910-05 \$65.10	94-910-04 \$101.85	N/A
5059-1311	94-910-02 \$29.21	94-910-15 \$37.65	94-910-05 \$65.10	94-910-04 \$101.85	94-910-03 \$21.65

PUMPS



DELAVAN POWER FLO 12-VOLT PUMP

5-chamber positive displacement pump, self-priming, capable of being run dry, demand or bypass mode, 12-volt permanent magnet, totally enclosed.



50			7870
	5850-201C	5.0 gpm demand pump with viton valves, santoprene diaphragm, 45 psi, 1/2" FNPT port	\$210.00
	5850-201E	5.0 gpm demand pump with viton valves, santoprene diaphragm, 60 psi, 1/2" FNPT port	210.00
	5850-111E	5.0 gpm bypass pump, viton valve, santoprene diaphragm, 70 psi, 1/2" FNPT port	252.00
	7870-101E-SB	7.0 gpm demand pump, viton valves, santoprene diaphragm 60 psi, 1/2" FNPT port	399.00

7800-PSW-100	Pressure switch	7800	\$28.00	UHA-5800-PS	Upper housing pressure switch	5800	\$77.00
LHA-5850	Lower housing	5800	60.00	UHA-5800-B	Upper housing bypass	5800	55.00
LHA-7870	Lower housing	7800	66.00	UHA-7800-B	Upper housing bypass	7800	66.00
VHA-5800	Valve assembly	5800	47.30	UHA-7800-PS	Upper housing pressure switch	7800	66.00
VHA-7870	Valve assembly	7800	52.25		·		

HYPRO CENTRIFUGAL SPRAYER PUMPS FOR FERTILIZER, AG CHEMICAL, ETC

Model	Description	PSI	Size	Price	in the second	We stocl	(narts
1538	Pump only	70	1-1/2"x1-1/4"	\$ 695	A AND	for Hy	•
1538	Pump with GX160 Honda engine	70	1-1/2"x1-1/4"	1,277		centrif	•
1538SP	Pump only, self-priming	65	2" x 2"	1,203	A. Car		-
1538SP	Self-priming with GX160 Honda engine	65	2" x 2"	1,758	the contraction	pum	ps
1551	Pump only	140	2" x 1-1/2"	1,287	and the second s		
1551	Pump with GX270 Honda engine	140	2" x 1-1/2"	2,341		1:1 6 4500	
1551	Pump with GX270 Honda electric start engine	140	2" x 1-1/2"	2,535		kit for 1538 kit for 1551	\$66.00 247.00
1551SP	Self-priming	140	2″ x 2″	2,195	0402-9200P Impeller f		146.00
1551SP	Self-priming with GX270 Honda engine	140	2" x 2"	2,770	0404-9200P Impeller f		346.00
1551SP	Self-priming with GX20 Honda electric start engine	140	2″ x 2″	3,349			

ACE CENTRIFUGAL PUMP AND ENGINE UNITS

Model	Description	Price
GE-85-LE	Pump only, 24 gpm, 3/4" shaft, 65 psi	381.00
GE-85	Pump w/GX120 Honda engine	957.00
GE-85-SP-LE	Pump only, 24 gpm, 65 psi, 3/4" shaft	419.00
GE-85-SP	Pump with GX160 Honda engine	1,005.00
GE-660-LE	Pump only, 110 gpm, 113 psi, 1-1/2" x 1-1/4"	752.00
GE-660	Pump w/GX200 QA2 Honda engine, 110 gpm 113 psi	1,268.00
GE-660	Pump w/GX200 QE2 Honda electric start engine	1,657.00
GE-800-LE	Pump only, threaded shaft	1,544.00
GE-860-LE	Pump only, 140 gpm, 140 psi, 2" x 1-1/2"	1,476.00
GE-860	Pump w/GX270 QAE2 Honda electric start engine	2,522.00



ACE Seal Kits

Pump Model	Part No - Ceramic	Price	Part No - Silicon Carbide and Graphite	Price
GE-75	RK-GE-75	\$85.75	RK-GESC-75	\$212.00
GE-85	RK-GE-85	100.25	RK-GESC-85	255.00
GE-660	RK-GE-660	92.25	RK-GES-660	247.00
GE-800	RK-GE-800/1600	170.00	RK-GE-800/1600-SG	364.00
GE-860	RK-GE-860/1660	188.00	RK-GE-860/1660-SG	398.00

ACE Impellers

Pump Model	Part No	Price	Pump Model	Part No	Price
ACE75	42710	\$71.75	ACE660	30556 Thermoplastic	\$138.00
ACE85	42711	71.75	ACE800	30047	565.00
ACE650	30173	404.00	ACE860	30558	565.00

PACER

Transfer Pump Powered by Honda Engines

- Use for water, fertilizer, ag chemical
- Suction lift to 25' 230 gpm open flow

• 2" inlet and outlet NPT

SE2UL E5HCP	Honda GX160, commercial	\$698.00*
SE2UL	Pump only	284.00*
SE2SL E5HCPLES	Honda GX160, electric start	1,140.00*
58-0074	Seal kit	48.80*
58-070230	Valve	69.20*
58-070572	Check valve	32.00*
58-070630	Impeller	34.60*
58-071972	O-ring	18.00*
58-100230B	Pump body	112.00*

Self-Priming Centrifugal Polypropylene Pump

CX Pro 2" x 2" \$492.00* SE2UL CS208 208cc 58-0074 Seal Kit \$48.80*

Self-Priming 2 hp Centrifugal Transfer Pump



• Use for water, fertilizer, liquid feed, etc • 2"x2" EPDM fitted, with single phase motor

SE2ELC2.OC 1 Phase 115/230 \$949.00*

3" Transfer Pump

• 3" inlet and outlet, 290 gpm max, Honda GX200 engine SE3SLE6HCP \$1,120.00*



• 3" inlet and outlet, 400 gpm max, Honda GX390 electric start engine TE3TEPE390CCH \$2,265.00*

Pacer Polypropylene Hand Pump, Double Acting for Water, Ag Chemical, Fertilizer, Etc

- HPN-1-A Pump \$152.00 Includes 8' discharge hose and suction tube; works on 30 & 55-gallon barrels
- P-58-01678P Viton kit \$56.30
- Vacuum breaker with vent plug \$17.60

Protect Your Transfer Pump

Pump and engine cover fits most size and brands of 2" and 3" pump and engine units.

AVPC01 \$129.00 each

KOSHIN

High Pressure Centrifugal Pump

- 1-1/2" inlet and outlet
- Honda GX50 engine
- 30 gpm and pressures to 64 psi
- Maximum suction lift 26'
- Not rated for fertilizer
- Excellent sprayer or transfer pump SEH-40H 1-1/2" NPT \$680.00
- Same specs as above engine except 1" inlet and outlet
- 10 gpm and pressures to 64 psi
- Very nice pump and engine for small sprayer
- Not rated for fertilizer 1″ SEH-40H \$720.00
- 011068503 0115014

Seal for Koshin SEH-401X \$71.00* O-ring for Koshin SEH-401X 6.90*

Super Light Weight Transfer Pump

- 1" inlet and outlet, 30 gpm
- Honda GXH25 engine
 - Weight 12 lbs
 - Maximum suction lift 26'
- Maximum pressure 47 psi
- Very portable unit to fill sprayer in field SEH-25L \$545.00

REPLACEMENT PUMP AND ENGINE UNIT


- Honda GX160 engine
- Oil Drainzit
- 8-roller pump (22 gpm and 250 psi)
- Chain coupler Chain guard
- Pressure relief valve
- Suction strainer
- Winterization tee Pressure gauge
- Mounted on heavy duty steel baseplate

JOHN BLUE TRANSFER PUMP

SP-3240-G5H SP-3240 pump only Electric start engine

\$1,305.00 \$639.00 Add \$360.00

- 2" self-priming poly centrifugal pump
- GX160 Honda engine
- 2" inlet and outlet FPT
- Max flow 200 gpm
- Max pressure 42 psi
- Double wet seal assembly, pump can be run dry with-



• Pump can be removed, or engine can be replaced without having to disassemble the pump







027

\$1.485.00

FIRE FIGHTING PUMP UNITS AND ACCESSORIES

DAVEY AK308 TWO STAGE PUMP - \$2,841.00*

- 9 hp Honda electric start engine
- 120 gpm and 36 psi
- 20 gpm and 144 psi
- 3-way discharge manifold (one 1-1/2", two 1" ports)
- Economical, yet high efficiency pump
- KG01107 Seal Kit \$220.50



DAVEY AK304 TWO STAGE PUMP - \$1,992.00*

- GX160 Honda recoil start engine
- 65 gpm and 48 psi
- 20 gpm and 120 psi
- 3-way discharge manifold (one 1-1/2", two 1" ports)
- KG01108 Seal Kit \$220.50



FIRE HOSE

Part No	Description	PSI	Color	Price
10035650	3/4" Booster hose	300	Red	\$3.10 / ft
10035660	1" Booster hose	300	Red	4.75 / ft
10041152	1/2" Hercules high pressure fire resistant	500	Yellow	7.10 / ft
10041156	3/4" Hercules high pressure fire resistant	500	Yellow	8.80 / ft
10041158	1" Hercules high pressure fire resistant	500	Yellow	14.75 / ft
AR100RXXX	1" Ultra lite hose with 1" NPSH male and female ends	300	Red Fire Hose	454.00 / 100 ft

Viper	1" stirrup handle pistol grip ball valve with 10-23 gpm nozzle, 1" NH female thread \$54.			
Red Lexan Fire	1" NPS adjustable fog to straight stream, 100 psi			
NZ009	10-24 gpm aluminum adjustable nozzle with bumper, 1" female NPSH thread 130.50			
NZ016	10-24 gpm aluminum adjustable nozzle with bumper, 3/4" female garden hose thread 144.00			
NZ027	Mini adjustable fan/stream stirrup nozzle, 3/4" female garden hose thread	141.00		
NH or NST – Course Fire Hose Thread NPSH – Fine Fire Hose Thread, Straight NPT – National Pipe Thread, Tapered				

"GUZZLER" HAND PRIMER PUMP

12 gpm, 10"x5"x4"

P-360 \$160.00



SCOTTY 4171 AROUND-THE-PUMP FOAM EDUCTOP

Educts foam concentrate into hose lines through a pump's suction and discharge sides Call for pricing.



4171KIT FOAM APPLICATOR KIT

Includes one 1-1/2" cast aluminum connecting tee and one 2" cast aluminum connecting tee in addition to pressure and pickup hoses. Call for pricing.

COUPLERS AND SWIVELS

CHAIN COUPLER

For coupling engine

coupling.



QUICK COUPLER – OPEN BORE TYPE Brass. For use with spraying equipment. Does not rust. Steel plugs.

	Female NPT
38FS	3/8" Socket \$22.8
50FS	1/2" Socket 29.0
75FS	3/4" Socket 35.0

	Plug	gs, Female T	hread	Plu	gs, Male Th	read
.80	38FPB	3/8" Plug	\$13.40	38MPB	3/8" Plug	\$ 8.60
.00	50FPB	1/2" Plug	17.00	50MPB	1/2" Plug	13.05
.06	75FPB	3/4" Plug	21.00	75MPB	3/4" Plug	14.00

HOSE AND TUBING CUTTERS

\$169.18 per set

15/16", 3/4", 5/8" (specify each side

when ordering). Double chain

Light weight with a strong nylon handle. Will not distort pipe. Li'l Nipper cuts all sizes up to 1-1/4" polyethylene, PVC, ABS, and rubber hose. Big Nipper cuts hose and tubing up to 2-1/2" ID and PVC up to 1-1/2" ID.

0125	Li'l Nipper	\$14.25
0127	Replacement Blades (2-pk)	8.70
16368	Big Nipper	16.30

HANDGUN SWIVELS

Allows handgun to swivel independently of hose.

Part #	Description	PSI	Price	1
7016.00	1/2" MPT x 1/2" HB, SS	350	\$34.80	
7016.005	1/2" MPT x 1/2" HB, SS	350	34.80	3
7016.01	1/2" MPT x 3/8" HB, pom resin	350	34.80	No.
7016.02	3/4" MPT x 1/2" HB, pom resin	350	34.80	
7016.GHT-06	MGHT x 3/8" HB, pom resin	350	34.80	
8F8M	1/2" MPT x FPT, Brass	1000	36.00	C
6F6M	3/8" MPT x FPT, Brass	1000	36.00	

HOSE REELS AND ACCESSORIES

COXREEL HOSE REELS

Manual Reels - Pressures to 1000 PSI, Commercial Use

Part #	Reel Capacity, Swivel	Price
HP112-4-75 KVXX	75' of 1/2" hose, Brass Swivel	\$260.00
HP1125-4-200 KVXX	200' of 1/2" hose, Super Swivel	356.00
HP1125-4-325 KVXX	300' of 1/2" hose, Super Swivel	369.00
HP1125-5-250 KVXX	250' of 3/4" hose, Super Swivel	599.00
HP1175-6-150 KVXX	150' of 1" hose, Super Swivel	784.00

12-Volt Electric Reels - Commercial Use

Part #	Reel Capacity, Swivel	Price				
HP1125-4-200E KVXX	200' of 1/2" hose, Super Swivel	\$836.00				
HP1125-4-325E KVXX	300' of 1/2" hose, Super Swivel	841.00				
HP1125-4-450E KVXX	400' of 1/2" hose, Super Swivel	922.00				
HP1125-5-250E KVXX	250' of 3/4" hose, Super Swivel	1,066.00				
HP1175-6-150E KVXX	150' of 1" hose, Super Swivel	1,345.00				

Part #	Description	Price
7408-12-1/2"	Axle plumbing for 1125-4-200	\$ 76.00
7408-18-1/2"	Axle plumbing for 1125-4-325	79.00
7414-12	Drum for 1125-4-200	51.50
7414-18	Drum for 1125-4-325	57.80
7414-24	Drum for 1125-4-450	62.10
7414-28	Drum for 1125-5-250	73.68
7416	Disc end plate 17.5"	56.40
7425	Pinon drive gear	59.40
7450	Disc end plate 17.5" with gear	118.00
7480	Stack kit for staking reels (bottom reel drum width)	148.00
15353	4-way roller assembly x hose reel widths	228.00
	Above installed (must have reel model)	241.00
9075-12.5	KXXX 4-way roller to fit 112-4-75	153.00
20843	Hose reel pin lock	21.20
24106	Solenoid for 12-volt reels	40.00
90030	Push button switch	18.10
	Replacement motor for Coxreel	363.00
	25' power lead with 30-amp breaker	95.00
20649	1/2" reel bearing	17.00
15515	3/4" reel bearing	23.00

MANUAL HOSE REELS

Manual, for standard duty application

Part #	Description	Price	
CA32112L-35BK	200' of 1/2" hose	\$356.00	8
CA33112L-35BK	50' of 1" hose	487.80	
M20-10	100' of 1" hose	489.00	

HANNAY HOSE REELS



Model	Reel Capacity	Price
PW-2 w/roller guide	75' of 1/2" hose	\$341.00
1520-17-18, manual	200' of 1/2" hose	382.00
1520-17-18, electric	200' of 1/2" hose	845.00
1526-17-18, manual	300' of 1/2" hose	382.00
1526-17-18, electric	300' of 1/2" hose	845.00
1530-17-18, electric	400' of 1/2" hose	845.00
1830-17-18, electric	250' of 5/8" hose	922.00
1836-17-18, electric	300' of 5/8" hose	932.00

Above equipped with Super Swivel, switch, and solenoid

Part #	Description	Price
9910.1119	Replacement drive sprocket	\$ 32.90
9915.0042	Replacement electric motor	363.00
9923.0006	Motor mounting plate	26.00
9939.1062	Roller assembly for Hannay Reels Must have reel model	305.00
	As above, installed	340.00
9965.0030	Hose reel pin lock	35.00

MINI HOSE REELS

Chemical compatible hose reel with 50' of pesticide resistant hose coupled for low pressure application, 12-volt, and centrifugal pumps.



Reel & 3/8" hose \$227.00 Reel & 1/2" hose \$252.00

High pressure hose with steel ends and high pressure banded hose bend restrictors for roller, piston, or diaphragm pumps.

Reel & 3/8" hose \$304.00 Reel & 1/2" hose \$337.00

112-4-75 Cox Reel	High Pressure	Low Pressure
With 100' of 1/2" hose	\$510.00	\$465.00
With 100' of 3/8" hose	\$465.00	\$420.00
Option: Roller Guide - \$	168.00	

REPLACEMENT HOSE REEL SWIVELS

Super Swivel - Greaseable, 3000 psi working pressure, compatible with fertilizer and pesticide, stands up to MSOs and poor-quality surfactants

Reel Size	Price	Repair Kit #	Size	Price		
1/2"	\$ 86.00	SS8-Kit	1/2"	\$21.90		
3/4"	115.00	SS12-Kit	3/4"	23.52		
1″	141.00	141.00	141.00 SS:	SS16-Kit	1″	25.90
		Part #	Size	Price		
Reelcraft Swivel		602050	3/8"	30.00		
Reelcraft S	wivel	S602096-1	1/2"	35.20		



							<u>H</u>
	Р		EAR SIGI	HT GA	UGE		
Part #		Size		PSI			\$/Ft
SGH03	8	3/8″		30			\$0.93
SGH05		1/2"		30			1.37
		5/8"					
SGH05	-	-,-		30			1.51
SGH07		3/4"		30			1.77
SGH10	0	1″		30			2.17
		GA	UGE TU	BING			
	TBG238	8	1/8" x 2	5′	\$	64.00	
	PVC LAY	FLAT	DISCHA	RGE I	IOSE,	, BLUE	
1302650)5	1-1/2"		75			\$1.11
1302700)5	2″		70			1.30
Н	YDRO SI	EDIN	G LAY FL	AT H	OSE. I	BROWN	١
Part #		Size		PSI			
13030	01/	1-1/2	,"	150			\$2.65
13030	J14	1-1/2	-	130			ŞZ.05
Part # 46428	Descrip 3/16" x 2	tion 1/4″ OI	Planter (D coil 1 D coil 1	Qty L00' ro	Sc oll \$1	4Ft \$ 65 \$:	Roll \$ 165.00
<u>EV</u> Part # EVA025 EVA038	A ANHY Size 1/4″		Less 0% 0% 00 full	DNIA Pa EV		SPRAYE Size 5/8″	\$/Ft \$1.07
EVA050		0.93	rolls		A100		2.18
						VUOCI	
	Part #	JEINER	AL PUR		PSI		<u>-</u> /Ft
R	SH025		1/4"		200).87
	SH038	+	3/8″		200		97
		_				-	
	SH050	_	1/2"		200		27
	SH058		5/8"		200		86
R	SH075		3/4"		200	1.	99
R	SH100		1″		200	3.	02
R	SH125		1-1/4"		200	5.	37
-	NS150	<u> </u>	1-1/2"		200	-	90
	NS200		2″	-+	150		08
	W J Z UU					9.	00
			SLYDER				
	-						
			10 psi BP				
Hannay,	Intella S	pray, a	nd other	stand	ard ho	ose reels	s. Easy
to pull th	nrough th	ie weed	ds. Hose	length	inclu	des bras	s ends
			" or 3/8".				
	length -				ngth -	\$1,560.0	00
	length -				-	\$2.95/ft	
300	iengtii -	<i>γ</i> ουο.2		ustom	cut -	ş2.32/Π	•
			E WITH				
			end sucti				gm and
other po	ositive dis	placen	nent pum	nps. 10	0' roll	s.	
Part #		e ID	\$/100			Ft Cut Le	ength
K075	3/			6.00			5 1.96
	1"		1			Ŧ	
K100	1	4 / 5 "	- 21	6.00			2.40
1 1/4 3 5	1 4 1	1 / / //		1 00			2 6 6

K125

K150

K200

1-1/4"

1-1/2"

2″

241.00

320.00

401.00

GREEN PVC WATER SUCTION & TRANSFER HOSE					
Part #	Size	PSI	\$/Ft*		
PVC100, green	1″	90	\$ 1.84		
PVC125, green	1-1/4"	70	2.19		
PVC150, green	1-1/2"	70	2.68		
PVC200, green	2″	60	4.25		

FERTILIZER EPDM

Suction and Transfer Bumble Bee Hose, 100' Rolls

Part #	Size	PSI	\$/Ft/Roll	\$/Less than 25'*
EPDM100	1″	80	\$ 3.26	\$ 3.61
EPDM125	1-1/4"	70	3.79	4.14
EPDM150	1-1/2″	60	4.38	4.79
EPDM200	2″	60	5.78	6.42
EPDM300	3″	50	11.00	12.22

ENFORCER REINFORCED FERTILIZER SOLUTION HOSE, 100' ROLL

Part #	Size	PSI	\$/Ft	\$/Less than 25'*
12012964	2″	100	\$ 7.60	\$ 8.44
12012966	3″	85	13.41	14.90

AIR SEEDER HOSE (Braided and Clear)

AIR SEEDER	* Less			
Part #	10%			
12015003	1″	\$ 1.85	\$ 166.50	on full
12017507	2-1/2"	6.70	653.00	rolls

GREEN GARDE HEAVY DUTY TREE SPRAYER HOSE

• Heavy-duty spray hose • 5-ply banded construction

- Superb abrasion resistance Long lasting flexibility
- Resistant to fungicides, insecticides, and fertilizer

Γ	Part #	Size	PSI	Roll Size	Color	\$/Ft Cut	\$/Ft Uncut
ſ	BNG-43	1/2"	800	300′	Neon	\$ 4.67	\$ 4.30

KURI TEC HIGH PRESSURE HOSE

Part #	# Size PSI		Roll Size	Color	\$/Ft Cut	\$/Ft Uncut	
K4131	3/8"	600	300'/400'	Blue/yellow	\$ 1.25	\$ 1.15	
K4131	1/2"	600	300'/400'	Blue/yellow	1.85	1.75	

Part #	Size	PSI	Roll Size Color		\$/Ft Cut	\$/Ft Uncut		
A1687-08	A1687-08 1/2" 800 300'/400' Green		Green	\$ 3.96	\$ 3.66			
A1687-10	5/8"	800	300'	Green	4.72	4.42		
A1687-12	3/4"	6.00	5.80					
High pressure fittings and handing available								

High pressure fittings and banding available

KURI TEC EVA YARN REINFORCED HOSE FOOD GRADE, HEAVY WALL

Part #	Size	PSI	Roll Size	Ş/Ft
K4350-08	1/2"	250	300'	\$1.51
K4350-12	3/4"	150	300'	2.26
K4350-16	1″	150	200'	3.92

HOSE BEND RESTRICTORS

HBR-0081 5/8"-\$7.25 HBR-1052 1/2" thick wall - \$7.25 HBR-1054 1/2" - \$7.25



HBR-1050 3/8" thick wall \$7.25 HBR-1055 3/8" - \$7.25

HEAVY DUTY SLINKY HOSE FOR ATV SPRAYERS



HSC 2846-06X15CN \$63.00 Pesticide resistant hose with brass 3/8" MPT fittings. 15' 3/8" ID

2.68

3.56

4.46

Spraving Systems

Heavy duty trigger operated handgun							
Model	PSI	Barrel	Price				
43H Brass	800	22	\$210.60				
43HA Brass	800	13	190.80				
43L Brass	200	22	209.84				
43LA Brass	200	13	190.80				
43H-AL	800	22	174.58				
43HA-AL	800	13	166.80				
43L-AL	200	22	174.76				
43LA-AL	200	13	166.80				
CP 4743-NY	CP 4743-NY Gasket						
D-orifice ~ D	2.00						
DX-HSS long d	30.40						
PK-AB43 Kit	48.40						
PK-AB43AL k	lit		48.40				

Econo-Gun

• Polypropylene body

• Stainless steel spring

• Viton rubber parts • Viton pin bushing

 On/off gun 150 psi max 40 gpm 								
506532	Gun, 1/2" HB connection	\$44.00						
506530	Gun, 3/4" HB connection	44.00						
506531	Gun, 1" HB connection	44.00						

Adjustable Pattern Long Range Handgun



Spray patterns range from straight stream to cone mist by moving forward hand grip, up to 850 PSI with 1/2" MPT.

13.901.151	21" long, 30 gpm	\$298.00
7.901.03	17" long handgun	205.00
10/11	Repair kit	30.40
Optional	Size 1.5 to 3.0	17.40
tips	Size 3.5 to 7.0	28.90

12-V Deluxe Sprayer Handgun

• All metal • Trigger guard	
 Adjustable brass tip 	and
WCHD, 8" wand - \$84.00	Ra
WCHD, 18" wand - \$92.00	0
Metal trigger valve only - \$	55.00

Aluminum Barrel Handgun

21", 3/8" inlet barb, X26 adjustable tip 50800-21-AL-406-X26 \$24.90 **Replacement Adjustable Poly ConeJet Tip** 38720-PPB-X18 (orange) \$11.25 38720-PPB-X26 (blue) \$11.25

Lesco Handgun, Kits, **Replacement Nozzles**

Handgun without tip - \$92.85* Repair kit, 7402 - \$21.90* Nozzles - \$7.72* each (1.5, 2, 3, 4 gpm)

> **Economy Spray Gun** SG-4507 \$17.25 #18 orifice for 12-volt spraver

HANDGUNS

Adjusts from mist to long range with a selection of

nozzle sizes available. Use for lawn maintenance,

tree and ornamentals, pest control, noxious weeds

and fighting fire. Repair parts available. Major components from JD9 will interchange with the

Spray gun

Repair kit

#8 nozzle

1.5 nozzle

3.0 nozzle

4.0 nozzle

application of chemicals. Made of Deinn nylon. Only four moving parts. 3/4" inlet pipe thread with 1/2" hose barb insert with standard black nozzle, 3 GPM at 15-25 psi. 25990-3/4" Hose shank swivel \$16.42 Optional nozzle \$16.05

Spraying Systems Gun - \$118.00

Designed specifically for lawn care

Nozzle holder kit

2.5 nozzle, standard

Description

"Black Jewel" Spray Gun by Warne Chemical

Black Jewel.

WCBJ

Part #

SG-PC-025-R1-Kit

BJ-PC-Nozzle Kit SG-PCN-008

SG-PCN-015

SG-PCN-025

SC-PCN-030

SC-PCN-040

Model

Number

25660-1.5

25660-3.0

Premium quality, commercial handgun.



Price

\$132.00

17.84

16.50

11.50

11.50

11.50

11.50

11.50

Green Garde Spray Gun Rugged and built to last!

Easily adjust from mist to long distant stream. Great performer with pressure up to 1,000 psi. Use for lawn maintenance, trees and ornamentals, pest control and noxious weed control.

Part #	Description	Price
38500	JD9-C spray gun	\$177.00
38507	JD9-PT (trigger control pattern)	183.00
	All flooding nozzles	32.50
38602	Tip, L	17.20
38603	Tip, XL	17.20
38604	Tip, M	17.20
38605	Tip, S	17.20
38606	Tip, XS	16.50
38510	Repair kit, 101C	14.50
38511	Repair kit, 101TV	28.90
38516	Сар	10.85
38517	O-ring	1.90
38518	Whirler	28.20
38525	Teflon valve seat	17.20
38527	Valve spring	9.90
38528	Valve, stainless steel	42.40
38531	Trigger assembly	32.05
38523	Bolt, stainless steel	8.30
38533	Stopper clip	1.16
38534	Barrel adjust nut	49.50
38535	Screw	.80
38536	Gland	16.65
38538	Nut, stainless steel	.80
38539	Nut, locking	4.50
38540	Adapter, GHT	14.25
38543	Washer, GH leather	1.70

Hand Boom Assy



WC-HBA \$168.00 each Designed to save time and conserve product. Accurately apply fluid with a consistent spray pattern. Great for efficiently applying pesticides, fertilizers, soaps, sealants, and deicing brines. Available with trigger valve or thumb operated on/off.

Handgun Mounts

Heavy duty. Can also be used for shovels, rakes, etc



many handguns. Grip range 1" to 1-1/4". Package of two - \$48.90*

1004 HandleLok Adjustable lock securing a wider variety of sizes. \$49.25*

1001 HookLok



1005 Flex Mount Lock mount with strap. Grip range 1" to 1.75". \$53.00 each







Trigger Valve Handgun

Capacity (GPM) at Various Pressures

2.6 2.9 3.4

2.3

32 3.6 41

sprayers. Ad	djustable nozzle.	Statement of the local division of the				
3/8" hose ba	arb.					
WCH-8	8" wand	\$59.00				
WCH-18	18" wand	63.00				
WCH-8-B	8" wand, brass nozzle	70.00				
WCH-18-B	18" wand, brass nozzle	75.00				
3/8"	Hose barb	2.50				
1/2"	Hose barb	2.50				
1/2"	Poly MPT	2.50				
1/2"	Brass MPT	11.00				
Replacement	Replacement trigger valve					
Replacement	Replacement poly adjustable tip X8-X18					
Replacement	23.50					
Replacement	23.50					
for Jackrabbits						
Replacement	14.25					
Replacement	t 18" brass barrel	18.45				

Turbo Industrial Handgun

• 8" barrel

• 1/2" inlet with swivel • Adjustable spray pattern

\$164.00

25670-1.5-NY Gray 1.4 1.9 25670-3.0-NY Black 20 25660-4.0 25670-4.0-NY Red 2.3 3.1 3.7 4.3 4.7 5.6 6.4

Nozzle

Tip Color

GNC 2000 Lawn Care Applicator Handgun

Durable nvlon body. Available with three different nozzle volumes and hanger.

Nozzle Tip


Number

Handgun with 3 tips - \$79.00 Nozzles - \$14.00 each, choice of 2, 3 or 4 gpm Repair Kit - \$17.60 Trigger - \$16.42

Premium handgun for 12-volt							
sprayers. Adjustable nozzle.							
3/8" hose barb.							
WCH-8	8" wand	\$59.00					
WCH-18	18" wand	63.00					
WCH-8-B	8" wand, brass nozzle	70.00					
WCH-18-B	18" wand, brass nozzle	75.00					
3/8″	Hose barb	2.50					
1/2"	Hose barb	2.50					
1/2"	Poly MPT	2.50					
1/2"	11.00						
Replacement trigger valve							
Replacement poly adjustable tip X8-X18 12.50							
Replacement brass adjustable tip X16 23.5							
Replacement brass adjustable tip X28 23.50							
for Jackrabbi	for Jackrabbits						
Replacement	t 8" brass barrel	14.25					
Replacement 18" brass barrel							

BACKPACK SPRAYERS

JACTO BACKPACK SPRAYERS



- Sprays at a constant 35 psi
- Equipped with viton seals and gaskets in key areas
- Built-in carrying handle makes cap removal easy and carrying the unit a breeze
- 6" wide mouth cap for easy filling
- Uses the same 6800 Pro Series tank assembly, filters and shutoff CD

Battery and battery charger kit - \$74.00

032

\$155.00

Includes K5050 mount and

steel base for truck bed or

flatbed mounting. Backpack

sold separately.

STRAINERS

Line & Suction Strainers

• Female ports, 40 mesh screens, and EPDM gaskets are all standard



Clear bowl not recommended for use with alcohol												
Poly Bowl	Poly Bowl Mesh Price Size					C	lear Bow		Mesh	Ρ	rice	Pump Suction
RVF88PE20CP		20	\$18.68	1/2"		RVF8	38PE20CC		20		\$27.83	Foot Valve
RVF88PE40CP		40	18.68	1/2"		RVF8	38PE40CC		40		27.83	
RVF88PE80CP		80	18.96	1/2"		RVF8	38PE80CC		80		29.79	<u>Strainers</u>
RVF1212PE20CP		20	21.56	3/4"		RVF1	L212PE20CC	2	20		33.46	2// 2//+ in
RVF1212PE40CP		40	21.56	3/4"		RVF1	L212PE40CC	2	40		33.46	2" or 3"cast iron
RVF1212PE80CP		80	22.40	3/4"		RVF1	L212PE80CC	2	80		35.23	foot valve
RVF1616PE20CP+		20	21.63	1″		RVF1	L616PE20CC)+	20		36.04	
RVF1616PE40CP+		40	21.63	1"		RVF1	L616PE40CC)+	40		36.04	PV-2 \$55.00
RVF1616PE80CP+		80	23.45	1″		RVF1	L616PE80CC)+	80		36.98	PV-3 85.10
RVF1616PE20CP		20	39.16	1" large b	owl	RVF1	L616PE20CC	2	20		56.86	-Minenne-
RVF1616PE40CP		40	39.16	1" large b	owl	RVF1	L616PE40CC	2	40		56.86	
RVF1616PE80CP		80	40.26	1" large b	owl	RVF1	L616PE80CC	2	80		59.26	
RVF2020PE20CP		20	39.42	1-1/4" la	rge	RVF2	2020PE20CC	2	20		57.14	3" High Volume
RVF2020PE40CP		40	39.42	1-1/4" la	rge	RVF2	2020PE40CC	2	40		57.14	_
RVF2020PE80CP		80	40.21	1-1/4" la	rge	RVF2	2020PE80CC	2	80		59.69	<u>Strainer</u>
RVF2424PE20CP		20	39.71	1-1/2" la	rge	RVF2	2424PE20CC	2	20		57.71	2//
RVF2424PE40CP		40	39.71	1-1/2" la	rge	RVF2	2424PE40CC	2	40		57.71	3" inlet and
RVF2424PE80CP		80	41.98	1-1/2" la	rge	RVF2	2424PE80CC	2	80		60.52	outlet with 40
								mesh strainer				
1/2", 3/4'			1″ B				1/4"	_		1/2"	4	
RVF88TPN 1/ RVF1212TPN 3/		RVF	1616TP	\$17.81	RVF20)20TP	\$18.0	7 RV	F2424TP		\$18.54	300A-20
RVF1212TPN 3/ RVF1616TP* 1"												\$493.00
	DM \$1.35	RVF	1616GE E	PDM \$1.35	RVF16	516GE	EPDM \$1.3	5 RV	′F1616GE	EPDM	\$ 1.35	
		1		•								



 Replacement Screens

 4S513-40
 \$121.43

 4S513-20
 121.43

Y-Type Polypropylene Strainer

Viton 9.64 RVF1616GV

20M \$10.73 RVF161620C

40M 10.73 RVF161640C

Clear 19.17 RVF1616BC

12.81 RVF161680C

\$7.15 RVF1616BP

Viton

40M

80M

10.21

20M \$11.82

LSY 200-20 2" 20 mesh screen \$75.00 Replacement screens 4S511-20 20 mesh \$42.77

80M

Poly

4S511-4040 mesh52.774S511-8080 mesh52.774G561-00Gasket4.45

RVF66GV

RVF6620C

RVF6640C

RVF6680C

RVF66BP

RVF66BC

The "Pump Saver"

- 1-1/2" inlet & outlet
- 16 mesh screen
- Brass mounting inserts
- Built-in check valve for filter cleaning
- Works well with diaphragm pumps

3142561	1-1/2", 16 mesh	\$111.25
314000-040	Bowl retainer nut	17.25
314000-050	Bowl o-ring	11.35
314001-030	16 mesh screen	21.75
314003-030	50 mesh screen	21.75
314400-020	Filter cup	11.29
314500-010	Strainer upper body	60.20
116625	1-1/2" elbow	3.75
2002060	Fly nut and gasket	4.70

Inlet Strainer for Flojet Quad Port Pump with 40 Mesh Screen

16.61 RVF202080C

Poly \$12.08 RVF1616BP

Clear 30.31 RVF1616BC

01740-010 3/4" HB x quad port 90° \$4.00

RVF202020C 20M \$13.85

11.82 RVF202040C 40M 13.85

RVF1616GV Viton 10.21 RVF1616GV Viton

80M 16.15 RVF242480C

Poly \$12.08 RVF1616BP

Clear 30.31 RVF1616BC

RVF242420C 20M

RVF242440C 40M

No parts available. Excellent strainer for use with Flojet 4300-504 4.9 gpm and 4400-504 4.5 gpm pumps.

Line Strainer for Flange **Coupling with 50 Mesh** Screen

AA126ML-F50-50	50 series flange	\$43.97
CP1690-3-SSPP	30 mesh screen	17.68
CP1690-4-SSPP	50 mesh screen	17.68
CP1690-5-SSPP	80 mesh screen	17.68
AA126M-F75-50	75 series flange	\$93.90
CP15941-2-SSPP	30 mesh screen	27.76
CP16941-3-SSPP	50 mesh screen	27.76
CP15941-4-SSPP	80 mesh screen	27.76

<u>1/2" Female</u> Strainer for Jackrabbits

10.21

\$17.45

20.94

23.13

Poly \$13.13

Clear 30.31

80M



Standard 40 mesh screen, EPDM gaskets

- RVLF88PE40CP 1/2" female, poly bowl \$15.36
- RVLM88PE40CP 1/2" male, poly bowl \$15.36
- RVLF88PE40CC 1/2" female, clear bowl \$18.39
- RVLM88PE40CC 1/2" male, clear bowl \$18.39

Parts

RVLF88TP	Cap, female	\$6.06
RVM88TP	Cap, male	6.06
RVM44GE	Gasket, EDPM	1.77
RVM44GV	Gasket, Viton	8.21
RVM4440C	Screen, 40 mesh	7.92
RVM44BP	Bowl, poly	6.35
RVM44BC	Bowl, clear	9.58

PTC-VR Variable Rate Fertilizer Nozzles

- Excellent for variable rate application of liquid fertilizer
- Excellent for maintaining a fixed rate with variable speeds
- Features push-to connect couplers
- Designed for use in flow meter based application systems
- Available for 1/4", 5/16" and 3/8" OD tubing
- Removable variable rate orifice (EPDM) for easy cleaning


PTC-VR-X1.0-1/4

\$34.70 each 15 or more \$30.85 each

PTC-VR VARIABLE RATE PUSH-TO-CONNECT FERTILIZER ASSEMBLY											
	LIQUID	CAPACITY		30" SPACING							
NOZZLE	PRESSURE	1 NOZZLE		GALLON	S PER AG	CRE FOR	FERTILIZE	ER			
(strainer)	PSI	IN GPM	4 mph	5 mph	6 mph	7 mph	8 mph	10 mph			
	10	0.13	5.6	4.4	3.7	3.3	2.8	2.3			
	20	0.21	9.0	7.2	6.0	5.3	4.5	3.7			
	30	0.28	12.0	9.6	8.0	7.0	6.0	4.8			
PCT-VR	40	0.35	15.0	12.0	10.0	8.8	7.6	6.0			
(50)	50	0.43	19.1	15.1	12.6	11.0	9.5	7.6			
	60	0.51	22.6	18.3	15.2	13.3	11.4	9.1			
	70	0.61	27.8	21.8	18.3	16.0	13.7	11.0			
	80	0.71	33.0	26.1	21.7	19.2	16.6	13.2			
	90	0.82	39.1	31.3	26.1	22.6	19.1	15.5			
	100	0.93	44.3	35.7	29.6	25.7	21.7	17.4			

XR TeeJet Extended Range Flat Spray Tips

Typical Applica	tions		- Spacin	0+
Excellent: Pre-emergence	surface applied		\wedge	\wedge
herbicides. At medium pres	· · · /	4	<u> </u>	
produced medium size dr	1 0		Adjust s	
surface coverage in appli-	cations such as		the fie	
minimum tillage. Excellent: Post-emerger	nce systemic		approxi	
herbicides. At lower press	'		each ed	lge of
helps to control drift.				
Good: Post-emergence conta	act herbicides. At			
higher pressures (30-60 psi)	produces smaller		Sugges	ted N
droplets for better coverage	0		Spr	ay He
tips produce larger spra	y droplets and	Γ	Spray	Spra
reduces drift.			Angle	20"
Pre-plant incorporated here pressures (15-20 psi) produ		ſ	80	17
droplets and reduces drift.	ices larger spray		110	15
XR01 thru XR08	20		XR10SS	Sthr
\$8.02 each	HGLA		XR1559	
	ANDA			-
\$6.98 25 to 49			\$10.60	eac
\$5.77 50+				
<i>TeeJet</i> *	Standard Flat	F	an Sp	ray ⁻
			80)° Se
Brass	\$5.39 each			ß
Stainlass Staal	\$13 75 eac			10



height in overlap ely 30% of f pattern.


Vinimum eight

Spray	Spray Height
Angle	20" Spacing
80	17 - 19"
110	15 - 18"

ru ch



Stainless Steel



ORIFICE	PSI	GPM	GALLO	NS PER AC	RE FOR	30" ROWS	6
			4 mph	4.5 mph	5 mph	5.5 mph	6 mph
4916-28	20	0.069	2.80	2.49	2.24	2.04	1.87
	30	0.085	3.45	3.07	2.76	2.51	2.30
4916-37	20	0.122	4.95	4.40	3.96	3.60	3.30
	30	0.149	6.05	5.38	4.84	4.40	4.03
4916.43	20	0.163	6.62	5.88	5.29	4.81	4.41
	30	0.200	8.12	7.22	6.49	5.90	5.41
4916.48	20	0.202	8.20	7.29	6.56	5.96	5.47
	30	0.248	10.07	8.95	8.05	7.32	6.71
4916.52	20	0.237	9.62	8.55	7.70	7.00	6.41
	30	0.290	11.77	10.46	9.42	8.56	7.85
4916.57	20	0.283	11.49	10.21	9.19	8.35	7.66
	30	0.346	14.04	12.48	11.24	10.21	9.36
Other size	es avail	able					
		in the second se					

4918 CP4916_* Orifice Orifice



VEEJET NOZZLES

Brass



- Flat spray pattern
- For magnesium chloride application, de-icing, dust control, liquid feed, many industrial machines

H3/4U	80200 thru 80400	\$61.70						
H1/2U	8010 thru 80200	35.20						
H3/8	Thru 80150	27.25						
H1/4U	H1/4U Thru 8070 26.20							
Call for c	other nozzle sizes and spec	ifications						

Tip		No. creen Size)	Liquid	20 Specing						Gallons 30" Sp				
Color	80"	110"	Pressure	1 Nozzie	1 Nozzle	5	6	7	8	5	6	7	8	
00101	Series	Series	in psi	in GPM	in oz./min.	mph	mph	mph	mph	mph	mph	mph	mph	
			15	.06	8	3.6	3.0	2.5	2.2	2.4	2.0	1.7	1.5	
	VEADA	VELICA	20	.07	9	4.2	3.5	3.0	2.6	2.8	2.3	2.0	1.7	
ORANGE	XR8001	XR11001	30	.09	12	5.3	4.5	3.8	3.3	3.6	3.0	2.5	2.2	
	(100 Mesh)	(100 Mesh)	40	.10	13	5.9	5.0	4.2	3.7	4.0	3.3	2.8	2.5	
			60	.12	15	7.1	5.9	5.1	4.5	4.8	4.0	3.4	3.0	
			15	.09	12	5.3	4.5	3.8	3.3	3.6	3.0	2.5	2.2	
	XR80015	XR110015	20	.11	14	6.5	5.4	4.7	4.1	4.4	3.6	3.1	2.7	
GREEN	(100 Mesh)	(100 Mesh)	30	.13	17	7.7	6.4	5.5	4.8	5.1	4.3	3.7	3.2	
	(100 mean)	(100 10001)	40	.15	19	8.9	7.4	6.4	5.6	5.9	5.0	4.2	3.7	
			60	.18	23	10.7	8.9	7.6	6.7	7.1	5.9	5.1	4.5	
			15	.12	15	7.1	5.9	5.1	4.5	4.8	4.0	3.4	3.0	
	XR8002	XB11002	20	.14	18	8.3	6.9	5.9	5.2	5.5	4.6	4.0	3.5	
YELLOW	(50 Mesh)	(50 Mesh)	30	.17	22	10.1	8.4	7.2	6.3	6.7	5.6	4.8	4.2	
		(,	40	.20	26	11.9	9.9	8.5	7.4	7.9	6.6	5.7	5.0	
			60	.24	31	14.3	11.9	10.2	8.9	9.5	7.9	6.8	5.9	
			15	.18	23	10.7	8.9	7.6	6.7	7.1	5.9	5.1	4.5	
	XR8003	XR11003	20	.21	27	12.5	10.4	8.9	7.8	8.3	6.9	5.9	5.2	
BLUE	(50 Mesh)	(50 Mesh)	30	.26	33	15.4	12.9	11.0	9.7	10.3	8.6	7.4	6.4	
	(,	l' í	40	.30	38	17.8	14.9	12.7	11.1	11.9	9.9	8.5	7.4	
			60	.37	47	22	18.3	15.7	13.7	14.7	12.2	10.5	9.2	
			15	.24	31	14.3	11.9	10.2	8.9	9.5	7.9	6.8	5.9	
	XR8004	XR11004 (50 Mesh)	20	.28	36	16.6	13.9	11.9	10.4	11.1	9.2	7.9	6.9	
RED	(50 Mesh)		30	.35	45	21	17.3	14.9	13.0	13.9	11.6	9.9	8.7	
	· ·		(,	40	.40	51	24	19.8	17.0	14.9	15.8	13.2	11.3	9.9
			60	.49	63	29	24	21	18.2	19.4	16.2	13.9	12.1	
			15	.31	40	18.4	15.3	13.2	11.5	12.3	10.2	8.9	7.7	
BROWN	XR8005	XR11005	XR11005	20	.35	45	21	17.3	14.9	13.0	13.9	11.6	9.9	8.7
BHOWN	(50 Mesh)	(50 Mesh)	30	.43	55	26	21	18.2	16.0	17.0	14.2	12.2	10.6	
	ľ .		40	.50	64	30	25	21	18.6	20	16.5	14.1	12.4	
		<u> </u>	60	.61	78 47	36	30 18.3	26 15.7	23	24	20	17.3	15.1	
			15	.37		22		17.8	15.6	16.6	13.9	11.9	9.2	
ODAY	XR8006	XR11006	20	.42	54		21						12.9	
GRAY	(50 Mesh)	(50 Mesh)	30 40	.52	67 77	31	26	22 25	19.3 22	21	17.2	14.7	14.9	
	Ľ Í			.60	93	43	30	31	27	24	20	21	18.1	
	<u> </u>		60 15	.73	63	29	24	21	18.2	19.4	16.2	13.9	12.1	
			20		73	34	28	24	21	23	18.8	16.1	14.1	
WHITE	XR8008	XR11008	30	.57	88	41	34	29	26	27	23	20	17.1	
WHITE	(50 Mesh)	(50 Mesh)	40	.80	102	48	40	34	30	32	26	23	20	
			60	.80	125	58	40	42	36	39	32	28	24	
	+		15	.90	78	36	30	26	23	24	20	17.3	15.1	
			20	.61	91	42	30	30	23	24	20	20	17.6	
	XR8010SS XR11010SS				111	52	43	30	32	34	23	20	22	
			30	.87	128	59	50	42	32	40	33	25	25	
			60	1.00	128	72	60	52	45	40	40	35	30	
			15		118	55	46	39	34	36	30	26	2	
			20	.92	136	63	52	45	39	42	35	30	2	
	XB801555	XR11015SS	30	1.00	166	77	64	55	48	51	43	37	3	
	11001000	1 101000	40		100	89	74	64	48 56	59	50	42	3	
	1		60	1.50	236	109	91	78	50 68	73	61	52	4	
				_							vator :			

Note: Always double check your application rates. Tabulations are based on spraying water at 70° F

Fertilizer Application Rate for Corn Planters

Turbo TeeJet Flat Spray Tips

Typical Applications

Excellent: Pre-emergence surface applied herbicides, minimum spray pressure of 15 psi and post emergence contact herbicides, typical pressures of 40 psi and higher.


		Nozzle	Suggested
\$8.50 each	\$7.56 each 25 to 49	Spacing	Spray Height
	\$6.45 each 50+	20″	15 - 18"
	<i>y</i> of 10 cubit 00 t	30″	20 -22"

Tip No.	Liquid	Capacity 1 Nozzle in	Capacity 1					G		Per Ac pacing	re
& Color	Pressure In psi	GPM	Nozzle in oz./min.	5 mph	6 mph	7 mph	8 mph	5 mph	6 mph	7 mph	8 mph
TT11001VP (100 mesh) ORANGE	15 20 30 40 50 60 75 90	0.06 0.07 0.09 0.10 0.11 0.12 0.14 0.15	8 9 12 13 14 15 18 19	3.6 4.2 5.9 6.5 7.1 8.9 8.9	3.0 3.5 5.0 5.4 5.9 6.9 7.4	2.6 3.7 4.2 5.1 5.9 6.4	2.3 2.6 3.2 3.7 4.1 4.5 5.2 5.6	2.4 2.8 3.4 4.0 4.4 5.5 5.9	2.0 2.3 2.9 3.3 3.6 4.0 4.6 5.0	1.7 2.0 2.5 3.1 3.4 4.0 4.2	1.5 1.8 2.2 2.5 2.7 3.0 3.5 3.7
TT11005VP (100 mesh) GREEN	15 20 30 50 75 90	0.09 0.11 0.13 0.15 0.17 0.18 0.21 0.23	12 14 17 22 23 27 29	5.3 6.5 7.7 8.9 10.1 10.7 12.5 13.7	4.5 5.4 6.4 7.4 8.4 8.9 10.4 11.4	3.8 4.7 5.5 6.4 7.2 7.6 9.8	3.3 4.1 5.6 6.3 6.7 7.8 8.5	3.6 4.4 5.9 6.7 7.1 8.3 9.1	3.0 3.6 4.3 5.0 5.6 5.9 6.9 7.6	2.5 3.1 3.7 4.2 5.9 6.5	2.2 2.7 3.2 4.2 5.2 5.7
TT11002VP (50 mesh) YELLOW	15 20 30 40 50 60 75 90	0.12 0.14 0.20 0.22 0.24 0.27 0.30	15 18 22 26 28 31 35 38	7.1 8.3 10.1 11.9 13.1 14.3 16.0 17.8	5.9 6.5 9.9 10.9 11.9 13.4 14.9	5.1 5.9 7.2 8.5 9.3 10.2 11.5 12.7	4.5 5.2 6.3 7.4 8.2 8.9 10.9 11.1	4.8 5.5 6.7 9.5 10.7 11.9	4.0 4.6 5.6 7.3 7.9 8.9 9.9	3.4 4.0 5.7 6.2 6.8 7.6 8.5	3.0 3.5 4.2 5.0 5.4 5.9 6.7 7.4
TT11003VP (50 mesh) BLUE	15 20 30 40 50 60 75 90	0.18 0.21 0.26 0.30 0.34 0.37 0.41 0.45	23 27 33 28 44 47 52 58	10.7 12.5 15.4 17.8 20 22 24 27	8.9 10.4 12.9 14.9 16.8 18.3 20 22	7.6 8.9 11.0 12.7 14.4 15.7 17.4 19.1	6.7 7.8 9.7 11.1 12.6 13.7 15.2 16.7	7.1 8.3 10.3 11.9 13.5 14.7 16.2 17.8	5.9 6.9 8.6 9.9 11.2 12.2 13.5 14.9	5.1 5.9 7.4 8.5 9.6 10.5 11.6 12.7	4.5 5.2 6.4 7.4 9.2 10.1 11.1
TT11004VP (50 mesh) RED	15 20 30 40 50 60 75 90	0.24 0.28 0.35 0.40 0.45 0.49 0.55 0.60	31 36 45 51 58 63 70 77	14.3 16.6 21 24 27 29 33 36	11.9 13.9 17.3 19.8 22 24 27 30	10.2 11.9 14.9 17.0 19.1 23 25	8.9 10.4 13.0 14.9 16.7 18.2 20 22	9.5 11.1 13.9 15.8 17.8 19.4 22 24	7.9 9.2 11.6 13.2 14.9 16.2 18.2 19.8	6.8 7.9 9.9 11.3 12.7 13.9 15.6 17.0	5.9 6.9 8.7 9.9 11.1 12.1 13.6 14.9
TT11005VP (50 mesh) BROWN	15 20 30 40 50 60 75 90	0.31 0.35 0.43 0.50 0.56 0.61 0.68 0.75	40 45 55 64 72 78 87 96	18.4 21 26 30 33 36 40 45	15.3 17.3 21 25 28 30 34 37	13.2 14.9 18.2 21 24 26 29 32	11.5 13.0 16.0 18.8 21 23 25 28	12.3 13.9 17.0 19.8 22 24 27 30	10.2 11.6 14.2 16.5 18.5 20 22 25	8.8 9.9 12.2 14.1 15.8 17.3 19.2 21	7.7 8.7 10.6 12.4 13.9 15.1 16.8 18.6

Te	Teefet Off-Center Flat Spray Tips, Smaller Capacities											
100	Tips, Smaller Capacities											
	Liquid	Nozzle	"W"				Spri "W"		ght "H": ons Per			
Nozzie No.	Pressure			Gallo	ns Per A	5	in	3	A A	Acre 5		
	psi	GPM	in inches	mph	mph	mph	inches	mph	mph	mph		
	30	.17	68	5.0	3.7	3.0	75	4.5	3.4	2.7		
OC-02	40	.20	70	5.7	4.2	3.4	77	5.1	3.9	3.1		
	60	.24	72	6.6	5.0	4.0	78	.6.1	4.6	3.7		
	30	.26	77	6.7	5.0	4.0	80	6.4	4.8	3.9		
OC-03	40	.30	80	7.4	5.6	4.5	83	7.2	5.4	4.3		
	60	.37	82	8.9	6.7	5.4	85	8.6	6.5	5.2		
OC-04	30	.35	91	7.6	5.7	4.6	93	7.5	5.6	4.5		
00-04	40	.40	93	8.5	6.4	5.1	94	8.4	6.3	5.1		
	60	.49	94	10.3	7.7	6.2	95	10.2	7.7	6.1		
	30	.52	99	10.4	7.8	6.2	108	9.5	7.2	5.7		
OC-06	40	.60	101	11.8	8.8	7.1	110	10.8	8.1	6.5		
	60	.73	102	14.2	10.6	_8.5	111	13.0	9.8	7.8		
	30	.69	100	13.7	10.2	8.2	110	12.4	9.3	7.5		
OC-08	40	.80	102	15.5	11.6	9.3	112	14.1	10.6	8.5		
	60	.98	104	18.7	14.0	11.2	113	17.2		10.3		
OC-12	30	1.04	102	20	15.1	12.1	113	18.2		10.9		
00-12	40	1.20	104	23	17.1	13.7	115	21	15.5	12.4		
	60	1.47	105	28	21	16.6	116	25	18.8	15.1		
	30	1.39	132	21	15.6	12.5	142	19.4	14.5	11.6		
OC-16	40	1.60	138	23	17.2	13.8	146	22	16.3	13.0		
	60	1.96	143	27	20	16.3	148	26	19.7	15.7		

TeeJet Off-Center spray tips are commonly installed in double and single swivel nozzle bodies. Because these bodies are adjustable for angular position, a wide spray swath is easily obtained.

Brass - \$14.40 each Steel - \$21.30 each







Air Induction XR Flat Spray Tips

Features

- 110° wide tapered flat spray angle with air induction technology offers better drift management.
- Made of a two-piece UHMWPE polymer construction with VisiFlo[®] color-coding. UHMPE provides excellent chemical resistance, including acids, as well as exceptional wear life.
- Compact size to prevent tip damage.
- Depending on the chemical, produces large air-filled drops through a Venturi air aspirator.
- Removable pre-orifice.
- Wide operating pressure range of 15-90 psi (1-6 bar).
- Automatic alignment when used with 25612-*-NYR Quick TeeJet[®] cap and gasket.

	0	DROP	CAPACITY	CAPACITY	20"												
	-	SIZE	NOZZLE	NOZZLE OZ./MIN.	GPA 4 MPH 5 MPH 6 MPH 8 MPH 10 MPH 12 MPH 15 MPH 20 MP												
-	PSI		IN GPM		4 MPH	5 MPH	6 MPH		a construction of	a subscription of the	and the second s	and the second					
	15	XC	0.092	12	6.8	5.5	4.6	3.4	2.7	2.3	1.8	1.4					
	20	VC C	0.11	14	8.2	6.5	5.4	4.1	3.3	2.7	22	1.6					
AIXR110015	30 40	c	0.13 0.15	17 19	9.7 11.1	7.7	6.4 7.4	4.8 5.6	3.9 4.5	3.2 3.7	2.6 3.0	1.9 2.2					
	50	M	0.15	22	12.6	10.1	8.4	6.3	5.0	4.2	3.4	2.5					
(100)	60	M	0.18	23	13.4	10.7	8.9	6.7	5.3	4.5	3.6	2.7					
GREEN	75	M	0.21	27	15.6	12.5	10.4	7.8	6.2	5.2	4.2	3.1					
	90	M	0.23	29	17.1	13.7	11.4	8.5	6.8	5.7	4.6	3.4					
and the second s	15	XC	0.12	15	8.9	7.1	5.9	4.5	3.6	3.0	2.4	1.8					
	20	VC	0.14	18	10.4	8.3	6.9	5.2	4.2	3.5	2.8	2.1					
	30	VC	0.17	22	12.6	10.1	8.4	6.3	5.0	4.2	3.4	2.5					
AIXR11002	40	C	0.20	26	14.9	11.9	9.9	7.4	5.9	5.0	4.0	3.0					
(50)	50	С	0.22	28	16.3	13.1	10.9	8.2	6.5	5.4	4.4	3.3					
VELLOW	60	M	0.24	31	17.8	14.3	11.9	8.9	7.1	5.9	4.8	3.6					
YELLOW	75	M	0.27	35	20	16.0	13.4	10.0	8.0	6.7	53	4.0					
-	90	M XC	0.30	38	22	17.8 8.9	14.9 7.4	11.1 5.6	8.9 4.5	7.4	5.9 3.0	4.5					
	20	XC	0.15	23	13.4	10.7	8.9	6.7	5.3	4.5	3.6	2.7					
	30		0.22	28	16.3	13.1	10.9	8.2	6.5	5.4	4.4	3.3					
AIXR110025	40	VC VC	0.25	32	18.6	14.9	12.4	9.3	7.4	6.2	5.0	3.7					
(50)	50	C	0.28	36	21	16.6	13.9	10.4	8.3	6.9	55	4.2					
	60		0.31	40	23	18.4	15.3	11.5	9.2	7.7	6.1	4.6					
PURPLE	75		0.34	44	25	20	16.8	12.6	10.1	8.4	6.7	5.0					
	90	M	0.38	49	28	23	18.8	14.1	11.3	9.4	75	5.6					
	15	XC	0.18	23	13.4	10.7	8.9	6.7	5.3	4.5	3.6	2.7					
	20	XC	0.21	27	15.6	12.5	10.4	7.8	6.2	5.2	4.2	3.1					
AIXR11003	30	VC VC	0.26	33	19.3	15.4	12.9	9.7	7.7	6.4	5.1	3.9					
	40		0.30	38	22	17.8	14.9	11.1	8.9	7.4 8.4	5.9	4.5					
(50)	50 60	C C	0.34 0.37	44 47	25 27	20 22	16.8 18.3	12.6	10.1 11.0	9.2	6.7 7.3	5.0 5.5					
BLUE	75	č	0.41	52	30	24	20	15.2	12.2	10.1	8.1	6.1					
	90	M	0.45	58	33	27	22	16.7	13.4	11.1	8.9	6.7					
CALL CONTRACT	15	UC	0.24	31	17.8	14.3	11.9	8.9	7.1	5.9	4.8	3.6					
	20	XC	0.28	36	21	16.6	13.9	10.4	8.3	6.9	5.5	4.2					
	30	XC	0.35	45	26	21	17.3	13.0	10.4	8.7	6.9	5.2					
AIXR11004	40	VC VC	0.40	51	30	24	19.8	14.9	11.9	9.9	7.9	5.9					
(50)	50		0.45	58	33	27	22	16.7	13.4	11.1	8.9	6.7					
RED	60	VC	0.49	63	36	29	24	18.2	14.6	12.1	9.7	7.3					
NED	75	C C	0.55	70	41 45	33 36	27 30	20 22	16.3 17.8	13.6 14.9	10.9	8.2 8.9					
	90	UC	0.60	40	23	18.4	15.3	11.5	9.2	7.7	11.9 6.1	4.6					
	20	XC	0.31	40	25	21	17.3	13.0	10.4	8.7	6.9	5.2					
	30	XC	0.43	55	32	26	21	16.0	12.8	10.6	8.5	6.4					
AIXR11005	40	VC	0.50	64	37	30	25	18.6	14.9	12.4	9.9	7.4					
(50)	50	VC	0.56	72	42	33	28	21	16.6	13.9	11.1	8.3					
	60	VC	0.61	78	45	36	30	23	18.1	15.1	12.1	9.1					
BROWN	75	C C	0.68	87	50	40	34	25	20	16.8	13.5	10.1					
	90		0.75	96	56	45	37	28	22	18.6	14.9	11.1					
	15	UC	0.37	47	27	22	18.3	13.7	11.0	9.2	73	5.5					
	20	XC	0.42	54	31	25	21	15.6	12.5	10.4	8.3	6.2					
AIXR11006	30	XC	0.52	67	39	31	26	19.3	15.4	12.9	10.3	7.7					
	40	VC	0.60	77	45	36	30 33	22	17.8	14.9	11.9	8.9					
(50)	50 60	VC VC	0.67	86 93	50 54	40 43	35	25 27	19.9 22	16.6 18.1	13.3 14.5	9.9 10.8					
GRAY	75	C	0.73	105	61	43	41	30	24	20	14.5	12.2					
MIM	90	C C	0.82	115	67	53	41	33	29	20	17.8	13.4					
Note: Alwa																	
	e	20.01	5 eac	•	9.40			5 0 24	ch 5(J T							

Note: Always double check your application rates. Tabulations are based on spraying water at 70° F.

Turbo EloodIot		0	Capacity 1 Nozzle	Capacity 1 Nozzle	GPA 40°										
Turbo FloodJet Wide Angle Flat Spray Tip	s E(E)	PSI	1 Nozzle in GPM	in oz./min.	4	5 mph	6 mph	7 mph	8 mph	9 mph	10 mph	12 mph	14 mph	16 mph	18 mph
	TF-VS2 TF-VP2 (50)	10 20 30 40	0.20 0.28 0.35 0.40	26 36 45 51	7.4 10.4 13.0 14.9	5.9 8.3 10.4 11.9	5.0 6.9 8.7 9.9	4.2 5.9 7.4 8.5	3.7 5.2 6.5 7.4	3.3 4.6 5.8 6.6	3.0 4.2 5.2 5.9	2.5 3.5 4.3 5.0	2.1 3.0 3.7 4.2	1.9 2.6 3.2 3.7	1.7 2.3 2.9 3.3
	TF-VS2.5 TF-VP2.5 (50)	10 20 30 40	0.25 0.35 0.43 0.50	32 45 55 64	9.3 13.0 16.0 18.6	7.4 10.4 12.8 14.9	6.2 8.7 10.6 12.4	5.3 7.4 9.1 10.6	4.6 6.5 8.0 9.3	4.1 5.8 7.1 8.3	3.7 5.2 6.4 7.4	3.1 4.3 5.3 6.2	2.7 3.7 4.6 5.3	2.3 3.2 4.0 4.6	2.1 2.9 3.5 4.1
 Features Excellent spray distribution for uniform coverage along the boom 	TF-VS3 TF-VP3 (50)	10 20 30 40	0.30 0.42 0.52 0.60	38 54 67 77	11.1 15.6 19.3 22	8.9 12.5 15.4 17.8	7.4 10.4 12.9 14.9	6.4 8.9 11.0 12.7	5.6 7.8 9.7 11.1	5.0 6.9 8.6 9.9	4.5 6.2 7.7 8.9	3.7 5.2 6.4 7.4	3.2 4.5 5.5 6.4	2.8 3.9 4.8 5.6	2.5 3.5 4.3 5.0
 Nozzle design incorporates a pre-orifice to produce droplets for less drift 	TF-VS4 TF-VP4 (50)	10 20 30 40	0.40 0.57 0.69 0.80	51 73 88 102	14.9 21 26 30	11.9 16.9 20 24	9.9 14.1 17.1 19.8	8.5 12.1 14.6 17.0	7.4 10.6 12.8 14.9	6.6 9.4 11.4 13.2	5.9 8.5 10.2 11.9	5.0 7.1 8.5 9.9	4.2 6.0 7.3 8.5	3.7 5.3 6.4 7.4	3.3 4.7 5.7 6.6
Large round orifice reduces clogging	TF-VS5 TF-VP5 (50)	10 20 30 40	0.50 0.71 0.87 1.00	64 91 111 128	18.6 26 32 37	14.9 21 26 30	12.4 17.6 22 25	10.6 15.1 18.5 21	9.3 13.2 16.1 18.6	8.3 11.7 14.4 16.5	7.4 10.5 12.9 14.9	6.2 8.8 10.8 12.4	5.3 7.5 9.2 10.6	4.6 6.6 8.1 9.3	4.1 5.9 7.2 8.3
When ordering, specify tip number Examples: TF-VS3 Stainless steel with VisiFlo color-coding \$16.9	TF-VS7.5 TF-VP7.5 (50)	10 20 30 40	0.75 1.06 1.30 1.50	96 136 166 192	28 39 48 56	22 31 39 45	18.6 26 32 37	15.9 22 28 32	13.9 19.7 24 28	12.4 17.5 21 25	11.1 15.7 19.3 22	9.3 13.1 16.1 18.6	8.0 11.2 13.8 15.9	7.0 9.8 12.1 13.9	6.2 8.7 10.7 12.4
TF-VP3 Polymer with VisiFlo color-coding \$6.50	TF-VS10 TF-VP10 (50)	10 20 30 40	1.00 1.41 1.73 2.00	128 180 221 256	37 52 64 74	30 42 51 59	25 35 43 50	21 30 37 42	18.6 26 32 37	16.5 23 29 33	14.9 21 26 30	12.4 17.4 21 25	10.6 15.0 18.4 21	9.3 13.1 16.1 18.6	8.3 11.6 14.3 16.5



Features

• Visi-Flo® color-coding system

\$11.55 each

- 3 solid streams of equal velocity and capacity
- Removable metering orifice for easy cleaning
- Use with Quick TeeJet[®] cap 24498-*-NYR
- All acetal construction for excellent chemical resistance
- Recommended operating pressure 20-60 psi (1.5-4 bar)

\$10.05 each 25 to 49

			\$8.35 each 50+													
	0	CAPACITY	GPA 20"													
	PSI	IN GPM	3 MPH	4 MPH	5 MPH	6 MPH	8 MPH	10 MPH	12 MPH							
and the second second	20	0.11	10.9	8.2	6.5	5.4	4.1	3.3	2.7							
SJ3-015-VP	30	0.13	12.9	9.7	7.7	6.4	4.8	3.9	3.2							
(100)	40 50	0.15	14.9	11.1	8.9 9.5	7.4	5.6 5.9	4.5 4.8	3.7							
Green	60	0.17	16.8	12.6	10.1	8.4	6.3	5.0	4.0							
	20	0.14	13.9	10.4	8.3	6.9	5.2	4.2	3.5							
SJ3-02-VP	30	0.17	16.8	12.6	10.1	8.4	6.3	5.0	4.2							
(50)	40	0.20	19.8	14.9	11.9	9.9	7.4	5.9	5.0							
Yellow	50 60	0.21 0.22	21 22	15.6 16.3	12.5	10.4	7.8 8.2	6.2 6.5	5.2 5.4							
Tellow	20	0.22	24	17.8	14.3	11.9	8.9	7.1	5.9							
SJ3-03-VP	30	0.24	24	20	14.3	13.4	10.0	8.0	6.7							
Contract of the second second	40	0.30	30	22	17.8	14.9	11.1	8.9	7.4							
(50)	50	0.33	33	25	19.6	16.3	12.3	9.8	8.2							
Blue	60	0.35	35	26	21	17.3	13.0	10.4	8.7							
	20	0.30 0.36	30	22 27	17.8	14.9 17.8	11.1 13.4	8.9 10.7	7.4							
SJ3-04-VP	40	0.36	40	30	24	17.8	13.4	11.9	9.9							
(50)	50	0.43	43	32	26	21	16.0	12.8	10.6							
Red	60	0.47	47	35	28	23	17.4	14.0	11.6							
	20	0.36	36	27	21	17.8	13.4	10.7	8.9							
SJ3-05-VP	30	0.45	45	33	27	22	16.7	13.4	11.1							
(50)	40 50	0.50 0.55	50 54	37 41	30 33	25 27	18.6 20	14.9 16.3	12.4							
Brown	60	0.59	58	41	35	29	20	17.5	14.6							
A PERSON AND A PER	20	0.42	42	31	25	21	15.6	12.5	10.4							
SJ3-06-VP	30	0.54	53	40	32	27	20	16.0	13.4							
(50)	40	0.60	59	45	36	30	22	17.8	14.9							
Gray	50 60	0.66 0.70	65 69	49 52	39 42	33	25 26	19.6 21	16.3							
Circy	20	0.56	55	42	33	35 28	26	16.6	17.3							
	30	0.72	71	53	43	36	27	21	17.8							
SJ3-08-VP	40	0.80	79	59	48	40	30	24	19.8							
White	50	0.88	87	65	52	44	33	26	22							
	60	0.94	93	70	56	47	35	28	23							
	20 30	0.65	64 89	48 67	39 53	32 45	24 33	19.3 27	16.1 22							
SJ3-10-VP	40	1.00	99	74	59	50	33	30	22							
Lt. Blue	50	1.11	110	82	66	55	41	33	27							
Lt. Blue	60	1.19	118	88	71	59	44	35	29							
	20	0.99	98	74	59	49	37	29	25							
SJ3-15-VP	30 40	1.24	123 149	92 111	74 89	61 74	46 56	37 45	31 37							
	50	1.68	166	125	100	83	62	45 50	42							
Lt. Green	60	1.83	181	136	109	91	68	54	45							
	20	1.41	140	105	84	70	52	42	35							
	30	1.75	173	130	104	87	65	52	43							
SJ3-20-VP	40 50	2.00 2.28	198 226	149 169	119 135	99 113	74 85	59 68	50 56							
Black	50 60	2.28	247	185	135	123	92	68 74	62							

FloodJet	Wide Angle Flat Spray
	Tips and Nozzles

The FloodJet tips and nozzles produce a very wide deflector type flat spray pattern. Round orifice minimizes clogging.

TK-VS FloodJet Tip Stainless Steel Acetal \$15.40 each Stainless Steel \$16.20 each Brass \$8.80 each

	Brass 58.80 each																						
Type Strainer										G	allons i	Per Acr	re										
Screen	Liquid Pressure	Capacity 1 Nozzie				40'	' Speci	ng	_						60" Specing								
Flood Jet Tip No.		in GPM	4 mph	5 mph	6 mph	8 mph	10 mph	12 mph	14 mph	16 mph	20 mph	4 mph	5 mph	6 mph	8 mph	10 mph	12 mph	14 mph	16 mph	20 mph			
TK-SS-50	10 20	.07	2.6	2.1	1.7	1.3	1.0	.87	.74	.65	.52	1.7	1.4	1.2	.87	.69	.58	.50	.43	.35			
(100 Mesh)	30 40	.09	3.3	2.7	22	1.7	1.3	1.1 1.2	1.0	.84 .93	.67	2.2	1.8	1.5	1.1	.89	.74	.64	.56	.45			
77 00 75	10	.08	3.0	2.4	2.0	1.5	1.2	1.0	.85	.74	.59	2.0	1.6	1.3	1.0	.79	.66 .91	.57	.50	.40			
TK-SS-75 (100 Mesh)	20 30	.11	4.1 4.8	3.9	2.7	2.0	1.6	1.4 1.6	1.2	1.0 1.2	.02 1.0 1.1	2.7	2.2	2.1	1.6	1.3	1.1	.92	.80	.64			
-	40	.15	5.6 3.7	4.5	3.7	2.8	2.2	1.9	1.6	1.4 .93	.74	3.7	3.0	1.7	1.2	1.0	.83	.71	.62	.50			
TK-SS1 (100 Mesh)	20 30	.14 .17	5.2 6.3	4.2 5.0	3.5 4.2	2.6 3.2	2.1	1.7 2.1	1.5 1.8	1.3 1.6	1.0	3.5 4.2	2.8 3.4	2.3 2.8	1.7	1.4	1.2	1.0	1.1	.69 .84			
	40	.20	7.4	5.9 4.5	5.0 3.7	3.7	3.0	2.5	2.1	1.9 1.4	1.5	5.0 3.7	4.0	3.3	2.5 1.9	2.0	1.7	1.4	1.2	1.0			
TK-SS1-5 (50 Mesh)	20 30	.21	7.8 9.7	6.2 7.7	5.2 6.4	3.9 4.8	3.1 3.9	2.6 3.2	2.2 2.8	1.9 2.4	1.6	5.2 6.4	4.2 5.1	3.5 4.3	2.6 3.2	2.1 2.6	1.7	1.5 1.8	1.3 1.6	1.0 1.3			
	40	.30	11.1	8.9 5.9	7.4	5.6	4.5	3.7	3.2	2.8	2.2	7.4	5.9 4.0	5.0 3.3	3.7	3.0	2.5	2.1 1.4	1.9 1.2	1.5			
TK-VS2 (50 Mesh)	20 30	.28 .35	10.4 13.0	8.3 10.4	6.9 8.7	5.2 6.5	4.2	3.5 4.3	3.0 3.7	2.6 3.2	2.1 2.6	6.9 8.7	5.5 6.9	5.6 5.8	3.5 4.3	2.8	2.3	2.0 2.5	1.7	1.4 1.7			
	40	.40	14.9	11.9	9.9 6.2	7.4	5.9	5.0	4.2	3.7	3.0	9.9 6.2	7.9	6.6 4.1	5.0 3.1	4.0	3.3	2.8	2.5	2.0			
TK-VS2-5 (50 Mesh)	20 30	.35	13.0	10.4 12.8	8.7	6.5	5.2	4.3	3.7	3.2	2.6	8.7	6.9 8.5	5.8 7.1	4.3	3.5	2.9	2.5	2.2	1.7			
(Jo mesh)	40	.50	18.6	14.9	12.4	9.3	7.4	6.2	5.3	4.6	3.7	12.4	9.9	8.3	6.2	5.0	4.1	3.5	3.1	2.5			
TK-VS3	20	.42	15.6		10.4	7.8	6.2 7.7	5.2 6.4	4.5	3.9	3.1	10.4	8.3	6.9 8.6	5.2	4.2	3.5	3.0	2.6	2.1			
(50 Mesh)	40	.52 .60	22	17.8	14.9	11.1	8.9	7.4	6.4	5.6	4.5	14.9	11,9	9.9	7.4	5.9	5.0	4.2	3.7	3.0			
TK-VS4	10 20	.40 .57	14.9 21	11.9 16.9	9.9 14.1	7.4 10.6	5.9 8.5	5.0 7.1	4.2 6.0	3.7 5.3	3.0 4.2	9.9 14.1	7.9 11.3	6.6 9.4	5.0 7.1	4.0 5.6	3.3 4.7	2.8 4.0	3.5	2.0 2.8			
	30 40	.69 .80	26 30	20 24	17.1 20	12.8 14.9	10.2 11.9	8.5 9.9	7.3 8.5	6.4 7.4	5.1 5.9	17.1 20	13.7 15.8	11.4 13.2	8.5 9.9	6.8 7.9	5.7 6.6	4.9 5.7	4.3 5.0	3.4 4.0			
TK-VS5	10 20	.50 .71	18.6 26	14.9 21	12.4 17.6	9.3 13.2	7.4	6.2 8.8	5.3 7.5	4.6 6.6	3.7	12.4 17.6	9.9 14.1	8.3 11.7	6.2 8.8	5.0 7.0	4.1 5.9	3.5 5.0	3.1 4.4	2.5 3.5			
18-135	30 40	.87 1.00	32 37	26 30	22 25	16.1 18.6	12.9 14.9	10.8	9.2 10.6	8.1 9.3	6.5 7.4	22 25	17.2	14.4 16.5	10.8 12.4	8.6 9.9	7.2 8.3	6.2 7.1	5.4 6.2	4.3 5.0			
TK-VS7.5	10 20	.75	28 39	22 31	18.6 26	13.9 19.7	11.1	9.3 13.1	8.0	7.0	5.6 7.9	18.6 26	14.9 21	12.4	9.3 13.1	7.4	6.2 8.7	5.3 7.5	4.6 6.6	3.7 5.2			
16.421.2	30 40	1.30	48	39 45	32 37	24 28	19.3 22	16.1 18.6	13.8 15.9	12.1 13.9	9.7 11.1	32 37	26 30	21 25	16.1 18.6	12.9 14.9	10.7 12.4	9.2 10.6	8.0 9.3	6.4 7.4			
	10	1.00	37 52	30 42	25 35	18.6	14.9	12.4	10.6	9.3 13.1	7.4	25 35	19.8 28	16.5	12.4	9.9 14.0	8.3	7.1	6.2 8.7	5.0 7.0			
TK-VS10	30 40	1.73	64 74	51 59	43 50	32 37	26 30	21 25	18.4	16.1 18.6	12.8	43 50	34 40	29 33	21 25	17.1	14.3	12.2	10.7	8.6 9.9			
	10	1.20	45 63	36 50	30 42	22 32	17.8 25	14.9 21	12.7	11.1	8.9 12.6	30 42	24 34	20 28	14.9 21	11.9	9.9 14.0	8.5	7.4	5.9 8.4			
	30	2.08	77	62 71	51	39	31	26	22	19.3	15.4	51	41 48	34 40	26 30	21	17.2	14.7	12.9	10.3			
	40 10 20	2.40	89 56 79	45	37 52	45 28 39	36 22 31	30 18.6 26	25 15.9 22	13.9 19.7	17.8 11.1 15.7	37 52	30 42	25 35	18.6 26	14.9 21	12.4	10.6 15.0	9.3	7.4			
TK-SS15	30	2.12 2.60	97	77	64	48	39	32	28	24	19.3	64	51	43	32	26	21	18.4	16.1	12.9			
	40	3.00	111 67	89 53	74 45	56 33	45_	37 22	32	28 16.7	22 13.4	74 45	59 36	50 30	37	17.8	25	12.7	18.6	14.9 8.9			
	20 30	2.55 3.12	95 116	76 93	63 77	47 58	38 46	32 39	27 33	24 29	18.9 23	63 77	50 62	42 51	32 39	25 31	21 26	18.0 22	15.8 19.3	12.6 15.4			
	40	3.60	134	107 59	89 50	67 37	53 30	45 25	38	33 18.6	27	89 50	71 40	59 33	45 25	36 19.8	30 16.5	25 14.1	22	17.8 9.9			
TK-SS20	20 30	2.83 3.46	105 128	84 103	70 86	53 64	42 51	35 43	30 37	26 32	21 26	70 86	56 69	47 57	35 43	28 34	23 29	20 24	17.5 21	14.0 17.1			
	40	4.00	149	119	99	74	59	50	42	37	30	99	79	66	50	40	33	28	25	19.8			

BOOMINATOR Boomless Spray Nozzles

1160L	\$113	1870FL	\$159	3120L	\$167		
1160R	113	1870FM	159	3120R	167		
1165L	113	1870FS	159	3121L	167		
1165R	113	1870FSS	159	3121R	167		
		1870L	133	3750FL	190		
1250FS	\$139	1870R	133	3750L	177		
1250RS	139	1871L	133	3750R	177		
1250L	113	1871R	133				
1250R	113	1876L	133	4370FL	\$190		
1253L	113	1876R	133	4370RS	177		
1253R	113			4370L	177		
1255L	113	2650RS	\$190	4370R	177		
1255R	113	2650FL	190				
		2650FS	190	5000L	\$244		
1400FM	\$149	2650L	190	5000R	244		
1400FS	149	2650R	190				
1400FSS	149	2651L	190	6250L	\$255		
1400RS	123	2651R	190	6250R	255		
1400L	123						
1400R	123	3120RS	190		viations Left		
1404L	123	3120FL	190		Right		
1404R	123	3120FM	190		spray short		
1406L	123	3120FS	190		pray medium spray low		
1406R	123				shigy iom		


Please call or check at warnechemical.com for complete spec sheet

Benefits

- Produce a superior spray pattern with even distribution over the entire pattern
- Produce a heavy droplet pattern for minimal, drift and better crop penetration
- Can easily spray around obstacles and over uneven terrain

Applications

Noxious weed control • De-icing on roads, bridges, sidewalks, runways and parking lots • Dust suppression • Lawn, turf and nursery applications
Grass fire fighting • Orchard, vineyard and vegetable spraying Ponds, lakes, canals for aquatic pest and weed control •Insect control



BOOMINATOR ECONO SERIES



Designed for the occasional, Non-commercial user. Molded from celcon.

Right and Left Models

1200 PSR (right)	\$52.50
1200 PSL (left)	52.50
1400 PSR (right)	56.50
1400 PSL (left)	56.50

Model	PSI	GPM	Tested Height 36" Spray Distance
1200 PSR &	20	1.0	14'
1200 PSL	30	1.2	14'
	40	1.4	14'
1400 PSR &	20	1.7	15'
1400 PSL	30	2.0	15'
	40	2.5	15'
<u>-</u>	•	•	•

Full Spray Models			
1200 PSS	\$23.90		
1200 PS	23.90		
1400 PS	29.88		
1400 PL	32.00		
1870 PL	36.00		
	1200 PSS 1200 PS 1400 PS 1400 PL	1200 PSS \$23.90 1200 PS 23.90 1400 PS 29.88 1400 PL 32.00	

Model	PSI	GPM	Tested Height 36"
			Spray Distance
1200 PSS	15	.9	6′
	20	1.0	6′
	25	1.1	6'
1200 PS	20	1.0	12'
	30	1.2	12'
	40	1.4	12'
1400PS	20	1.7	12'
	30	2.0	12'
	40	2.5	12'
1400PL	20	2.0	20'
	30	2.4	20'
	40	2.8	20'
1870PL	20	3.0	25′
	30	3.5	25′
	40	4.3	25'





Features

NOZZLES

- All nozzles machined from solid stainless steel. All have replaceable industrial grade nylon diffusers.
- Extra wide spray pattern.
- Excellent pattern and distribution.
- All models spray chemicals and fertilizers.
- All nozzles have standard pipe threads.

Standard Nozzle Application Chart

How to use these charts:

SPRAY

Find designated gallons per acre in shaded area. Find MPH directly above. Move left from gallons per acre to find correct nozzle.

Boom Buster Nozzles			
Model	Price		
120 Series	\$126.75		
140 Series	137.75		
180 Series	142.50		
260 Series	157.25		
370 Series	166.50		
400 Series	174.00		
500 Series	210.00		


- Right-of-way nozzles spray beneath and slightly behind nozzle.
- For right-of-way nozzles, add the letter R.
- Call for a complete specification sheet.

Narrow Band Nozzle Application Chart

These nozzles are especially suited for spraying fences, around buildings, ditches, field roads, right-of-way guard rails, and narrow highway shoulders. Can be used alone or in combination with standard Boom Buster nozzles.

NODE NODE <th< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></th<>							
NUCLE NUCLE <th< td=""><td>MODEL</td><td>PSI</td><td>GPM</td><td></td><td></td><td></td><td></td></th<>	MODEL	PSI	GPM				
1/2 1							1 2 3 4 5 6 7 TV + 77 + 72 + 72 + 72 + 72 + 72 + 72 + 7
np. minute np. min			_				
NODEL NODEL <th< td=""><td></td><td>40</td><td>2.0</td><td>17</td><td>15.5</td><td>LEVEL</td><td></td></th<>		40	2.0	17	15.5	LEVEL	
MODEL 98 98 98 98 98 98 98 98 98 98 98 98 98 98 98 98 9							GALLONG PER ACRE (Water used for all calculations)
MODEL IF application MODEL IF		PSI	GPM				
140 46 24 68 24 68 24 88 24 88 24 88 24 88 24 88 24 88 24 88 24 88 24 88 24 88 25 58 1000000000000000000000000000000000000	MODEL	20	2.0				PSI GPM INEEET DIST ANGLE 0 2 4 5 0 7 0 0 40 44 40 44 45
If same bin with with with with with with with with							
Image: bit							
MODEL FP GR4 GR7 MOZE SPEED NULES PER HOLF SPEED NULES PER HOLF SPEED NULES PER H	Tipe Tilleau	00	2.1	10	10.0	LEVEL	Pice Thread 50 22 5 5 DOWN 109 73 54 44 36 31 27 24 22 20 18 17 15 13
PN PN <th< td=""><td>L</td><td></td><td></td><td>DIGT</td><td></td><td>107715</td><td>CALLONS PEP ACRE (Water used for all calculations)</td></th<>	L			DIGT		107715	CALLONS PEP ACRE (Water used for all calculations)
MUDLE So So So So So <td></td> <td>PSI</td> <td>GPM</td> <td></td> <td></td> <td></td> <td>2 3 4 5 6 7 8 9 10 11 12 13 14 15 Per OPM DIST. EFF. NOZLE SPEED IN MILES PER HOUR</td>		PSI	GPM				2 3 4 5 6 7 8 9 10 11 12 13 14 15 Per OPM DIST. EFF. NOZLE SPEED IN MILES PER HOUR
187 0	MODEL	30	3.6	20	18.5	I EVEI	48 29 24 19 16 14 12 11 96 88 8 74 69 64 MODEL NEET DIST. ANGLE 2 3 4 5 6 7 8 9 10 11 12 13 14 15
aff all all all all all all all all all		-					58 38 20 23 19 16 14 13 12 11 96 89 82 77 1 180 6
Image: biole		-					Ref. 43 22 26 21 48 16 14 13 12 11 10 92 86 38 38 40 43 6 6 DOWN 177 118 89 71 59 51 44 39 35 32 30 27 25 24
MODEL 265 375 strated Prig PRI WREE OBT WREE OFF WREE OFF WREE SPEED NMLES PER HOLF 20 68 21 19.5 LEVEL 106 58 21 19.5 LEVEL 106 56 7 8 9 10 11 12 13 14 13 12 11 10 10 DOWN 168 56 7 8 9 10 11 12 13 14 13 12 11 10 DOWN 168 56 7 8 9 10 10 DOWN 168 56 7 8 9 10 10 DOWN 10 DOWN 10 DOWN 10 10 10 10 10 10 DOWN 10 10 10 10 10 10 10 10 10 10		00	4.0	20	10.0		GALLONS PER ACRE (Water used for all calculations) Per Interest 50 4.8 6 6 DOWN 198 132 100 /9 06 6/ 50 44 40 56 33 50 28 26
Model Mark Watc 2 3 4 5 6 7 8 9 10 11 12 3 4 5 6 7 8 9 10 11 12 3 4 5 6 8 9 10 11 12 3 4 5 6 7 8 9 10 11 12 3 4 5 7 8 9 10				DIET	EEE	NO77LE	SPEED IN MILES PER HOUR GALLONS PER ACKE (Water used for an carculations)
MODEL 90 80 8 1 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 8.8 21 95 96 98 48 90 98 </td <td>NODEL</td> <td>PSI</td> <td>GPM</td> <td></td> <td></td> <td></td> <td>2 3 4 5 6 7 8 9 10 11 12 13 14 15 PS GPM DIST. EFF. NOZZE SPEED IN MILES PER HOUR</td>	NODEL	PSI	GPM				2 3 4 5 6 7 8 9 10 11 12 13 14 15 PS GPM DIST. EFF. NOZZE SPEED IN MILES PER HOUR
225 40 80 21 195 LEVEL 102 66 61 41 32 28 26 20 16 17 16 14 13 16		30	6.8	21	19.5	LEVEL	20 50 40 05 00 40 47 40 44 40 40 44 MODE
100 output 100 outpu 100 output 100 output <td></td> <td>-</td> <td>-</td> <td></td> <td>19.5</td> <td></td> <td>400 00 54 44 04 00 05 00 00 40 47 45 44 10 180.10 10 10 10 10 00 39 40 30 00 20 22 22 10 10 10 10 14 13 12</td>		-	-		19.5		400 00 54 44 04 00 05 00 00 40 47 45 44 10 180.10 10 10 10 10 00 39 40 30 00 20 22 22 10 10 10 10 14 13 12
Image: bit independence bit indepe		-		21	19.5	LEVEL	
MODEL BFR OUCL VICUL VI							CALLONS DED ACPE (Motor used for all reducisions)
MODEL MORE NFEET MORE USC MORE V NO NEED MODEL				DIST	FFF	NO77LF	SPEED IN MILES PER HOUR
NUCLE 30 1.4.4 2.3 2.1.5 LeVel 168 11 83 66 5 7 6 5 7 6 6 7 7 7 7 7<	MODEL	PSI	GPM				2 3 4 5 6 7 8 9 10 11 12 13 14 15 PSI GPM INFEED INT ANGLE 2 3 4 5 5 7 8 9 10 11 12 13 14 15 13 14 15 PSI GPM INFEED INT ANGLE 2 3 4 5 5 7 8 9 10 11 12 13 14 15
31/3 34/3 31/4 3		30	14.4	23	21.5	LEVEL	166 111 83 66 55 47 41 37 33 30 28 26 24 22 MODEL 30 68 5 5 5 DOWN 168 112 84 67 56 48 42 37 34 31 28 26 24 22
Pipe Trived 50 18.8 23 21.5 LEVEL 21.6 14.4 10 87 72 62 54 48 43 39 6 33 31 29 Pipe Trived 60 18.8 23 21.5 LEVEL 21.6 14.4 10 87 73 62 54 48 43 39 36 33 31 29 MODEL 100		40	16.7	23	21.5	LEVEL	193 128 96 77 64 55 48 43 38 35 32 30 27 26 260-5 40 80 5 5 5 DOMN 198 132 90 79 66 57 50 44 40 38 33 30 28 26
ind i		50	18.8	23	21.5	LEVEL	
MODEL PSI PM Dist. NFEET EFF. Dist. NFEET MOZLE Dist. NFEET NOZLE Dist. NFEET NOZLE Dist. Dist. NFEET NOZLE Dist. NFEET NOZLE Dist. Dist. NFEET NOZLE Dist. NFEET NOZLE Dist. NFEET NOZLE Dist. Dist. NFEET NOZLE Dist. NFEET							
MODEL M MFEET DIST. ANGLE 2 3 4 5 6 7 8 9 10 11 12 13 14 15 40 18.5 31 29.5 UP 155 103 78 62 52 44 39 34 31 28.6 24 22 21 44 15 100 153 102 17 61 14 38 34 31 28.6 24 22 21 44 15 100 11 12 13 14 15 34" Standard 40 21.5 31 29.5 UP 108 102 108 11 11 100 11 12 13 14 15 34" Standard 50 24.2 31 34 31 28 26 24 22 21 21 44 15 20 14 40 33 30 28 26 24 24 24 26 24 24 24 26 24<			0.0014	DIST.	EFF.	NOZZLE	SPEED IN MILES PER HOUR
437 West-Standard 30 18.5 31 29.5 UP 155 103 78 62 52 44 39 34 31 28 26 24 22 21 30 6.8 11 11 DOWN 153 102 77 61 51 44 38 34 31 28 26 24 22 21 30 6.8 11 11 DOWN 153 102 77 61 51 44 38 34 31 28 26 24 22 20 30 6.8 11 11 DOWN 163 102 77 61 51 44 30 30 28 26 24 22 20 20 21 20 21 20 27 20 11 11 DOWN 163 102 77 61 51 44 40 36 33 30 28 26 24 20 27 20 21 20 22 24 26 28 20 27	MODEL	PSI	GPM	IN FEET	DIST.	ANGLE	
34F Standard 40 21.5 31 23.5 UP 180 120 90 72 60 52 45 40 36 33 30 28 20 24.2 31 29.5 UP 203 135 102 81 68 61 45 41 37 34 31 29.2 77 60 51 45 41 37 34 31 29 27 60 51 45 41 37 34 31 29 27 60 51 45 44 40 36 33 30 28 26 24 24 25 28 30 28 26 24 24 25 25 88 11 11 DOWN 188 120 90 72 60 51 45 40 36 33 30 28 26 24 20 27 26 28 30 28 26 24 20 27 26 28 30 28 26 24 20 27 <td></td> <td>30</td> <td>18.5</td> <td>31</td> <td>29.5</td> <td>UP</td> <td>155 103 78 62 52 44 39 34 31 28 20 24 22 20 30 6.8 11 11 DOWN 153 102 77 61 51 44 38 34 31 28 26 24 22 20</td>		30	18.5	31	29.5	UP	155 103 78 62 52 44 39 34 31 28 20 24 22 20 30 6.8 11 11 DOWN 153 102 77 61 51 44 38 34 31 28 26 24 22 20
Pipe Trivead 50 24.2 31 29.5 UP 203 135 102 81 68 50 44 1 37 44 37 34 31 29 27 Pipe Trivead 50 8.8 11 11 DOWN 188 132 99 79 66 57 50 44 40 36 33 30 28 28 MODEL 0 105T. 0 15T. 0 15T. 0 15T. 0 15T. 0 15T. 0 15T. 0 12 14 16 15T. 0 28 10 12 14 16 15T. 20 22 24 26 28 20 25 24 26 28 20 25 24 26 28 20 25 24 26 28 20 25 24 26 28 20 25 24 26 28 20 25 24 26 28 20 25 24 26 28 26		40	21.5	31	29.5	UP	
MODEL OST. EFF. NOZZE SPEED IN MILES PER HOUR 30 29 21.5 20 LEVEL 179 120 90 72 60 51 45 40 36 33 30 28 26 24 26 28 30 1° Standard 40 33 21.5 20 LEVEL 179 120 90 72 66 56 61 45 4 33 30 28 26 24 36 33 30 28 26 24 30 28 26 24 30 30 28 26 24 30 30 28 26 24 30 14.4 10 10 DOWN 178 119 89 71 59 51 46 40 32 30 27 25 24 30 31 21.5 20 LEVEL 229 153 14 45 41		50	24.2	31	29.5	UP	
MODEL FSI GPM MSL EFX NOLLE Dist. EFX NOLLE Dist. MOLLE Dist. Dist. MOLLE Dist. Dis.							GALLONS PER ACRE (Water used for all calculations) GALLONS PER ACRE (Water used for all calculations)
MODEL Model <th< td=""><td></td><td>DOI</td><td>CDM</td><td>DIST.</td><td>EFF.</td><td>NOZZLE</td><td>SPEED IN MILES PER HOUR</td></th<>		DOI	CDM	DIST.	EFF.	NOZZLE	SPEED IN MILES PER HOUR
500 30 29 21.5 20 LEVEL 179 120 90 72 60 51 45 40 36 33 30 28 26 24 500 1' Standard 40 33 21.5 20 LEVEL 204 136 102 82 68 51 45 41 37 34 31 29 27 40 33 21.5 20 LEVEL 204 136 102 82 68 56 51 45 41 37 34 31 29 27 30' 14.4 10' 10' DOWN 178 103 83 69 59 52 46 41 38 32 30' 29' 27' 30'' 'Standard 50'' 31'' 46 41'' 38''' 53''' 33''' 30''' 14''''' 10'''' DOWN 178''' 18''''' 18'''''' 18'''''''''' 18''''''''''''''''''''''''''''''''''''	MODEL	491	GPM	IN FEET	DIST.	ANGLE	4 6 8 10 12 14 16 18 20 22 24 26 28 30 MODEL WHEEL USL ANGLE 4 6 8 10 12 14 16 18 20 22 24 26 28 30
Ppe Thread 40 33 21.5 20 LEVEL 204 136 102 82 68 65 7 51 46 41 37 34 31 29 27 34* Standard 40 10.7 10 100 DUWN 207 136 102 82 46 41 37 34 31 29 27 34* Standard 40 10.7 10 10 DUWN 207 106 103 83 69 59 52 46 42 39 36 33 30 Pipe Thread 50 37 21.5 20 LEVEL 229 153 114 91 76 65 57 51 46 41 38 35 33 30 Pipe Thread 50 37 21.5 20 LEVEL 229 153 114 91 76 65 57 51 46 41 38 35 33 30 30 30 30 30 30 30 30 30 30<		30	29	21.5	20	LEVEL	179 120 90 72 60 51 45 40 36 33 30 28 26 24 370 30 144 10 10 DOWN 178 119 88 71 58 51 46 40 36 32 30 27 25 24
Pipe Thread 50 37 21.5 20 LEVEL 229 153 114 91 76 65 57 51 46 41 38 35 33 30 Pipe Thread 50 18.8 10 10 DOWN 23 155 116 93 77 66 58 52 46 42 39 36 33 31		40	33	21.5	20	LEVEL	204 136 102 82 68 58 51 45 41 37 34 31 29 27 34 34 34 32 29 27 34 34 34 34 32 27 34 34 34 32 27 34 34 34 34 34 34 34 34 34 34 34 34 34
GALLONS PER ACRE (Water used for all calculations) GALLONS PER ACRE (Water used for all calculations)		50	37	21.5	20	LEVEL	229 153 114 91 76 65 57 51 46 41 38 35 33 30 PipeTread 50 188 10 10 DOWN 233 155 116 93 77 66 58 52 46 42 39 36 33 31
							GALLONS PER ACRE (Water used for all calculations) GALLONS PER ACRE (Water used for all calculations)

FOAM MARKING SYSTEM



For spraying equipment, no-till drill. golf course sprayers

A ready-to-use compact 12-volt foam marker designed for dependable, low cost operation. The foamer comes complete to equip up to an 80' boom including R/L switch with 20' cable to foamer module. Unit features molded mounting lugs in bottom and strapping areas allowing easy installation. A 14-gallon foamer operates 2.5 to 3 hours on a fill at a cost of \$0.03 to \$0.04 per acre. Foam rates can be adjusted with replacement discharge orifices.

Units

500 FM006	6-gallon unit	\$985.00
500 FM014S	14-gallon twinline foamer	1,264.00
500 FM025S	25-gallon twinline foamer	1,310.00
	WC mounting bracket (custom)	165.00
	Complete system installation	155.00

Replacement Parts

nepiaeein						
500 FMFC	Standard collector	\$16.50				
500 FMFCL	High volume collector and hose	32.80				
500 CAF	Compressor air filter	7.85				
500 FMS	Collector sock, small	3.95				
003 TL 025	Twinline hose, 100'	230.00				
500 FMSA	Pickup tube assembly	21.00				
500 FMSL	Collector sock, large	5.25				
	Metering orifice for foam marker	4.15				
	flow control (sizes 27,29,31,33,37,39,41,43)					
500 FMYA	Y assembly	29.00				
500 FMAPG	Gas air compressor	295.00				
500 FMCV	Check valve	16.95				
500 FMPC	Wiring harness with switch box	149.00				
500 FMSC	Secondary cable	24.20				
500 FMFG	Foam generator	34.25				
500 FMFGS	Twinline foam generator	34.25				
	(does not include Y assembly)					
250 22043	Texas Remcor 3-way twinline solenoid	141.20				
	Soleliolu					

Concentrates and Additives

Enduron PSI High performance foam 100 to 1 concentration	4 x 1 Gallon	\$51.50* per gallon
Tracer Foam Dye One qt colors 300 to 600 gallons of foam solution. Works well on green crops and bare ground	12 x 1 Quart	\$41.70* per quart

SPRAY BOOMS AND ACCESSORIES



03DB12B	12' Boom, bare	\$290.00	
03DB12	12' Boom, standard plumbing, 40" spacing	378.00	
03DB18B	18' Boom, bare	415.00	
03DB181	18' Boom, standard plumbing, 40" spacing	533.00	
Above become and 2 contion, enring loaded 1 1/4" equate tubing standard			

Above booms are 3-section, spring loaded, 1-1/4" square tubing, standard Spraying Systems plumbing, rear fold. Does not include mounting bracket.

500 ATV	Bracket set, R/L receiver set	\$ 88.00*
500 003	L boom mount for above receiver, set of 2	58.00*
500 ATV	80" boom	89.90*
500 ATV	80" boom with tips	99.90*
DB21	21' folding boom, no plumbing	957.00*
DB21	21' folding boom with tips	1,547.00*
	Larger spray booms available, please inquire.	

Receiver Hitch Booms

2" Receiver Hitch Boom

• 80" vertical telescoping boom, bare RHB80 - \$273.00*




• 80" vertical telescoping boom, plumbed with four nozzle bodies (does not include nozzles) RHB80P- \$365.00*



- 2" Receiver Hitch Boom, Less Nozzles
- Vertical telescoping, bare
- RHBB \$255.00* • Vertical telescoping, with boomless nozzle
 - body plumbing (does not include nozzles) RHBBP - \$351.00*

Boominator Bracket



For Ultra Low 55 and 75-gallon UTV sprayers \$25.00*

Hand Wheel



Model 902-015 \$8.15 * • 10 mm • Use on boom setting for UTV sprayers

Flatbed Mounted Truck Ladder \$106.00*

• Hinges to lay flat • Easily retro fitted to flatbed truck or trailer



TANKS

	Та	nk P/N	Gal	Dir	nensio	ns	Fitt	ting	Lid	Tank		Cradle P/N	Cradle
Horizontal Tanks	H7(0055-23	55	-	x 38		3/4		5″	\$215.0		HZ0055-C	\$ 127.00
and Cradles – ACI		0075-24	75	-	x 47		/4		5″	259.0		HZ0075-C	215.00
		0110-30	110	_	x 44		-1/4		8″	352.0		HZ0110-C	260.00
		0150-30	150	_	x 57		-	1-1/4	8″	435.0		HZ0153-C	362.00
	HZ	0150-32	150) 32	x 52		-	1-1/4	8″	435.0	00	HZ0150-C	378.00
	HZ	0200-38	200) 38	x 50	3	3/4 x	1-1/4	8″	516.0	00	HZ0238-C	488.00
	HZ	0200-32	200) 32	x 58	3	8/4 x	1-1/4	8″	516.0	00	HZ0232-C	510.00
	HZ	0300-38	300) 38	x 76	3	s/4 x	1-1/4	8″	663.0	00	HZ0300-C	600.00
-	HZ	0500-48	500) 48	x 79	3	8/4 x1	L-1/4	8″	899.0	00	HZ0500-C	738.00
	T	ank P/N	6	al	Dimen	sions	; #	Bands	- 1	Tank	ł	Hoop P/N	Ноор
Horizontal Liquid	FSC	0035-18		35	18 x 34	ŀ	2		\$	146.00	FS	50035SP	\$33.00/set
Transport	FSC	0065-24		65	24 x 39)	2			267.00	FS	50065SP	35.00/set
Tanks – ACE	FSC	0125-32		125	32 x 40)	2			484.00	FS	0125SP	73.00/set
	FSC	0225-38		225	38 x 52	2	2			593.00	FS	50225SP	89.00/set
	FSC	0335-44	3	335	44 x 56	5	2			711.00	FS	51335SP	102.00/set
	FSC)535-48	I,	535	48 x 78	3	2		1	,077.00	FS	0535SP	107.00/set
	FSC	0735-48	-	735	48 x 10)3	3		1	,488.00	FS	5048SP	363.00/set
	FS2	1300	13	300	62 x 11	4	3		2	,385.00	FS	5062-HP-	388.85/set
												300	
		N	1anuf	acture	r warrant	ty for a	above	tanks no	t valid	without p	urcł	nase of recomr	nended hoops.
Eliptical Leg	Та	ank P/N		Gal	Dim	ensio	ons	# Ban	ds	Tank		Hoop P/N	Ноор
Tanks Free	FS051	.0		510	_	80 x 3	39	3		\$ 988.00		FS0510HP	\$355.00
	FS103	5		1035	_	90 x		3		1,661.00		FS1035HP	433.00
Standing	TN123	35EL		1235		126 >		4		3,155.00		HP1335	486.00
(Cite	FS161			1610	_	139>		4		3,365.00	_	FS1610HP	633.00*
	FS235			2350		146 >		4		5,187.00	_	FS2350HP	1,153.00*
	FS275			2750		146 >		4		6,311.00	_	FS2750HP	1,319.00*
	FS325			3250		146 >		4		6,522.00		FS3250HP	1,444.00*
		0-88BLK		3250		146 >		4		6,522.00	_	FS3250HP	1,444.00*
Ladder and hoops		3200BLK		3200	97 x	145 >	k 79	0		8,796.00		Pin Kit	192.00*
sold separately		ount Tan				notvo		thout out	rebaci	ofreem		AP204 nded hoops.	* baffled tanks
	Ivialiula												1
Eliptical Tanks a	nd	Tank I			Gal			sions		Fank		radle P/N	Cradle
Cradles – ACE		HE0200-			200		(66 x		Ş	633.00		E0200-C E0300-C	\$583.00
		HE0300-		_	300		(70 x			811.00			664.00
111	h	HE0400- HE0500-		_	400		(70 x		1	907.00		E0400-C	796.00
	3	HE0500-			500 750		(82 x (89 x			,060.00 ,446.00		E0500-C E0750-C	911.00
and the	4	HE1000-			1000		(89 x (90 x			,446.00		E1000-C	1,511.00 1,950.00
				acture									nended hoops.
					r	k P/N	T	Gal				sions	Price
1	-	PU0450-62			PU 02	-		200		52 x 30			\$379.00
Pickup Tanks	-	-	PU0200-5	2	PU 03			350		62 x 34			597.00
Round	1	1.0			PU 04			450		62 x 41			653.00
		•			PU 02			205		52 x 52 x	26		502.00
					PU 03			305		60 x 58 x			653.00
							-		I				

TANKS

Vertical Tanks

•			
Part #	Gallons/Description	Dimensions	Price
VT65	65-gallon	23 x 42	\$205.00
VT110	110-gallon	32 x 41	323.00
VT300-42	300-gallon	42 x 55	578.00
VT550	550-gallon	52 x 66	815.00
VT1000-64	1000-gallon	64 x 81	1,544.00
VT1050	1050-gallon	85 x 54	1,147.00
VT1350	1350-gallon	85 x 65	1,345.00
VT1500	1500-gallon	85 x 69	1,472.00
VT1500B	1500-gallon, black	85 x 69	1,492.00
VT1650	1650-gallon	85 x 74	1,532.00
VT2500	2500-gallon	90 x 103	2,377.00
VT3000	3000-gallon	90 x 120	2,944.00
VT3000	3000-gallon, black	90 x 120	3,004.00
VT5150	5150-gallon	102 x 156	6,884.00
VT6250	6250-gallon	102 x 194	7,690.00
VT8000-120	8000-gallon	120 x 180	9,910.00
VT10500-2500	10,500-gallon	142 x 177	12,960.00

Low Profile Tanks

Part #	Gallons	Dimensions	Price		
LP1275	1275-gallon	84W x 36 x 126L	\$3,032.00		
LP1600	1600-gallon	84W x 42 x 126L	3,490.00		
2400Box	2400-gallon	90W x 53 x 150L	4,961.00		
Have	Have flat bottoms and will not completely drain				

Free Standing Utility Tank

• Will fit through doorway

AP204



Withdrawal fitting needs to be added

Part #	Gallons	Dimensions	Price
SP0250-UT	250-gallon	29W x 62L x 42H	\$673.00
SP0300-UT	300-gallon	29W x 62L x 52H	840.00
SP0400-UT	400-gallon	29W x 62L x 66H	1,098.00

<u>Pin Mount</u> <u>Horizontal Leg</u> <u>Tank</u>		h	f*
Part #	Gallons	Dimensions	Price
THF00800W	800-	60Wx9Lx48H	\$2,990.00
	gallon		
THF03200	3200-	Black	8,796.00
	gallon		

Cone Bottom Inductors

Pin kit

3200-gallon

Cone-shaped tank assemblies are to be used on the suction side of the transfer pump for inducting chemicals and fertilizer into sprayer tanks. Includes 2" valve and tee. 15-gallon units can be shipped UPS.

Part #	Size	Price		
WC-ID 15	15	\$315.00		
WC-ID 30	30	371.00		
WC-ID 55	55	443.00		
WC-ID 85	85	598.00		
WC-ID 110	110	630.00		
Rinse Ball Kit - \$151.00				



192.00

Specialty Tanks

Part #	Gallons / Description	Dimensions	Price
RT3	Clean water	12 x 7 x 14	\$ 99.00
SPBM-05-SQ8	5-gallon rinse tank	11 x 11 x 18	92.00
SP0006-5N	6-gallon, 5" lid	12 x 15 x 8	81.00
SP0008-VM	Loaf	12 x 16 x 17	99.00
SP0012-VM	Loaf	12 x 16 x 22	103.00
SB00015	15-gallon, spot	14 x 14 x 31	62.00
SB00025	25-gallon, spot	18 x 17 x 36	80.00
PCO50	50-gallon, PCO	19 x 38 x 23	241.00
PCO100	100-gallon, PCO	30 x 38 x 29	383.00
PCO100	100-gallon, PCO w/sump	30 x 38 x 29	407.00
PCO200	200-gallon, PCO	37 x 48 x 38	583.00
PCO300	300-gallon, PCO, baffle	37 x 69 x 40	1,180.00
PCO300B	300-gallon, PCO, baffle, black	37 x 69 x 40	1,203.00
SB00040SW	40-gallon, blow mold	(53)	124.00
SB00060SW	60-gallon, blow mold		161.00



<u>Clean Water Tanks</u>

- Hand wash valve
 - Universal mounting
 - Easy filling UPS shippable



3-gallon tank and L brackets and valve \$140.00 9-gallon tank \$202.00



	ATV and Utility Vehic Shaped for ATV			
Part Number	Gallons and Description	Dimensions	Price	
216ATV	16-gallon Cottontail	ATV	\$ 345.00	24.5-gallon
25ATV	24.5-gallon Jackrabbit	ATV	363.00	Jackrabbit
EN55	55-gallon with sump	26 x 37 x 17.5	603.00	
EN75	75-gallon with sump	27 x 41 x 23	645.00	50 and 75-
EN75B	75-gallon with sump, black	27 x 41 x 23	692.00	gallon ultra
EN100	100-gallon with sump	36 x 48 x 24	744.00	low profile
WC-UTV-50	50-gallon UTV low profile	31 x 38 x 12	475.00	tanks with
WC-UTV-75	75-gallon UTV low profile	36 x 48 x 12	575.00	sump

PICKUP STYLE APPLICATOR TANKS

400-Gallon Applicator Tank

- Includes tank mounting frame
- 42"H x 52"L x 70"W

CLEAN

WATER

• 48" wheel well cut out



WC-400-10GC - \$1,098.00 WC-400-10GC-Black - \$1,155.00 Pump, engine, and hose reel mount for tank - \$217 per side

300-Gallon Applicator Tank

- Includes tank mounting frame
- 38" H x 39" L x 70" W
- 48" wheel well cut out



WC-300-10GC - \$1,032.00 WC-300-10GC-Black - \$1,076.00 Pump, engine, and hose reel mount - \$217.00 per side

Floor length baseplate mounting tab - \$306.00 per side

200-Gallon Applicator Tank

- Includes tank mounting frame
- 42"H x 27"L x 70"W
- 48" wheel well cut out

WC-200GC - \$790.00 WC200GC-Black - \$827.00



Pump, engine, and hose reel mount - \$217.00 per side
 Floor length mounting tab - \$306.00 per side

Notes: • Units require 1/4" to 1/2" friction reducing material for equipment under tanks • Pickup style tanks do not fit the Ram toolbox bed • 400-gallon sprayer requires raised platform for pickups with 21.5" box sides

Part Number Price WCE 200-HR-BRKT \$217.00 WCE 200-PE-BRKT 217.00

Brackets for Pickup Style Tanks

WCE 200-PE-BRKT	217.00
WCE 200-HR-BRKT-FM	306.00
WCE 200-PE-BRKT-FM	306.00
WCE 300-HR-BRKT	217.00
WCE 300-PE-BRKT	217.00
WCE 300-HR-BRKT-FM	306.00
WCE 300-PE-BRKT-FM	306.00
WCE 400-HR-BRKT	217.00
WCE 400-PE-BRKT	217.00

TANK ACCESSORIES

Tank Bulkhead Fittings

Talik Bulkileau Fittiligs				
P/N	Description	Price		
200-TF	2" bolted tank fitting	\$ 52.81		
300-TF	3" bolted tank fitting	93.75		
102BF05BD	3/4" total drain tank fitting	90.89		
102BF100BD	1" total drain tank fitting	91.41		
102BF125BD	1-1/4" total drain tank fitting	91.41		
102BF150BD	1-1/2" total drain tank fitting	91.41		
102BF220BD	2" total drain tank fitting	93.44		
102BF300BD	3" total drain tank fitting	132.03		

Polypropylene (Black) Bulkhead Fittings w/Gasket

P/N	Description	Price
43386	1/2" polypropylene bulkhead fitting	\$ 9.32
43388	3/4" polypropylene bulkhead fitting	9.74
43391	1" polypropylene bulkhead fitting	11.84
43393	1-1/4" polypropylene bulkhead fitting	14.66
43395	1-1/2" polypropylene bulkhead fitting	20.48
43397	2" polypropylene bulkhead fitting	20.73
HD 20-015	2" heavy duty/tank of 3000 gal	37.08
5037P	1-1/4" anti-vortex	34.64
5040P	1-1/2" anti-vortex	42.45
5041P	2" anti-vortex	41.93
BH20-010	3" polypropylene bulkhead fitting	65.10

EPDM Bulkhead Gasket

P/N	Description	Price
45814	1/2" and 3/4" bulkhead gasket	\$ 2.19
45815	1" bulkhead gasket	3.49
45816	1-1/4" bulkhead gasket	3.70
45817	1-1/2" and 2" bulkhead gasket	7.08

Sealing Collett Bulkhead Fitting

For top of tank to allow pass through of tubing

P/N	PVC Pipe Size	Price	
M8437	1" ID	\$ 8.72	
M4524	1-1/4" ID	16.50	
M3317	1-1/2" ID	37.00	
M3321	1-3/4" ID	43.00	

Cumbon Tuboo

Syphon Tubes				
P/N	Description			
10511	2" short	\$ 5.75		
10488	2" long	23.50		
10489	3" long	34.80		



Tank Webbing

P/N	Description	Price
46120	Tank webbing tie down nut	\$ 4.24*
46121	Tank webbing tie down bracket	6.30*
46716	Tank webbing 1-3/4" polyester	3.00/ft*
03728	Tank webbing 4" polyester	5.05/ft*
05748-95	4" anchor and bolt	19.50*
05785-95	2" anchor and bolt	11.70*

NE

LIDS

Norwesco	
16" lid	\$ 48.00

Raven

10" screw on lid	\$ 37.60
11" ring for 10" lid	24.85

Enduraplas

8" red air vent lid	\$ 27.90
---------------------	----------

Ace

2" lid with catch cup	\$ 6.48
4" center with vent	12.85
5″ spin with vent	10.40
8" threaded with vent	25.80
12" threaded	35.70
16" threaded with vent	45.70
16" hinged with vent	88.40
16" Tecomec lid gasket	26.80
12" short black lanyard (5" to 12" lids)	1.05
16" long black lanyard (12" & 16" lids)	1.05
16" ring	11.45
16" frame gasket (#12880)	6.60

Hinged Lid

9950-08120

9950-12240

9950-16180

0		
AG8169014	12" hinged	46.00
15082	16" hinged with vent	84.60

\$ 30.80

45.80

47.50

Basket Filter for Tank Lid

8″

12″

16"







Stopping, starting, or rounding a cure - regardless of the amount of liquid in the tank, the floating "Surge Buster" eliminates surge by constantly deflecting the load in over a thousand different directions. Makes transporting large volumes of liquid safer and less stressful for operators. Flexible design fits any size or configuration of tank. NFPA compliant for use in fire trucks.

- One baffle per 30 gallons water
- Installs through tank top opening
- No interior attachments
- Works with or without existing baffle
- Safe for most chemicals and potable water

\$45.00* each



043

3-Point Hitch Sprayers

60-Gallon Category I

- 60-gallon tank
- 12-volt 4.5 gpm pump
- Boomless nozzle with right and left coverage
- Great unit for spot spraying noxious weeds and small pastures

60-Gallon Category I

- 60-gallon tank
- 12' break away boom
- Manual boom control
- 12-volt 3 gpm pump
- Electric on and off from cab
- Great unit for large lawns, athletic fields, small pastures



Price as pictured - \$1,896.00* WC3PT60

With 6-roller PTO pump - \$2,184.00* WC3PT606

Option: 25' hose and Black Jewel handgun Add \$228.00*



Price as pictured - \$2,143.00* WC3PT6012

With 6-roller PTO pump - \$2,431.00* WC3PT60612

Option: 25' hose and Black Jewel handgun Add \$228.00*

Boomless 3-Point Hitch Spraver \$6,980.00* WC3PT 200

- 200-gallon tank with agitation
- Category I or II
- Boominator nozzles right and left, 30' total swath
- 6-roller PTO pump
- Electric control right and left
- Excellent unit for noxious weed control and pasture spraying Option: 50' of high-pressure hose and Black Jewel handgun - Add \$266.00*

200-Gallon 3-Point Hitch Sprayer WC3PT242

\$9,751.00*

- 200-gallon tank with agitation
 - Category I or II
 - 6-roller PTO pump
- 42' heavy duty boom with breakaway hinges
 - 3-section electric controls
 - One set of nozzles

Option: 50' of high-pressure hose and Black Jewel handgun - Add \$266.00*





Demco 300-Gallon 3-Point Hitch Spraver WC3PT345 \$14,620.00*

- 300-gallon tank with agitation
- Hydraulic driven pump
- 45' manual fold boom
- Shock kit on boom
- 3-section electric solenoid controls
- One set of tips

Options: • 50' hose and Black Jewel handgun - Add \$266.00*

• Micro-Trak spray monitor available - inquire

PULL TYPE SPRAYERS

Demco 300-Gallon Trailer Sprayer with 45' Boom WCT340 \$14,528.00*

Standard Features

- 45' truss boom
- Shock mount kit
- 11L x 15 8-ply tires
- PTO mounted 8-roller pump
- 3-way electric solenoid controls
- Includes one set of tips

Options

- Hydraulic wing leveling kit, installed Add \$918.00*
- 50' of high-pressure hose and Black Jewel handgun Add \$266.00*



Warne 300-Gallon Trailer Sprayer - Boomless WCT300 \$8,805.00*

Standard Features

- Spray bar and boomless nozzles with 42' of coverage, right and left boomless nozzles, center section boom
- 3-section swath with electric solenoid control
- 11L x 15 8-ply ply tires
- Excellent unit for noxious weeds, pasture spraying or small fields
- PTO mounted 8-roller pump

Option

• 50' of high-pressure hose and Black Jewel handgun Add \$266.00*

Demco 500-Gallon Trailer Sprayer WCT560 \$ Inquire*

Standard Features

- Big wheel sprayer with 11.2 x 38 tires
- Adjustable axle
- Hydraulic driven pump
- Motorized ball valves
- 60' floating boom
- Hydraulic wing lift
- Hydraulic fold

Options available include hose, handgun, GPS, MicroTrak sprayer monitors, 55-gallon flush kit



SPACE SAVING SKID MOUNTED SPRAYERS

Designed for space saving front mount in pickup and mount in front of wheel wells

Model 100PCO-7 \$4,343.00*


Standard Features

- 100-gallon poly tank
- GX160 Honda engine
- Diaphragm pump 350 psi 7 gpm
 - Manual hose reel
- 200' of 3/8" high pressure hose
 - Black Jewel handgun

Model 100PCO-10 \$4,900.00*

Standard Features

- 100-gallon poly tank
- GX160 Honda engine
- Diaphragm pump 560 psi 10 gpm
 - Manual hose reel
- 200' of 1/2" high pressure hose
 - Black Jewel handgun



Options

- Electric reel for 300' of 1/2" hose Add \$550.00*
- Electric start for GX160 Honda engine Add \$325.00*
 - Hydraulic agitation Add \$139.00*
 - 3-gallon clean water tank Add \$140.00*
 4-way roller guide Add \$241.00*
- Additional 1/2" high pressure hose Add \$1.75*/ft
- Additional 3/8" high pressure hose Add \$1.35*/ft
 - Root feeder Add \$356.00*
 - Oil drainzit Add \$29.80*
- Quick coupler disconnect at hose and handgun Add \$52.00*
 25' power lead with 30-amp breaker Add \$95.00*

150, 200 AND 300-GALLON SKID MOUNTED HIGH PRESSURE SPRAYERS

For weed spraying, cattle spraying, fire fighting, tree spraying, washing equipment, etc

Standard Features

- Polyethylene tank
- GX160 Honda engine
- Diaphragm pump
- 560 psi 10 gpm
- 50' of high- pressure hose
- Trigger operated variable pattern handgun
- Heavy duty skid



150-Gallon with GX160 Honda Engine WCHP150 \$4,504.00*

200-Gallon with GX160 Honda Engine WCHP200 \$4,754.00*

300-Gallon with GX160 Honda Engine WCHP300 \$5,209.00*

Options • Additional hose - Add \$1.75* per foot • Hydraulic agitation - Add \$145.00* • Manual reel with 100' of 1/2" hose - Add \$516.00*

SPRAYERS

ECONO SKID MOUNTED SPRAYER

WCECONO \$4,267.00*

• 200-gallon general use sprayer • Poly tank • GX160 Honda engine • 8-roller pump, 300 psi max • Manual reel with 100' of 1/2" high pressure hose and Black Jewel handgun • Unit can be used for weed spraying, fire fighting, cattle spraying, etc



Options: • Hydraulic agitation - Add \$145.00* • Additional 50' of 1/2" hose - Add \$90.00*



RANGE AND PASTURE SPRAYER WCR&P200 \$6,513.00*

• 200-gallon eliptical low profile tank • Skid mounted • GX200 Honda engine and centrifugal pump • Spray bar and boomless nozzles with 42' coverage, 19 gpa @ 5 mph, 30 psi, right and left boomless nozzles, center section boom • Electric cab controls with solenoid valves • Manual hose reel with 100' of 1/2" hose mounted above pump and engine unit • Black Jewel handgun

Options:

- 300-gallon eliptical tank Add \$375.00*
- 400-gallon eliptical tank Add \$552.00*
- 500-gallon eliptical tank Add \$815.00*
- Electric ball valves Add \$669.00*
- Electric hose reel Add \$550.00*
- Spray monitor and controls Inquire
- Mounting and wiring at our facility Add \$375.00*

WC75ULPPC

- Oil drainzit Add \$29.80*
- Additional hose Add \$1.75* per foot

75-GALLON PEST CONTROL / GENERAL PURPOSE SPRAYER

- 75-gallon low profile tank with internal sump
- Hydraulic agitation
- Honda GX120 engine with UDOR diaphragm pump up to 275 psi
- 250' of light weight Red Slyder hose with 1000 psi working pressure, non-kink and applicator friendly
- Black Jewel handgun
- 36" x 48" x 12" high (37" to top of hose reel)



\$4,325.00*



Unit is a versatile pest control / termite treatment unit. Also an excellent weed or small tree and shrub sprayer.

75-GALLON PEST CONTROL SPRAYER

WCPCS75 \$3,570.00*

• Low profile tank • GX120 Honda engine • Six-roller pump • Manual hose reel

with 200' of 3/8" high-pressure hose • Pistol grip variable pattern handgun
Designed for the pest control industry • Tank gallonage indicator and sump for complete drainage • Hydraulic jet agitation • 46" long x 41" wide x 27" to top of tank or 39.5" to top of hose reel

Options

- 12-volt electric hose reel in place of manual reel Add \$550.00*
- Oil drainzit Add \$29.80*
- Additional 3/8" high pressure hose Add \$1.35*per foot
- Quick coupler disconnect at hose and handgun Add \$46.80*
- Diaphragm pump (350 psi, 7 gpm) coupled to GX120 Honda engine in place of standard pump/engine Add \$910.00*



GENERAL PURPOSE COMMERCIAL SPRAYING UNIT WITH 200, 300 OR 400-GALLON PICKUP STYLE TANK

Designed to maximize pickup bed space. Pump and engine unit and reel mount on tank.

WC 200-10GC

- 200-gallon pickup tank
- GX160 Honda engine
- Diaphragm pump producing 10.5 gpm 560 psi
- Manual hose reel
- 200' of 1/2" hose
- Black Jewel handgun
- Hydraulic agitation
- 42" H x 27" L x 70" W

WC 300/400-10GC

WC 300/400-15GX

WC300/400-15 GX8

• 300 or 400-gallon pickup tank

- GX160 Honda engine
- Diaphragm pump producing 10.5 gpm 560 psi
- 200' of 1/2" hose
- Manual hose reel
- Black Jewel handgun
- Hydraulic agitation
- General purpose spraying



\$5.900.00*

\$6,295.00*

\$6,828.00*

\$7,303.00*

Add \$29.80* • Braglia long range handgun

- Add \$207.00*
- Deep root feeder attachment Add \$356.00*
- Additional 1/2" high pressure hose, 600 psi Add \$1.75* per foot
 - Electric start for Honda engine Add \$325.00*
 - 25' power lead with 30-amp breaker Add \$95.70*
- 25' power lead with 30-amp breaker and 50-amp disconnect Add \$148.00*
- 400-gallon base platform for elevating tank Add \$340.00*
 - Pump, engine, and hose reel mount with floor length mounting tabs Add \$90.00* per side
 Fits 200 or 300-gallon units only

Notes

- Tank combos available inquire; for example 200/200, 200/300, 300/300
- 400-gallon requires raised platform for pickups with 21.5" box sides
- Sprayer does not fit the Dodge Ram toolbox bed
- Tank does not completely evacuate due to flat bottom design

 GX270 Honda electric start engine
• Diaphragm pump producing 15.5 gpm 560 psi

• 300 or 400-gallon pickup tank

300 or 400-gallon pickup tank

• GX160 Honda engine

Diaphragm pump producing 22 gpm 285 psi
 Manual hose reel

• 200' of 1/2" hose

• Black Jewel handgun

• Hydraulic agitation

• Lawn care, industrial weed and general-purpose spraying

- 200' of 1/2" 800 psi hose
 - Manual hose reel
 - Black Jewel handgun
 - Hydraulic agitation
- Tree spraying, pest control and high-pressure spraying

Options

• 12-volt electric reel

Add \$550.00*

4-way hose roller guide assembly

Add \$241.00*

Oil drainzit for Honda engine

HIGH-PRESSURE GENERAL-PURPOSE SPRAYER

This sprayer is designed to serve as a high-pressure sprayer performing from 30 to 560 psi at 15.5 gpm for weed spraying, tree spraying, fire fighting, washing, etc

Basic Unit Specs	Model WCGPHP150	Options to customize for your use	Add
 150-gallon poly tank Jet agitation		 200-gallon poly tank 	\$210.00*
		• 300-gallon poly tank	397.00*
GX270 Honda engine		 300-gallon eliptical tank 	687.00*
Diaphragm pump produ		 500-gallon poly tank 	738.00*
• 100' of 1/2" 800 psi high		• 500-gallon eliptical tank	1,025.00*
 43H brass handgun with Skid mounted for truck of 		• Electric start option, B&S or Honda	325.00*
 Skid mounted for truck of Assembled and Operational 		Braglia long distance handgun	207.00*
Assembled and Operationa	ai - \$5,000.00°	Additional 800 psi 1/2" spray hose	3.76* / ft
High Volume Unit Specs	Model WCHPHV150	Additional 800 psi 5/8" spray hose	4.65* / ft
• 150-gallon poly tank		Deep root feeder attachment	356.00*
 Hydraulic agitation 		High pressure manual reel	369.00*
GX390 Honda engine		High pressure electric reel	899.00*
 Diaphragm pump producing 560 psi, 19.5 gpm 		• High pressure manual reel, 3/4"	599.00 [°]
• 100' of 5/8" high pressu		• High pressure electric reel, 3/4"	1,124.00*
 Braglia long distance has 		High pressure quick coupler disconnects	46.80*
Skid mounted for truck of the second se	-	• 4-way hose roller system	241.00*
Assembled and Operationa	al - \$6,490.00*	 Above pump and engine hose reel mount 	155.00*
		Camlock bottom fill kit	220.00*
		 3-gallon clean water tank 	140.00*
		Oil drainzit for Honda engines	29.80*
	Custom	• 25' power lead with 30-amp breaker	95.70*
Made		• 25' power lead with 30-amp breaker & 50-amp disconnect	
	Units	Forklift tubes on skid	392.00*
	Available	Other Options Available (please inquire):	

Other Options Available (please inquire):

• Fiberglass tanks, trailer mounted unit, pump, and engine units up to 32 gpm at 700 psi

300 AND 500-GALLON TRAILER SPRAYERS FOR TURF AND ORNAMENTAL INDUSTRY

Tree sprayer equipped with 300-gallon poly tank, baffle, and double dual hydraulic agitation; GX270 Honda engine; diaphragm pump 15.5 gpm, 560 psi; manual hose reel with 300' of 1/2" 800 psi hose; 5000 lb tandem axles with electric brakes on back axle, lights, 2-5/16" ball hitch, jack stand, rear loading stand and safety rail. Model WCTR8055 - \$11,900.00*

Lawn sprayer equipped as above with GX200 Honda engine and centrifugal pump with pressures up to 110 psi and lawn care handgun. Model WCTR9051 - \$8,921.00*

Options	Add
 500-gallon eliptical tank 	\$735.00*
 Surge Buster baffle system for 500-gallon tank 	720.00*
• Electric start for Honda GX270 engine	325.00*
• Honda GX270 engine with centrifugal pump up to 140 psi	984.00*
Heavy duty 50-amp plug install	148.00*
Electric hose reel	550.00*
Reel rack as pictured	155.00*
Roller kit for hose reel	241.00*
Root feeder	356.00*
Oil drainzit	29.80*
Clean water tank	140.00*
• Bottom fill kit	220.00*
• 25' power lead with 30-amp breaker and 50-amp disconnect	148.00*



Please inquire about configurations and pricing for units requiring a GX390 and GX630 Honda engine for taller tree spraying.

LIQUID ICE MELT APPLICATORS FOR DE-ICING AND ANTI-ICING

PICKUP MOUNTED UNIT WCPUIM

\$5,240.00*

Standard Features

- Skid mounted 300-gallon PCO tank with baffles
- GX160 Honda engine with 2" pump
- Single boom behind vehicle
- Electric on/off from cab
- Pump unit can be used to fill tank
- All components are corrosion resistant for magnesium chloride Options
- 150-gallon tank, no baffle Deduct \$227.00
- 200-gallon tank, no baffle Deduct \$110.00
- 500-gallon eliptical tank, no baffle Add \$801.00*
- Bottom fill kit with incoming strainer Add \$210.00*
- Oil drainzit Add \$29.80*

- 8' boomless nozzle with electric control, right Add \$685.00*
- 8' boomless nozzle with electric control, left Add \$685.00*
- Hose and handgun kit Add \$246.00*
- Automatic flow control Inquire
- 12-volt on/off, 3-section control box Add \$567.00*
- Hose reel with 100' hose and handgun Add \$645.00* Surge Buster baffle kit for 500-gallon tank Add \$720.00* Larger and custom built units available - Inquire

75-GALLON UTV UNIT

WC75IM \$4.115.00* **Standard Features for Liquid Ice Melt**

- 75-gallon tank
- GX160 Honda engine with poly SP centrifugal pump
- 10' spring loaded boom with center section for sidewalk and fold-out side wings for parking lots
- On/off from cab
- Manual hose reel with 75' of hose and handgun
- Plumbed for regular nozzles or drill nozzles, 10" spacing Option: Drill nozzles

COMMERCIAL WEED SPRAY UNIT

This sprayer is designed for lower pressure, higher volume applications. Pressures from 20 to 110 psi with high volume of spray solution. Use for weed spraying, Boom Buster nozzles, lawn care.

Standard Features

- 150-gallon poly tank
- Skid mounted for truck or trailer
- GX200 Honda engine

Options to customize for your use

- 200-gallon poly tank Add \$176.00*
- 300-gallon poly tank Add \$335.00*
- 200-gallon eliptical tank Add \$346.00*
- 300-gallon eliptical tank Add \$561.00*
- 500-gallon eliptical tank Add \$892.00*
- Electric start Add \$325.00*
- Manual hose reel Add \$368.00*
- Electric hose reel Add \$858.00*

- Hydraulic agitation
- Lawn applicator handgun

- 100' of 1/2" vinyl coated 300 psi hose
- High volume centrifugal pump producing 113 psi

Forklift tubes on skid – Add \$392.00*

- Above pump and engine hose reel mount Add \$155.00*
- Additional 300 psi hose Add \$1.75*/ft
- Bottom fill kit Add \$210.00*
- 3-gallon clean water tank Add \$140.00*
- 4-way hose roller system Add \$241.00*
- Oil drainzit for Honda engine Add \$29.80*
- 25' power lead with 30-amp breaker Add \$95.70*
- 25' power lead with 30-amp breaker, 50-amp disconnect Add \$148.00*



\$4,872.00* **WCCOM150**

050

GENERAL PURPOSE WEED SPRAYER WITH BOOMLESS NOZZLES

Designed for pickup or trailer mount • Works well for noxious weeds and pasture spraying

Standard Features

- 200-gallon skid mount
- GX160 Honda engine
- 8-roller pump
- Boomless nozzles with 36' swath, 18' per side
- Right/left electric controls from cab
- High/low pressure control
- High pressure for handgun spraying, fire fighting
- Low pressure for boomless nozzles
- 50' of hose and trigger operated handgun

55-GALLON GENERAL PURPOSE SPRAYER

Standard Features

• Wrap around frame • 25' hose • Black Jewel handgun • 125 psi

With the following pump and engine unit:

GX120 Honda engine with 4-roller pump	125 psi	WCGP55WP4	\$1,876.00*
GX120 Honda engine with centrifugal pump	64 psi	WCGP55WPC	2,021.00*
4.9 gpm 12-volt pump	45 psi	WCGP55WP12	1,290.00*
GX120 Honda engine with 7 gpm diaphragm pump	350 psi	WCGP55WP7	3,555.00*

Options: • Double Boominator with single electric valve - Add \$741.00*

- Hose reel and 100' of 3/8" hose Add \$465.00*
- Additional 3/8" hose above 25' Add 1.30^* / ft





Spray your roughest tough spots such as ravines, ditches, fence lines, trees, and brush areas
Spray livestock and around hog and poultry building sites
Spray grasshoppers, mosquitoes, and other biting insects



Tyrant Mist Sprayer - \$3,699.00*

• Skid Mounted for UTV or Pickup • 25-gallon poly tank • Kohler Pro 207cc engine driven 9" fan • 12-volt electric pump • Two nozzles • 210-degree manual volute rotation • Spray coverage 65' horizontal, 30' vertical • Battery not included

3-Point Hitch GF3P60 - \$4,684.00*

- 60-gallon tank Agitation in tank 12" PTO driven fan Electric on/off
- Roller pump 210-degree hydraulic volute rotation Spray coverage

160' horizontal, 85' vertical • Air speed to 160 mph





6-GALLON FLY FOGGER AND SPRAYER 500 FS006 \$905.00

12-volt system that lets you fog or straight stream your choice of fly sprays. Pump delivers a maximum 225 psi. Adjustable relief valve lets operator decide the pressure from 0 to 225 psi. Includes a 6-gallon tank, 18" spray gun, 30' of hose and a 15' wiring harness with battery clips that hook to a vehicle battery or deep cycle marine battery. Use for livestock on pasture, in feed lots, confinement, dairy barns, manure pits, bunk lines or anywhere flies are a problem. Battery not included.



- Options
- Manual hose reel Add \$375.00*
- 100' of 1/2" high pressure hose with banded ends Add \$239.00*

GENERAL PURPOSE TRAILER SPRAYERS

200-gallon tank • 2-5/16" ball hitch • 15" tires • 3300 lb pay load
Leaf springs and fender • Lights • Jack

Model WC2005540 - \$5,715.00*

General purpose sprayer for trees and ornamentals, weed control, fire fighting, livestock spraying etc. Equipped with GX160 Honda engine, diaphragm pump 560 psi 10 gpm, 50' of high-pressure hose and Black Jewel handgun.

Options for above unit

- Manual hose reel with 150' of 1/2" high pressure hose, 1125-4-200 Add \$690.00* Hydraulic agitation Add \$125.00*
- 1125-4-200E electric hose reel Add \$894.00*
- Additional 1/2" hose above 50' Add \$1.75* per foot

Model WC20055.5HCL - \$4,788.00*

General purpose sprayer for lawn care, turf, weed control, etc. Equipped with GX200 Honda engine, centrifugal spray pump, 50' of hose and Black Jewel handgun.

Options for above unit

- Manual hose reel with 150' of 1/2" 300 psi hose Add \$690.00*
- Additional 1/2" hose above 50' Add \$1.75* / ft
- Double Boominators with electric solenoid control Add \$890.00*
- 15' power lead with 30-amp breaker, 50-amp disconnect Add \$148.00*
- Lawn care handgun Deduct \$30.00

• Root feeder - Add \$356.00*

50-amp electrical connector – Add \$85.00*

- Hydraulic agitation Add \$125.00*
- 1125-4-200 electric hose reel Add \$894.00*

75-GALLON "ROUGH COUNTRY" PULL TYPE SPRAYER

For use on pasture, turf, golf course, general purpose spraying, designed to be pulled behind UTV, ATV or garden tractor. Unit includes 75-gallon poly tank, 25' hose and Black Jewel handgun, solid axle, sealed bearings, slipper suspension springs and 22x10x8 tires, 3/16" formed steel frame. Unit designed for rough terrain.

Unit as listed above

- With:
 12-volt 4.9 gpm pump, double Boominator nozzles with left/right solenoid control and switch box
 WCT75RC12
 \$3,089.00*
- With:GX160 Honda engine and self-priming centrifugal pump, double Boominator
nozzles left/right solenoid control and switch boxWCT75RCC\$4,086.00*
- With:GX120 Honda engine and 4-roller pump, double Boominator nozzles,
left/right solenoid control and switch boxWCT75RC4\$3,750.00*

Options For Above

12' rear folding boom with 2-section plumbing, double solenoid control and switch box (in place of boomless nozzles) - Add \$195.00
 Above tank hose reel rack - Add \$185.00

• Spare tire and wheel - Add \$159.00 • Hose reel with 100' of 3/8" hose - Add \$465.00

40-GALLLON "BULLDOG" TRAILER SPRAYERWCT40BD\$1,325.00*

Unit is built for uneven and less than perfect terrain

Standard Features

• 40-gallon poly tank • 12- volt 3 gpm pump • Toggle switch control box (for pump on/off) • Single Econo Boominator nozzle 12' - 16' coverage • Large 20 x 10 x 8 flotation tires • Low speed, sealed axle bearings • Pin hitch • 15' hose and premium handgun

Option: Spare tire and wheel - Add \$159.00*







GENERAL PURPOSE UTILITY VEHICLE SPRAYERS

DESIGNED TO FIT IN THE BACK OF 4x4 AND 6x6 ALL TERRAIN VEHICLES

Refer to manufacturer's specifications for load carrying capacity

100-Gallon Gas UTV Sprayer

WCUTV100C \$3,743.00*

• 100-gallon low profile tank with sump for complete draining • 8" fill well • Self-priming centrifugal pump with Honda engine • Double Boominator nozzles with 30' swath (15' right, 15' left) • Electric right/left control from cab • 15' hose and pistol grip handgun • 48" W x 48" L x 26" H to top of tank • Unit fits in most large UTVs, low center of gravity and compact

Options:

- Manual reel and 100' of pesticide resistant 3/8" hose Add \$465.00*
- Roller guide for above hose reel Add \$153.00*
- Manual reel and 50' of pesticide resistant 3/8" hose Add \$252.00*
- Manual hose reel with roller guide and 200' of slippery hose Add \$855.00*
- GX120 Honda engine & 6-roller pump unit Add \$470.00*

100-Gallon 12-Volt UTV Sprayer

WCUTV10012 \$2.986.00*

Hydraulic agitation - Add \$95.00*

- 100-gallon low profile tank 8" fill well Double Boominator nozzle with 30' swath (15' right, 15' left)
- 12-volt 5.3 gpm pump Electric on/off and right/left control from cab 15' hose and pistol grip
- handgun 48" W x 48" L x 26" to top of tank **Options:**
- Manual hose reel with 100' of 3/8" hose Add \$465.00*
- Roller guide for above hose reel Add \$153.00*
- Surge Buster baffle system Add \$95.00* • Manual hose reel with 50' of 3/8" pesticide resistant hose - Add \$252.00*
- Manual hose reel with roller guide and 200' of slippery hose Add \$855.00*

75-Gallon Gas UTV Sprayer

•75-gallon low profile tank with complete draining sump • 8" fill well • Self-priming centrifugal pump with Honda engine • Double Boominator nozzles with 30' swath (15' right and 15' left) • Electric control right and left from cab • 15' hose and pistol grip handgun • 42" L x 40" W x 34" to top of hose reel, 27" to top of tank • Unit fits in most large UTVs and has low center gravity and compact design

Options

- Manual hose reel and 100' of pesticide resistant 3/8" hose Add \$465.00*
- Roller guide for above hose reel Add \$153.00*
- Manual hose reel and 50' of 3/8" pesticide resistant hose Add \$252.00*
- Manual hose reel with roller guide and 200' of slippery hose Add \$855.00*
- GX120 Honda engine and 6-roller pump unit Add \$470.00*

75-Gallon 12-Volt UTV Sprayer

• 75-gallon low profile tank with complete draining sump • 12-volt 5.3 gpm 90 psi pump • Double Boominator nozzles with 30' swath (15' right, 15' left) • Electric on/off and right/left from cab • 15' hose and pistol grip handgun • 42" L x 40" W x 34" to top of hose reel, 27" to top of tank • Unit fits in most large UTVs and has low center gravity and compact design

Options

- Manual hose reel with 100' of 3/8" pesticide resistant hose Add \$465.00*
- Roller guide for above hose reel Add \$153.00*
- Manual hose reel with 50' of 3/8" pesticide resistant hose Add \$252.00*
- Manual hose reel with roller guide and 200' of slippery hose Add \$855.00*
- 18' foldable boom in place of Boominator Add \$157.00

55-Gallon 12-Volt UTV Sprayer

- Tank has total drain sump Fits in cargo boxes of most utility vehicles 12-volt 5.3 gpm 90 psi pump • Double Boominator tips • Electronic on/off right/left • 15' hose and piston grip handgun • Skid base


dimensions 39" W x 38" L x 22" H

- Options
- Manual hose reel with 100' of 3/8" pesticide resistant hose Add \$465.00*
- Roller guide for above hose reel Add \$153.00*
- Manual hose reel and 50' of 3/8" pesticide resistant hose Add \$252.00*

60-Gallon Utility Vehicle Sprayer

• Economy model for the occasional user • 60-gallon poly tank • 12-volt 4.5 gpm pump • Double econo Boominator tips (15' right, 15'Left) • Electronic on/off from cab • 15' hose and hand wand • Manual valve control right/left • 30" H x 35" W x 32" at base • Fits in cargo box of most utility vehicles

\$1,299.00*








- Hydraulic agitation Add \$95.00*
- Surge Buster baffle system Add \$95.00*


• 18' foldable boom in place of Boominator - Add \$157.00*

Hydraulic agitation - Add \$95.00*

Surge Buster baffle system - Add \$95.00*

Surge Buster baffle system - Add \$95.00*










\$2.411.00*

\$2,708.00*



WCUTV75C

WCUTV7512

WCUTV55

WCUTV60

- Hydraulic agitation Add \$95.00* Surge Buster baffle system - Add \$95.00*
- 18' foldable boom in place of Boominator Add \$157.00*

ULTRA LOW PROFILE UTV SPRAYERS

Ultra Low Profile 50-Gallon UTV Sprayer

WC50ULP12 \$2,425.00*

• Internal sump • 12-volt 5.3 gpm 90 psi max • Double boomless nozzle with 30' (15' right, 15" left) spray pattern controlled from cab with 12-volt solenoid • 15' of hose and pistol grip handgun • Tie down rings • Fits in smaller UTV and has a low center of gravity • Tank measures 31" L x 38" W x 12" H

- Options: Manual hose reel with 100' of 3/8" hose Add \$465.00*
 - Roller guide for above hose reel Add \$153.00*
 - Manual hose reel with 50' of 3/8" hose Add \$252.00*
 - Hydraulic agitation Add \$95.00*
 - Legs for bolting unit to floor of UTV Add \$45.00*
- Note: To completely evacuate tank, use wet/dry vac



Ultra Low Profile 75-Gallon UTV SprayerWC75ULP12\$2,565.00*• Internal sump • 12-volt 5.3 gpm pump, 90 psi • Double boomless nozzles with 30' (15'

right, 15' left) spray pattern controlled with 12-volt solenoid valves from cab \bullet 15' of hose and pistol grip handgun \bullet Fits in most UTVs and has a low center gravity \bullet Tie down rings \bullet Tank measures 36" L x 48" W x 12" H

Options: • Manual hose reel with 100' of 3/8" hose - Add \$465.00*

- Roller guide for above hose reel Add \$153.00*
- Manual hose reel with 50' of 3/8" hose Add \$252.00*
- Legs for bolting unit to floor of UTV Add \$45.00 *
- Hydraulic agitation Add \$95.00*

Note: To completely evacuate tank, use wet/dry vac

Ultra Low Profile 75-Gallon UTV Sprayer WC75ULP6 \$3,677.00*

• Internal sump • Honda GX120 engine with roller pump, 10 gpm and 250 psi max pressure • Double boomless nozzles with 30' (15' right, 15' left) spray pattern controlled with 12-volt solenoid valves from cab • 15' of hose and pistol grip handgun • Fits in most long UTVs and has a low center gravity • Tank measures 36" L x 48" W x 12" H

Options: • Manual hose reel with 100' of 3/8" hose - Add \$465.00*

- Manual hose reel with 50' of 3/8" hose Add \$252.00*
- Legs for bolting unit to floor of UTV Add \$45.00*
- Oil Drainzit Add \$29.80*
- Hydraulic agitation Add \$95.00*

Note: To completely evacuate tank, use wet/dry vac

GENERAL PURPOSE SPOT SPRAYERS

Portable spray units featuring flat bottom 14 or 25-gallon poly tanks. Allows placement in pickup bed and universal mounting on ATV rack. 12-volt on demand pump operating at 45 psi. Premium quality trigger operated spray gun with adjustable nozzle capable of straight stream or wide angle and 15' of hose.

14-gallon spot sprayer, 1.0 gpm pump	WCATV141	\$168.00		
14-gallon spot sprayer, 1.8 gpm pump	WCATV141.8	268.00		14 GAL
14-gallon spot sprayer, 1.8 gpm pump with two nozzles 80" swath boom,	WCATV141.880	378.00		Two nozzle
15 gpa @ 5 mph, 19 gpa @ 4 mph			The second	80" swath
25-gallon spot sprayer, 1.0 gpm pump	WCATV251	238.00	and the state	boom
25-gallon spot sprayer, 1.8 gpm pump	WCATV251.8	291.00		
25-gallon spot sprayer, 1.8 gpm pump with two nozzles 80" swath boom,	WCATV251.880	404.00		
15 gpa @ 5 mph, 19 gpa @ 4 mph				25 GAL
25-gallon spot sprayer, 3.0 gpm pump	WCATV253	366.00	14	" swath boom
25-gallon spot sprayer, 3 gpm pump, 12' swath boom, spring loaded	WCATV25312	850.00		h break away
break away boom, 15 gpa @ 5 mph, 19 gpa @ 4 mph			1 2 3 3 4 3 1 3 3	wings
25-gallon spot sprayer, 3.0 gpm pump, Boominator nozzle providing up	WCATV253B	462.00		
to 16' spray pattern from a single tip, 14 gpa @ 5 mph, 18 gpa @ 4 mph				



JACKRABBIT and COTTONTAIL ATV SPRAYERS

Molded tanks to fit the contour of an ATV and to give maximum dispersion of weight, universal mounting and 12-volt pump

Jackrabbit

24.5-gallon molded tank

WC2412HG - \$468.00

Equipped with 1.4 or 1.8 gpm pump, control switch, 15' of hose and Black Jewel handgun

WC2412FJ - \$799.00

Equipped with 3 gpm pump, control switch, 15' of hose, Black Jewel handgun, single Boominator tip delivering an approximate 16' swath, manual on/off valve, 12 gpa @ 4 mph, 10 gpa @ 5 mph



WC241212 - \$869.00

Equipped with 3 gpm pump, control switch, 15' of hose, Black Jewel handgun, 12' folding boom with on/off valve, gauge, pressure control, 12 gpa @ 4 mph, 10 gpa @ 5 mph



WC2412BB - \$1,047.00

Equipped with 4.5 gpm pump, control switch, 15' of hose, Black Jewel handgun, two Boominator tips producing a 30' swath (15' right, 15' left), and on/off right/left control valves



Cottontail

15-gallon molded tank

WC15CT - \$992.00

Equipped with 4.5 gpm pump, control switch, 15' of hose, Black Jewel handgun, two Boominator tips producing a 30' swath (15' to right and 15' to left) and on/off right/left control valves



Jackrabbit and Cottontail ATV Sprayer Options

- JD9 handgun in place of Black Jewel Add \$89
- JD9PT handgun in place of Black Jewel Add \$89
- Front rack mounted manual hose reel and 100' hose with hose reel feed line; mounting hardware not included Add \$465.00

<u>Hardware</u>

- 15' slinky hose \$63.00*
- External strainer sub-assembly \$24.80*
- Boominator mount \$68.00*
- Boominator mount and plumbing \$121.00*
- Plumbing (no nozzles) \$48.00*
- Valve plate \$74.40*
- Hose hanger \$19.80* each
- Replacement push button switch \$16.20 each

Notes

- Tie downs and/or straps not included
- ATV must produce 12 amps to operate 4 and 5 gpm pumps
- 12-gauge wiring to the battery is required for 4 and 5 gpm pumps and 30-amp fuse or breaker
- Recommend the use of *Direct* drift retardant/ disposition aid to reduce fine droplets
- Refer to ATV specifications to ensure load capacity will handle the Jackrabbit, Cottontail and Pro models
- Units shipped by common carrier

JACKRABBIT PRO and COTTONTAIL PRO ATV SPRAYERS

All the fine spray features of the standard Jackrabbit and Cottontail ATV sprayers with upgrades for the professional applicator. Refer to ATV specifications to ensure load capacity will handle the Jackrabbit, Cottontail and Pro models.

Jackrabbit Pro \$1,205.00



Standard Features

- 24.5-gallon contoured design tank for better weight distribution and safety
- Double boomless nozzles for right or left spraying or a 30' total swath with adjustable nozzles for efficient spraying
- Right and left control valves
- 12-volt diaphragm pump Black Jewel handgun

Cottontail Pro \$1,128.00



Standard Features


- 15-gallon contoured design tank for better weight distribution and safety
- Double boomless nozzles for right or left spraying or a 30' total swath with adjustable nozzles for efficient spraying
- Right and left control valves
- 12-volt diaphragm pump Black Jewel handgun

Jackrabbit Pro Upgrades from Standard Jackrabbits

1/4 turn ball valves under each leg allowing maximum amount of solution to be used out of the tank no matter what the terrain.



Handgun hose is upgraded to a 15' slinky type hose giving ease of operation when operating the ATV and sprayer





<u>Agitation/Mixing Kit</u> For Retrofitting 24.5-gallon Jackrabbit and Jackrabbit Pro ATV Sprayers and 12-volt UTV Sprayers

Includes two mini agitators, bung fitting, on/off valve, all hoses and fittings. For mixing and agitating, dissolving granules, wettable powder or flowable liquids. Valve actuates agitation system when Boominator and handgun are not in use. Harness and agitator fit inside the tank. \$165.00





Mini-Agitator

Double agitator kit for use on ATV and UTV sprayers with 12-volt low volume pumps. Also use where hydraulic agitation is needed but pump does not produce enough volume to use standard agitation. WCMINI01 Nylon body \$51.00

FIRE FIGHTING UNITS

PICKUP STYLE FIRE FIGHTING UNITS

Standard features: • Surge Buster baffle system • Tank stop brackets • GX160 Honda manual start engine
• Direct coupled two stage pressure type centrifugal pump (65 gpm 48 psi and 20 gpm 120 psi)

• Manual hose reel • Twist grip variable pattern handgun

400-Gallon Unit WCPU400FF \$6,248.00*

400-gallon black polyethylene pick-up tank • 100' of 1" ultra-lite forestry hose
Designed to utilize only 52" of pickup bed



300-Gallon Unit WCPU300FF \$6,114.00*

• 300-gallon black polyethylene pick-up tank • 100' of 1" ultra-lite forestry hose • Designed to utilize only 41" of pickup bed



200-Gallon Unit WCPU200FF \$5,975.00* • 200-gallon black polyethylene

pick-up tank • 100' of 3/4" booster hose • Designed to utilize only 28" of pickup bed



Options: • Twist grip adjustable cast alloy nozzle (in place of plastic nozzle) - Add \$85.00* • Sight gauge - Add \$98.00*

- 25' of 1-1/2" drafting hose and foot valve Add \$215.00 Electric reel Add \$590.00*
- 400-gallon base platform for elevating tank Add \$340.00* Roller assembly for electric reel Add \$241.00*
- Guzzler Primer pump Add \$200.00*

• Scotty 4171 Around-the-Pump foam eductor - Call for pricing • Foam applicator kits - Call for pricing Note: 400-gallon sprayers require raised platform for pickups with 21.5" box sides • Sprayer does not fit the Dodge Ram toolbox bed



Rear mount

75-GALLON UTV MOUNTED FIRE FIGHTER WCUTVFF \$4,450.00*

• 75-gallon black polyethylene tank with sump • GX160 Honda engine with Davey 1.5" fire pump, dual stage 20 gpm 120 psi and 65 gpm 48 psi • 1.5" drafting capacity • 1.5" to 1" outlet • Manual hose reel with 75' of 3/4" booster hose with trigger operated variable pattern nozzle • Measures 46" L x 39" W x 23" to top (47" to hose reel top)



Side mount

BAFFLED POLY FIRE FIGHTER

Options: • Surge Buster baffle system - Add \$95.00* • Hose reel roller assembly - Add \$165.00* • Guzzler Primer pump - Add \$200.00*

FIRST BLAST FIRE FIGHTER WC25FBFF \$456.00*

Fire protection you can carry with you for initial assault on small equipment and grass fires - protecting your equipment, investment, crop, or pasture.
General purpose mounting for combines, balers, trucks, ATV and UTV • Portable for vehicle to vehicle • 12-volt 4 gpm pump • 35' of hose and handgun • 25-gallon capacity for up to 15 minutes of fire fighting • Add *X-tra Wet* to the water to increase fire fighting efficiency *X-tra Wet* 2 x 2.5-gallon per case \$41.88 per 2.5-gallon container

WC300BFF \$6,380.00*

• 300-gallon black baffled poly tank • GX270 Honda electric start engine • Direct coupled two stage pressure type centrifugal pump (120 gpm 36 psi and 20 gpm 144 psi) • 100' of 1" ultra-lite forestry hose • 1" manual crank hose reel • Adjustable pattern nozzle • Steel skid mounted • Built on an 8'5" skid

Options: • Electric reel - Add \$590.00 • Roller guide assembly for electric reel - Add \$241.00 • Clear sight gauge - Add \$98.00 • Twist grip adjustable case alloy nozzle (in place of plastic nozzle) - Add \$85.00 • Guzzler Primer pump - Add \$209.00



NURSE TANK TRAILERS

Features: • 1010-gallon drainable tank • Heavy-duty 6" channel iron frame with fenders • Extended double plated tongue • Extra heavy-duty high speed cambered axles • 8000# slipper spring suspension per axle • Implement tires • Adjustable clevis • Powder coat paint • GX160 Honda engine with 2" direct coupled high-volume transfer pump • 22' discharge hose, valve, camlock connector • Plumbed to draw from both tank and fill nurse tank



Unit Price ~ WCNTT \$9,940.00* Above unit with brakes, lights, 235 85 R16 tires and 2-5/16" ball hitch ~ WCNTTL \$12,260.00*

Options: • 1010-gallon tank and trailer only - \$7,900.00* • 1010-gallon tank and trailer only with electric brakes, lights 235 85 R16 tires - \$9,642.00* • Cone inductor tank (plumbed in system) - Add \$718.00* • Trailer with 4' platform - Add \$2,040.00* • GX160 Honda engine and 2" poly pump with wet seal - Add \$535.00* (in place of standard pump and engine)

HONDA ENGINES AND ACCESSORIES



GX Series Horizontal Shaft



Model	Туре	Feature	Price	
GX120	HX2	6:1 gear reduction, 3/4"	\$ 589.00	
GX120	QX2	Standard shaft, 3/4"	412.00	
GX160	QX2	Standard shaft, 3/4"	393.00	
GX160	HX2	6:1 gear reduction, 3/4"	585.00	
GX160	QXE2	Electric start, 3/4"	685.00	
GX160	TX2	Threaded shaft, 5/8"	441.00	
GX200	QX2	Standard shaft, 3/4"	454.00	
GX200	QXE2	Electric start, 3/4"	779.00	
GX240	HA2	6:1 gear reduction, 1"	917.00	
GX270	PAE2	Threaded, electric start, 1"	859.00	
GX270	PA2	Threaded, pull start, 1"	817.00	
GX270	QAE2	Electric start, 1"	973.00	
GX270	QA2	Standard shaft, 1"	752.00	
GX390	QAE2	Electric start, 1"	1,059.00	
GX630	RQ2E	Electric start, 1"	1,899.00	
	Larger engines available, please inquire			

Options For 20 HP Engine			
Part Number	Description	Price	
MUF-0560.SIL	Muffler right discharge	\$189.00	
MUF-0560.SIR	Muffler left discharge	189.00	
070483BE.FLA	5-gallon remote mount fuel tank kit with carbon filter	281.00	

Replacement Recoil Assemblies

Part Number	Description	Price		
28400-ZH8-013YA	For GX160, plastic ears	\$29.80		
28400-Z4M-3052B	For GX160, metal ears	101.70		
28400-ZM7-003	For GX50	37.00		
0628-ZE2-305	For GX240	79.04		

Air Filters			
Part Number	Description	Price	
17210-Z4M-821	For GX160, GX200	\$13.70	
17210-ZE2-820	For GX240, GX270	13.70	
17210-ZE3-000	For GX270, GX340	18.30	
17211-ZL8-003	For GC160	9.50	

Spark Plug			
Part Number	Description	Price	
98079-56846	For GX120 thru GX390	\$6.90	
98079-5587G	For GX630 thru GX690	6.90	

Drainzit

Fits Honda and Briggs & Stratton Engines
 Ends messy oil changes

Honda 1008	8mm oil port	For GX50	\$29.80
Honda 1010	10mm oil port	For GX100, GX140, GX160, GX200	29.80
Honda 1012	12mm oil port	For GX240, GX270, GX340, G390, GC160	29.80
Honda 1420	20mm oil port	For Honda V-Twin engines	29.80
B&S 1025	1/4" NPT	For all B&S and Tecumseh engines	29.80



25-GALLON ESTATE SPRAYER

This pull type sprayer for turf spraying features a fused 12-volt diaphragm pump and bypass pressure control. 80" boom coverage is provided by two flood-jet nozzles. 15" poly trigger-jet hand wand with adjustable nozzle is standard.

500 ES025-80 - \$557.00*

Same as above with 120" boom coverage and 3 gpm pump 500 ES025-120 - \$650.00*



FORAGE APPLICATOR

General purpose for mounting on bailer or swather

- Poly tank
- 12-volt pump
- On/off switch
- Hose and nozzle

25-gallon with on/off switch - \$657.00* 40-gallon with on/off switch - \$757.00* 60-gallon with on/off switch - \$791.00* 40-gallon with rheostat - \$1,067.00* 60-gallon with rheostat - \$1,131.00*

MSC 30-NG rheostat with 10' power cord and 15' cable and 30-amp - \$361.00

GOPHER GETTER

Pocket gophers cost you money! Every day they run free they destroy your profit potential. There is no better way to control pocket gophers than the Elston Gopher Getter. It builds and baits artificial runways so only gophers can get it. Field tested and customer approved for over three decades – it is the industry standard!

- GA-400-22, 3-point hitch tractor mount \$3,065.00
- GA-500-20, pull type (hydraulic cylinder not included) \$4,210.00
- GA-700, 3-point hitch Cat 1 & 2, heavy duty \$4,910.00
- GA-600, hand-held model \$329.00
- Kaput Big Boy gopher probe \$97.00
- 1 lb jar non-restricted .5% strychnine bait (fits in hand held model) - \$17.30
- 4 lb container .5% strychnine bait \$49.00
- 45 lb bucket .5% strychnine bait \$296.00
- 30 lb bucket Kaput \$94.10
- 5 lb pail Kaput \$32.90



CHEMICAL MIXING UNIT

Designed to transfer and mix water or liquid fertilizer from supply tank to spray applicator. Takes the work out of hauling dry ammonium sulfate and other chemical to the top of sprayer for mixing.

- 60-gallon inductor cone tank
- Fills and mixes in cone
- Stinger for extracting out of shuttles or barrels to cone
- Garden hose attachment for washing and rinse
- Garden hose and/or nozzle, or jet rinser not included




GX160 Honda engine with 2" pump unit - \$2,315.00* 2 hp electric 115/220 with 2" pump unit - \$2,575.00* Jet Rinse Nozzle - \$38.83*


SEED TREATER

Treat your seed with this 5-gallon unit. Comes complete with cone bottom tank for complete clean out, 12-volt Shurflo pump, bypass pressure adjustment, filter, gauge, hose, and nozzles.



500 ST05A	12-Volt	\$616.00*
500 ST05B	110-Volt	\$679.00*





Fastest, easiest, and most economical way to control prairie dogs. Commercial applicator that works great for landowners with large areas to treat. Does up to 200 holes per hour or 10 acres per hour (based on 20 holes per acre). Heavy 5-gallon poly tank. Holds up to 30 lbs plus of treated grain.

UTV mounting bracket for prairie dog baiter \$125.00

PRIZELAWN COMMERCIAL SPREADERS AND ACCESSORIES

CBR IV "Commercial Broadcast Spreader"

• 70+ lb capacity • 13" Turf Tracker pneumatic tires • Improved ergonomic handle • Adjustable chute for spread pattern control • Spring loaded on/off

Gear cover standard
 Hopper cover included

• Side deflector optional • Limited lifetime warranty on gears

Stainless Steel Frame - \$790.00* Epoxy Powder Coat Frame - \$598.00*

LF II "LIIFOOT" - \$245.00*

• Up to 40 lb capacity • 10" pneumatic tires • Spring loaded on/off • Epoxy powder coat welded frame

• Hopper cover included • Unbeatable value in a light duty commercial spreader



PrizeLawn Spreader Options and Parts

	Part #	Description	Price
	33117	Agitator	\$9.25
	14832-Kit	Axle gear kit	31.90
	15144	Chute/guide set	26.00
	14837-Kit	Gear cover kit	46.94
		Hopper cover	41.00
	18128	Hopper screen	12.00
		Ice melt deflector for CBR IV	59.00
1	14625	Impeller	12.75
	14833-Kit	Pinon gear kit	31.90
		Receiver hitch carrier for	125.00
		CBR IV	
		Side deflector kit for CBR IV	111.00

HERD GT-77 SEEDER

Standard Features

Ontions

• Heavy duty one piece gray iron base • Hopper capacity of 77 lbs fertilizer or 1.2 bushel seed

• Stainless steel pivot plate for years of service • 4-bladed corrosive resistant aluminum fan

• 12-volt electric motor (spreads alfalfa 28' wide) • Hopper lid to keep material in hopper and dry at all times • Vibrating agitator for sure-feed of material being spread • Mounting kits to fit most all ATV • Includes bracket for metal ATV rack "T"

Options		
Part #	Description	Price
544	3-point hitch for GT-77 in place of ATV bracket	\$192.00*
660	2" receiver hitch for GT-77 in place of ATV bracket	250.00*
811	Rheostat to control spread width	175.00*
JPH-1	UTV with tailgate and 2" receiver (JD Gator, Kubota, etc) in place of standard mounting kit	315.00*



\$785.00*

DOSATRON°

WATER POWERED DOSING TECHNOLOGY

Affordable, on-sprayer chemical injection

No more messy mixing chores.
No more left-over spray solution at the end of the day.
Just fill your sprayer tank with water and set the Dosatron to the desired percentage of chemical to water
The Dosatron chemical injector precisely injects the pre-set amount of chemical into the flow of water being pumped to the nozzles. This percentage of chemical to water remains constant regardless of changes in spray pump output.
On sprayers equipped with automatic spray rate control systems, the Dosatron rate of chemical injection precisely follows the changes in flow and pressure called for by the spray rate control system.

OPOSATRON
¥

Model	Flow Rate	Flow Range	Pressure	Ratios	Percentage	Oz / Gal	Price
D14MZ2	14 gpm	0.05 to 14 gpm	4.3 to 85 psi	1:500 to 1:50	0.2 to 2	.256 to 2.56	\$546.00*
D14MZ5	14 gpm	0.05 to 14 gpm	4.3 to 85 psi	1:200 to 1:20	0.5 to 5	.64 to 6.4	1,120.00*
D45RE15	20 gpm	.5 to 20 gpm	7 to 70 psi	1:500 to 1:66	0.2 to 1.5	.256 to 1.92	770.00*
D45RE3	20 gpm	.5 to 20 gpm	7 to 70 psi	1:200 to 1:33	0.5 to 3.0	.64 to 3.84	990.00*

	DI16	DI150	D8R	DSA45-1.5	DSA45-3	D14M22	D14M25
Dosing Seal Kit	PJDI075VF	PJDI060AF	8PJ052VF	PJ096VF	PJ084AF	PJDI116VF	PJDI20HTAF
	\$62.00*	\$78.00*	\$62.00*	\$83.00*	\$119.00*	\$66.00*	\$123.00*
Motor Seal Kit	EMDI003	EMDI003	8EM002	MKD45RE15	MKD45RE3	EMDI006VF	EMDI006VF
	\$49.00*	\$49.00*	\$11.75*	\$125.00*	\$166.00*	\$46.00*	\$46.00*

PERSONAL PROTECTION EQUIPMENT

Tyvek Coveralls

Non-elastic wrists and ankles. Full zipper front BW1921 M - XL \$8.18 per pair BW1921 2X \$8.65 per pair \$9.75 per pair BW1921 3X

Heavy Duty Nitrile Gloves

HW2300 \$21.60 per pair 19" elbow length, 22 mil thickness, L and XL



Nitrile Gloves

13" cuff, 15 mil thickness HW2400 S - XL \$3.38 per pair HW2400 2XL \$3.49 per pair

Gloveworks Disposable Nitrile Gloves Textured grip, 8 mil thickness M - 2XL \$46.00 per box of 100



Safety Glasses One-piece wraparound lens, Flexible temples, Temple sleeves

FE4045C Clear FE4045G Grey Tint

\$4.20 per pair \$3.65 per pair

Safety Goggles, Indirect Vent Can be worn with half-mask respirator. Fits over



prescription eyewear. \$5.15 per pair

North Half-Mask Respirator Kit (M&L)

Comes with mask, one set each of organic vapor cartridges,



R95 prefilters, and filter covers RSKT7700N \$84.00

- RS7501NPK ~ Organic vapor cartridge, 1 pair \$19.80 / pair
- RS7506RNBX ~ R95 prefilters, 10 pack \$48.85 / pack
- RS700NPK ~ Prefilter cover, 1 pair \$6.60 / pair

N95 Particulate Respirator Molded mask, resists collapsing

RS2120BX-AL~ \$49.65 per box of 20 RS2120 ~ Individually, \$2.75 each



PVC Bib Chemical Apron

BW1971EA \$17.00 each

Full Face Shield

Positive lock headgear FE2000EA

Replacement Shield FE2001EA \$4.80

Minuteman Universal Spill Response Duffel SP30GA-MIN \$144.50

Contains: 2 – 26"x16"x2" pillows; 3 – 3"x48" diking tubes; 1 pair 15 mil nitrile gloves; 1 pair safety goggles; 1 pair rubber hazmat boots, 2 disposal bags with labels



\$34.75



Commando Universal Spill Response Kit SP30GA-COM \$96.85 Fits behind pickup seat. Contains: 2 ea 3"x48" diking tubes; 4 ea 16"x9"x2" pillows; 1 pair safety goggles; 1 pair boot covers; 1 pair 15 mil nitrile gloves; 2 disposal bags; instruction sheet

Warne Rapid Response Spill Kit ~ \$879.00

- 53-gallon lockable tote
- HookLok mounts for shovel
- D-handle pointed shovel
- D-handle square end shovel
- Floor Dry, 24-quart bag (x 2)
- Hand soap (one liquid, one bar Lava)



- N95 dust mask (x 6)
- Safety glasses (one pair)
- Paper towels (one roll)
- Roll of 30-gallon trash bags
- Shoe covers
- Collapsible shovel
- Diking tubes 4' x 3-1/2" (x 12)
- Sorbent pillows 8-1/2" x 8-1/2" (x 10)
- Oil sorbent pads 8-1/2" x 17-1/2" (x
- 10)
- Tyvek suit (one XL, one XXL)



"HANDS FREE" hose pulling with the original hose harness

HotStop

- For all commercial hose uses
- Reduce back and shoulder fatigue Eliminate hose being slung over
- shoulder lessening exposure from hose contact • Micro and macro adjustment to hose up to 1-1/4" OD
- Switch between hose or cord in seconds
- Fully adjustable from approximately 5/16" to 1-1-4"
- Great for "non-gasoline" powered tools and equipment
- \$35.00* each; \$29.90* each 3 or more

BigStop

- For all hose and cord uses
- Switch between hose or cord in seconds
- Reduce fatigue and increase productivity
- Adjustable belt with quick-release buckle
- Fully adjustable from approximately 5/16" to 1-1/4" OD
- Great for "non-gasoline" powered tools and equipment
- \$27.90* each; \$23.90* each 3 or more

∂ WeatherFlow Weather Meter

Simple and cost-effective way to capture location specific weather data.


WEATHERmeter - \$79.85*

- Communicates via Bluetooth up to 100'
- Readings are recorded and displayed to WINDmeter app (free or compatible app)
- Wind speed (average, gust) 2-125 mph
- Wind direction
- Crosswind, headwind, tailwind
- Temperature and relative humidity
- Pressure and dew point
- Heat index, windchill and more

EARTHWAY BELLY GRINDER

- GRASS SEEDER20 lb capacityNylon bag
- Model 2750 \$58.50*

MIRACLE RUST AWAY



Quart \$16.90 Gallon \$46.00





ROOT FEEDERS

Standard Root Feeder \$356.00*

XL Root Feeder (10" longer) \$366.00*

Ideal for injecting liquid fertilizer into hard, compact soils. Features welded steel step, twohole chisel tip design on injector point assembly, non-slip handle grips and trigger valve with 1/2" FP inlet.

- Replaceable trigger valve \$189.00*
- Replaceable hardened steel tip \$75.00*
- 1/2" male quick coupler \$17.00*
- 1/2" female coupler for hose \$29.00*
- Trigger valve repair kit \$37.00*
- 305A squeeze lever/bracket assembly \$39.70*

SOIL CORE SAMPLER - \$99.00*

- 36" tube with 12" T handle
- 3/4" diameter side outlet core discharge

HANDHELD WEED WIPER

Air poly weed wiper for use around trees, bushes and gardens. Just add one part Roundup with two parts water.

Order No 500HWW \$45.00*

FLUID FILM not only protects against, and stops rust, but also is capable of penetrating heavily corroded and/or frozen parts such as nuts bolts, shafts, and more. Will not evaporate or dry out. Use on metals, wood, leather, and electrical. Penetrates and protects immediately after application. Nontoxic, non-hazardous and user friendly.



11.75 oz aerosol can - \$14.50 per can Case of twelve 11.75 oz aerosol cans - \$152.00 per case 8 oz brush can - \$20.50 per can 1 gallon bulk can - \$97.50 per can

JET RINSE NOZZLE


Rinses cans of chemicals and prevents re-use, works on metal or plastic cans. Has 3/4" garden hose thread female inlet connection and on/off slide switch. \$38.83*



MEASURING CONTAINERS



128 oz\$20.50*64 oz\$12.50*34 oz\$10.75*8 oz\$8.75*



CUSTOM BUILT SPRAYERS TO FIT YOUR NEEDS AND BUDGET



FLATBED MOUNTED TREE, TURF AND ROADSIDE SPRAYERS



PICKUP MOUNTED TREE AND TURF SPRAYERS

Let Warne Chemical & Equipment Company Inc's professional staff custom design and build a sprayer to YOUR specifications. Call 1-800-658-5457 for a custom quote!



BOOMLESS RANGE AND PASTURE



AGRICULTURAL SPRAYERS



ATV SPRAYERS - 15 AND 24.5-GALLON



UTV SPRAYERS - 55, 75, 100-GALLON





2680 Commerce Rd • Rapid City SD 57702

Phone: 1-800-658-5457 • 605-342-7644

Email: warnechemical@warnechemical.com

Website: www.warnechemical.com







